

SAP.C_SECAUTH_20.v2021-12-30.q50

Exam Code:	C_SECAUTH_20
Exam Name:	SAP Certified Technology Associate - SAP System Security and Authorizations
Certification Provider:	SAP
Free Question Number:	50
Version:	v2021-12-30
# of views:	1549
# of Questions views:	500
https://www.freepdfdumps.com/SAP.C_SECAUTH_20.v2021-12-30.q50.html	

NEW QUESTION: 1

You want to limit an authorization administrator so that they can only assign certain authorizations.

Which authorization object should you use?

- A. S_USER_AGR
- B. S_USER_VAL
- C. S_USER_TCD
- D. S_USER_ADM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which of the following actions correctly describes the usage of Back Channel Single Sign-On based on (SAML) 2.0?

- A. The service provider redirects the user to an identity provider and includes a SAML artifact referring to authentication request.
- B. The identity provider get the authentication response from the service provider over a SOAP channel.
- C. The service provider get the authentication request from the identity provider over a SOAP channel.
- D. The service provider queries the user for authentication credentials.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which of the following are used in SAP Enterprise Threat Detection (ETD) architecture?

Note: There are 2 correct answer to this question.

- A. SAP HANA Smart Data Streaming
- B. SAP ASE
- C. Forensic Lab
- D. SAP IQ

Answer: (SHOW ANSWER)

NEW QUESTION: 4

Which of the following authorization objects would be required to allow back-end server access to a Web Dynpro application using the SAP Fiori Launchpad?

- A. S_TCODE
- B. S_START
- C. S_SERVICE
- D. S_PERSONAS

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

Which of the following functionalities are supported by SAP Information Lifecycle Management (ILM)?

Note: There are 3 correct answer to this question.

- A. Data retention
- B. Data Logging
- C. Alert Notification
- D. Data Archiving
- E. Data Destruction

Answer: (SHOW ANSWER)

NEW QUESTION: 6

Which of the following app-specific types of entities do users need to use SAP Fiori apps?

Note: There are 2 correct answer to this question.

- A. UI
- B. Master Data
- C. Parameters
- D. Authorizations

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 7

Which of the following authorization objects are used to secure the execution of External Commands when defining a background job step? Note: There are 2 correct Answers to this question.

- A. S_BTCH_EXT
- B. S_LOG_COM
- C. S_PROGRAM
- D. S_RZL_ADM

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 8

Which of the following accurately describes the role/profile SAP_NEW? Note: There are 2 correct Answers to this question.

- A. Organizational levels need to be maintained in profile SAP_NEW.
- B. The role SAP_NEW does not guarantee backward compatibility for all scenarios.
- C. The profile SAP_NEW provides authorization for all new objects and objects changed by release.
- D. The role SAP_NEW must be generated in accordance with the system environment using the report REGENERATE_SAP_NEW.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 9

When building a PFCG role for SAP Fiori access on an embedded front-end server configuration, which of the following items should be provided? Note: There are 3 correct Answers to this question.

- A. Catalog for the Start Authorization
- B. Start Authorizations for OData services
- C. SAP Favorites
- D. WAPA Business Server Pages
- E. UI access to the Apps

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 10

Which TADIR Service Object type includes business functional authorization objects used within the OData execution?

- A. OSOD
- B. IWSV
- C. IWSC
- D. IWSG

Answer: D (LEAVE A REPLY)

NEW QUESTION: 11

Which of the following describes an Authorization Object class?

- A. It defines a group of 1 to 10 authorization fields together.
- B. It defines authorizations for different authorization objects.

- C. It defines a logical grouping of authorization objects.
- D. It defines the smallest unit against which an authorization check can be run.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

You are configuring authorizations to secure access to table data using transaction SM31 and you encounter authorization object S_TABU_DIS and field DICBERCLS. How can this field be used to secure access?

- A. It allows you to specify access to a specific client-dependent table.
- B. It allows you to specify access to a specific client-independent table.
- C. It allows you to specify access to tables referenced by a specific program group.
- D. It allows you to specify access to tables associated with a specific authorization group.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

You want to turn off the SAP menu on Easy Access Menu Screen. What administrative function do you need in Authorization Object S_USER_ADM ?

- A. PRGN_CUST
- B. USR_CUST
- C. SSM_CUST
- D. USR_CUST_S

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which of the following app-specific types of entities do users need to use SAP Fiori apps?
Note: There are 2 correct Answers to this question.

- A. Parameters
- B. Master Data
- C. Authorizations
- D. UI

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

In SAP NetWeaver AS Java, the User Management Engine (UME) supports which of the following data sources for storing user data?

Note: There are 3 correct answer to this question.

- A. UDDI provider
- B. LDAP Directory
- C. ABAP-based sap system
- D. Directory/usr/sap
- E. Java system database

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which of the following are examples of personal data under the GDPR? Note: There are 3 correct Answers to this question.

- A. E-mail address
- B. Aggregated statistics on the use of a product
- C. IP address
- D. GPS data from a cellular phone
- E. Age group

Answer: A,C,D ([LEAVE A REPLY](#))

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which values are permitted for the S_BTCH_JOB authorization object? Note: There are 3 correct answer to this question.

- A. 01 (Create)
- B. DELE
- C. 02 (Change)
- D. SHOW
- E. RELE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

How can you protect a system when you do not want the user assignments for a role to be transported?

- A. Restrict import of users in table PRGN_CUST in the development system
- B. Restrict access to the user assignment tab in PFCG in the development system
- C. Restrict access to the user assignment tab in PFCG in the target system
- D. Restrict import of users in table PRGN_CUST in the target system

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which of the following actions are required to ensure complete logging of table data changes? Note: There are

3 correct answer to this question.

- A. Log Data changes must be enable at the table level in transaction SE13
- B. Client change option must be set to Automatic Recording of changes
- C. Parameter RECCLIENT must be maintained in transaction STMS
- D. Instance profile parameter rec/client must be maintained for client
- E. The security log must be activated using transaction SM19

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which of the following user types are precluded from logging onto the system directly?

Note: There are

3 correct Answers to this question.

- A. Dialog
- B. Reference
- C. Communication
- D. System
- E. Service

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which of the following authorization objects are used to secure the execution of External Commands when a defining a background job step?

Note: There are 2 correct answer to this question.

- A. S_BTCH_EXT
- B. S_RZL_ADM
- C. S_LOG_COM
- D. S_PROGRAM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which transaction code allows you to configure the SAP Security Audit Log?

- A. SM20
- B. SM18
- C. SUIM
- D. SM19

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which values are permitted for the S_BTCH_JOB authorization object? Note: There are 3 correct Answers to this question.

- A. SHOW
- B. RELE
- C. DELE
- D. 01 (Create)
- E. 02 (Change)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

How can you enforce an additional transaction start authorization check for custom transaction?

- A. Maintain the SU24 entry for the custom transaction and adding the desired authorization object, setting the Check Indicator to "Check" and setting Proposal to Yes.
- B. Using Transaction SE93 , update the custom transaction definition by specifying the desired authorization object and maintaining the desired field values.
- C. Without additional custom development it is not possible to add another check during transaction start.
- D. For each role containing the custom transaction, add the desired authorization object manually in transaction PFCG, maintained the field values and then generate the profile.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

The DBMS tab in transaction SU01 allows you to manage database privilege assignments for which of the following scenarios?

Note: There are 2 correct answer to this question.

- A. When a user needs to run applications that access database directly
- B. When users need 1:1 user mapping to map analytical privileges of database to the virtual analysis of authorization on SAP BW
- C. When a user needs to execute CDS Views
- D. When users need to use reporting authorizations on SAP BW

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which of the following are the examples of personal data under the GDPR? Note: There are 3 correct answer to this question.

- A. Aggregated statistics on the use of a product
- B. IP Address
- C. Age Group
- D. Email Address
- E. GPS data from Cellular phone

Answer: (SHOW ANSWER)

NEW QUESTION: 27

What content can be shared between SAP Access Control and SAP Cloud Identity and Access Governance products? Note: There are 3 correct answer to this question.

- A. Mitigation Control
- B. Mitigations
- C. Process Hierarchy
- D. Emergency Access
- E. Risk Library

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 28

Which of the following authorization objects would be required to allow back-end server access to a Web Dynpro application using the SAP Fiori Launchpad?

- A. S_START
- B. S_TCODE
- C. S_PERSONAS
- D. S_SERVICE

Answer: D (LEAVE A REPLY)

NEW QUESTION: 29

Which of the following are core principles of GDPR? Note: There are 3 correct Answers to this question.

- A. Data Quality
- B. Data Archiving
- C. Lawfulness, Fairness and Transparency
- D. Data Minimization
- E. Storage Limitations

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 30

Which of the various protocols can be used to establish secure communication? Note: There are 3 correct Answers to this question.

- A. From Secure Login Server to LDAP Server: HTTPS (SSL)
- B. From Secure Login Server to SAP Netweaver: RFC (SNC)
- C. From Secure Login Client to Secure Login Server: DIAG/RFC (SNC), HTTPS, RADIUS
- D. From Business Explorer to SAP Netweaver: DIAG/RFC (SNC), HTTPS (SSL)
- E. From SAP GUI to SAP Netweaver: DIAG/RFC (SNC)

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 31

Your company uses derived roles. During maintenance of the Plant Manager imparting role, you add a new transaction to the Menu tab which introduces a new organizational level that will be unique for each of your

150

plants. How will the new organization level be maintained in the derived roles?

- A. All at once using transaction PFCGMASVAL
- B. Automatically after generating the profiles of the imparting role and adjusting the derived roles
- C. Manually by maintaining each derived role individually
- D. Automatically using the Copy Data button during maintenance of the imparting role

Answer: C (LEAVE A REPLY)

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

In the case of missing OData authorizations, why is it not recommended to maintained S_SERVICE manually within an SAP Fiori Authorization Role?

Note: There are 2 correct answer to this question.

- A. Both front-end and back-end entries are generating the same S_SERVICE authorization object with different authorization values
- B. The SRV_NAME Value of the S_SERVICE authorization object is the hash value of an OData service
- C. The SRV_NAME Value of the S_SERVICE authorization object is the name of an OData service
- D. Both front-end and back-end entries are generating the same S_SERVICE authorization object with same authorization values

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 33

SAP Cloud Identity and Access Governance consists of which of the following software services? Note: There are 3 correct answer to this question.

- A. User Access Certification

- B. Access Analyst
- C. Role Design
- D. Access Request
- E. Emergency Access Management

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which of the following actions are required to ensure complete logging of table data changes? Note:

There are 3 correct Answers to this question.

- A. The security audit log must be activated using transaction SM19.
- B. Client change options must be set to Automatic Recording of Changes.
- C. Parameter RECCLIENT must be maintained in transaction STMS.
- D. Log data changes must be enabled at the table level in transaction SE13.
- E. Instance profile parameter rec/client must be maintained for client.

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which of the following user types are precluded from logging in to system directly? Note:

There are 3 correct answer to this question.

- A. Reference
- B. Communication
- C. Service
- D. System
- E. Dialog

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 36

What is the main purpose of SAP Access Control, as an enterprise software solution?

- A. Deployment of encryption services
- B. Secure authentication for cloud and on-premise
- C. Manage corporate social media presence
- D. Identify security risk and document compliance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which of the following items are addressed by Configuration Validation? Note: There are 3 correct Answers to this question.

- A. Software packages
- B. Critical roles
- C. RFC logins

- D. Failed transports
- E. Database parameters

Answer: (SHOW ANSWER)

NEW QUESTION: 38

Which of the following defines "Phishing"?

- A. Pretending to be another user
- B. Modifying an IP address of the source of the TCP/IP packet
- C. Acquiring sensitive information by masquerading as a trustworthy entity
- D. Overloading an application with requests

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39

Where can you enable the Read Access Logging tools?

- A. SICF
- B. SWI5
- C. SUIM
- D. SPRO

Answer: A (LEAVE A REPLY)

NEW QUESTION: 40

Which of the following defines "Phishing"?

- A. Acquiring sensitive information by masquerading as trustworthy entity
- B. Pretending to be another user
- C. Modifying an IP address of the source of the TCP/IP packet
- D. Overloading an application with request

Answer: A (LEAVE A REPLY)

NEW QUESTION: 41

Which of the following checks performed for SAProuter by the SAP security optimization service (SOS)?

Note: There are 3 correct answer to this question.

- A. Secure Network Communication Check
- B. Saprountab Check
- C. Password Check
- D. User Management Check
- E. Operating System Access Check

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 42

Which UCON phase blocks the access to RFC Function Modules without an assigned Communication Assembly?

- A. Activation
- B. Evaluation
- C. Configuration
- D. Logging

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 43

Where you can enable Read Access Logging tools?

- A. SICF
- B. SUIM
- C. SWI5
- D. SPRO

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 44

Which of the following are system security threats? Note: There are 3 correct answer to this question.

- A. Nonrepudiation
- B. System Penetration
- C. Availability
- D. Code Injection
- E. Authority Violation

Answer: [B,D,E \(LEAVE A REPLY\)](#)

NEW QUESTION: 45

Which of the following transactions allow you to define role assignments for OData Services that are available on multiple back-end systems? Note: There are 2 correct Answers to this question.

- A. /IWFND/GW_CLIENT
- B. /IWFND/GW_SYS_ALIAS
- C. /IWFND/MAINT_SERVICE
- D. /UI2/GW_MAINT_SRV

Answer: [C,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 46

Which ABAP transaction codes are relevant for SNC Parameter Configuration? Note: There are 2 correct Answers to this question.

- A. STRUST
- B. SNCCONFIG

C. SNCWIZARD

D. SNC0

Answer: B,C ([LEAVE A REPLY](#))

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

SAP Cloud Identity and Access Governance consists of which of the following software services? Note:

There are 3 correct Answers to this question.

A. User Access Certification

B. Access Request

C. Access Analysis

D. Emergency Access Management

E. Role Design

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

What content can be shared between the SAP Access Control and SAP Cloud Identity and Access Governance products? Note: There are 3 correct Answers to this question.

A. Process hierarchy

B. Mitigation controls

C. Emergency access

D. Mitigations

E. Risk library

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 49

You want to adjust check indicator values for certain authorization object delivered by SAP. In which of the following tables should your adjustments be recorded?

A. USOBT_C

B. USOBX

C. USOBX_C

D. USOBHASH

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

What is the purpose of SAP Notes listed by SAP Solution Manager System Recommendations? Note: There are 2 correct answer to this question.

- A. To recommend SAP security Notes for evaluation
- B. To recommend SAP Hot News Notes (priority 1 and 2)
- C. To recommend Legal Change Notes related to SAP innovations
- D. To recommend Performance Notes to improve system response

Answer: ([SHOW ANSWER](#))

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)