

SAP.C_SECAUTH_20.v2022-04-26.q53

Exam Code:	C_SECAUTH_20
Exam Name:	SAP Certified Technology Associate - SAP System Security and Authorizations
Certification Provider:	SAP
Free Question Number:	53
Version:	v2022-04-26
# of views:	1433
# of Questions views:	530
https://www.freepdfdumps.com/SAP.C_SECAUTH_20.v2022-04-26.q53.html	

NEW QUESTION: 1

Which feature is available in the CommonCryptoLib scenario provided by SAP Security Library?

- A. Hardware Security Module (HSM)
- B. SPNEGO / ABAP
- C. Secure Store and Forward (SSF)
- D. SSL/TLS

Answer: (SHOW ANSWER)

NEW QUESTION: 2

In the case of missing OData authorizations, why is it not recommended to maintained S_SERVICE manually within an SAP Fiori Authorization Role?

Note: There are 2 correct answer to this question.

- A. Both front-end and back-end entries are generating the same S_SERVICE authorization object with same authorization values
- B. The SRV_NAME Value of the S_SERVICE authorization object is the name of an OData service
- C. The SRV_NAME Value of the S_SERVICE authorization object is the hash value of an OData service
- D. Both front-end and back-end entries are generating the same S_SERVICE authorization object with different authorization values

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 3

Which of the following conditions apply when merging authorizations for the same object?

Note: There are 2 correct Answers to this question.

- A. Both the activation status and the maintenance status of the authorizations do not match.
- B. Both the activation status and the maintenance status of the authorizations match.
- C. Changed authorizations can be merged with manual authorizations, as long as the activation status is the same.
- D. Changed authorizations can be merged with manual authorizations, even if the activation status is different.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which of the following allows you to improve the quality of your enterprise data assets with consistent data validation rules, data profiling and metadata management?

- A. SAP Information LifeCycle Management
- B. SAP Information Steward
- C. SAP Process Control
- D. SAP Data Services

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Where you can enable Read Access Logging tools?

- A. SUIM
- B. SWI5
- C. SICF
- D. SPRO

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which of the following actions correctly describes the usage of Back Channel Single Sign-On based on (SAML) 2.0?

- A. The identity provider get the authentication response from the service provider over a SOAP channel.
- B. The service provider redirects the user to an identity provider and includes a SAML artifact referring to authentication request.
- C. The service provider get the authentication request from the identity provider over a SOAP channel.
- D. The service provider queries the user for authentication credentials.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which ABAP transaction codes are relevant for SNC Parameter Configuration? Note: There are 2 correct Answers to this question.

- A. SNCO
- B. SNCCONFIG
- C. STRUST
- D. SNCWIZARD

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which transaction codes are relevant to enable SNC between ABAP system? Note: There are 3 correct answer to this question.

- A. RZ10
- B. SU01
- C. SNCO
- D. PFCG
- E. STRUST

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

You are responsible for determining the reason why you need personal data and how this data is processed or stored. What key role do you play under GDPR in relation to personal data?

- A. Data Steward
- B. Data Subject
- C. Data Processor
- D. Data Controller

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

What is the purpose of securing sensitive business data? Note: There are 3 correct answer to this question.

- A. Protection Image
- B. Correctness of Data
- C. Protection of Intellectual property
- D. Disruption of software deployment
- E. Reduction of training Cost

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which of the following functionalities are supported by SAP Information Lifecycle Management (ILM)?

Note: There are 3 correct Answers to this question.

- A. Data Archiving
- B. Data Destruction
- C. Data Retention
- D. Data Logging
- E. Alert Notification

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following transaction allow you to customize or configure SAP Fiori Catalogs and Groups?

Note: There are 2 correct answer to this question.

- A. /UI2/FLPCM_CONF
- B. /UI2/FLPD_CONF
- C. /UI2/FLPD_CUST
- D. /UI2/FLPCM_CUT

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following correctly describe the SAP Security Optimization Service (SOS) offerings? Note:

There are 3 correct Answers to this question.

- A. Remote Service: part of CQC service offering
- B. Onsite Service: performed by specialists
- C. Self Service: performed by experienced service engineers
- D. Onsite Service: available with additional costs
- E. Self Service: all completely automated checks in all SAP systems

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

When you are troubleshooting an application start issue, what does the Search for Startable Applications in Roles report help you determine? Note: There are 2 correct Answers to this question.

- A. If there is an application start lock
- B. If the PFCG roles are assigned to end users
- C. If the PFCG roles contain all of the start authorizations required for the application
- D. If the PFCG role menu contains SAP Fiori Tile Groups

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What is the purpose of securing sensitive business data? Note: There are 3 correct Answers to this question.

- A. Correctness of data
- B. Protection of intellectual property
- C. Reduction of training costs
- D. Protection of image
- E. Disruption of software deployment

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 16

What information can be provided by an Audit Class? Note: There are 3 correct Answers to this question.

- A. Dialog Logon
- B. RFC/CPIC Logon
- C. User Authorizations
- D. User Roles
- E. Transaction Start

Answer: A,B,E (LEAVE A REPLY)

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which of the following items are addressed by Configuration Validation? Note: There are 3 correct Answers to this question.

- A. RFC logins
- B. Failed transports
- C. Database parameters
- D. Critical roles
- E. Software packages

Answer: (SHOW ANSWER)

NEW QUESTION: 18

A PFCG role can be linked to an SAP Organizational Management structure by which object types? Note:

There are 3 correct answer to this question.

- A. Task
- B. Position
- C. Job
- D. Organizational Unit
- E. Person

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which ABAP transaction codes are relevant for SNC parameter configuration? Note: There are 2 correct answer to this question.

- A. SNCWIZARD
- B. SNCCONFIG
- C. SNCO
- D. STRUST

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which of the following SUIM report can you use to determine if a user has segregation of duty violation?

Note: There are 2 correct answer to this question.

- A. User Comparison
- B. User Level Access Risk Analysis
- C. User with Critical Authorizations
- D. User by Complex Search

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which TADIR Service Object type includes business functional authorization objects used within the OData execution?

- A. IWSV
- B. IWSG
- C. IWSC
- D. OSOD

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which transaction code allows you to configure the SAP System Audit Log?

- A. SM20

- B. SM18
- C. SM19
- D. SUIM

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

The report "Search for Application in Role Menu" can be called via which of the following options? Note:

There are 2 correct Answers to this question.

- A. Transaction SUIM (menu node "Roles")
- B. Transaction RSUSR_ROLE_MENU
- C. Transaction SUIM, (Menu node "Change Documents")
- D. Transaction RSUSR_START_APPL

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following are SAPUI5 Fiori application types? Note: There are 2 correct Answers to this question.

- A. Web Dynpro
- B. Transactional
- C. Legacy
- D. Analytical

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following actions are correctly describes the usage of Front Channel Single Sign-On based on (SAML) 2.0?

Note: There are 2 correct answer to this question.

- A. The service provider queries the user for authentication credentials
- B. The identity provider returns the user to service providers with an authentication request
- C. The identity provider queries the user for authentication credentials
- D. The identity provider presents the requested resource to the user

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

How can you enforce an additional transaction start authorization check for a custom transaction?

- A. Without additional custom development it is not possible to add another check during transaction start.
- B. Maintain the SU24 entry for the custom transaction and adding the desired authorization object, setting the Check Indicator to "Check" and setting Proposal to Yes.

- C. Using transaction SE93, update the custom transaction definition by specifying the desired authorization object and maintaining the desired field values.
- D. For each role containing the custom transaction, add the desired authorization object manually in transaction PFCG, maintain the field values and then generate the profile.

Answer: (SHOW ANSWER)

NEW QUESTION: 27

In the case of missing OData authorizations, why is it not recommended to maintain S_SERVICE manually within an SAP Fiori authorization role? Note: There are 2 correct Answers to this question.

- A. Both front-end and back-end entries are generating the same S_SERVICE authorization object with the same authorization values.
- B. The SRV_NAME value of the S_SERVICE authorization object is the hash value of an OData service.
- C. Both front-end and back-end entries are generating the same S_SERVICE authorization object with different authorization values.
- D. The SRV_NAME value of the S_SERVICE authorization object is the name of an OData service.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 28

Which of the following accurately describe Solution Manager Functionality? Note: There are 3 correct answer to this question.

- A. A system recommendation provide a worklist of potentially relevant security notes.
- B. Configuration validation helps to standardize and harmonize security related configuration items for ABAP systems only.
- C. SAP EWA provides the most comprehensive security check.
- D. SAP SOS self-service is a convenient entry point to introduce security monitoring.
- E. Configuration validation can check if security policies were applied.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 29

Which of the following are prerequisites for using transaction PFCG? Note: There are 2 correct answer to this question.

- A. Generate Standard Role SAP_NEW using transaction SU25
- B. Maintain parameter auth/no_check_in_some_cases = Y
- C. Maintain the Check Indicators for Critical Authorization objects
- D. Fill Initial values for customer tables using transaction SU25

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 30

Which of the following technical capabilities does SAP Code Vulnerability Analysis provide? Note: There are 2 correct answer to this question.

- A. Static and Dynamic Application Security Testing
- B. Capture of manual and automated check execution
- C. Direct integration with Root Cause Analysis
- D. Deprovisioning of problematic ABAP code

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 31

Which of the following app-specific types of entities do users need to use SAP Fiori apps? Note: There are 2 correct answer to this question.

- A. Authorizations
- B. Parameters
- C. Master Data
- D. UI

Answer: (SHOW ANSWER)

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which of the following actions are required to ensure complete logging of table data changes? Note: There are 3 correct answer to this question.

- A. Log Data changes must be enable at the table level in transaction SE13
- B. The security log must be activated using transaction SM19
- C. Instance profile parameter rec/client must be maintained for client
- D. Parameter RECCLIENT must be maintained in transaction STMS
- E. Client change option must be set to Automatic Recording of changes

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 33

If the OData back-end service is located on a remote back-end users need which authorization object to perform the RFC call on the back-end system?

Note: There are 2 correct answer to this question.

- A. S_START
- B. S RFCACL
- C. S_SERVICE
- D. S RFC

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

When building a PFCG role for SAP Fiori access on an embedded front-end server configuration, which of the following item should be provided?

Note: There are 3 correct answer to this question.

- A. UI access to the Apps
- B. Catalog for the Start Authorization
- C. SAP Favorites
- D. WAPA Business Server Pages
- E. Start Authorizations for O Data Services

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which of the following transaction allows you to define role assignments for O Data Services that are available on multiple back-end systems?

Note: There are 2 correct answer to this question.

- A. /UI2/GW_MAINT_SRV
- B. /IWFND/MAINT_SERVICE
- C. /IWFND/GW_CLIENT
- D. /IWFND/GW_SYS_ALIAS

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 36

You are configuring authorizations to secure access to table data using transaction SM31 and you encounter authorization object S_TABU_DIS and field DICBERCLS. How can this field be used to secure access?

- A. It allows you to specify access to a specific client-dependent table.
- B. It allows you to specify access to a specific client-independent table.
- C. It allows you to specify access to tables associated with a specific authorization group.
- D. It allows you to specify access to tables referenced by a specific program group.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which of the following features are provided by the SAP Fiori Launchpad content Manager? Note: There are 3 correct answer to this question.

- A. Display role assignments for Catalogs
- B. Activate 0 Data Services
- C. Create and Configure Catalogs
- D. Display the issue with SAP Fiori Launchpad Content
- E. Create and Configure Groups

Answer: (SHOW ANSWER)

NEW QUESTION: 38

Which transaction codes are relevant to enable SNC between ABAP systems? Note: There are 3 correct Answers to this question.

- A. SNC0
- B. STRUST
- C. SU01
- D. PFCG
- E. RZ10

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 39

Which of the following are used in SAP Enterprise Threat Detection (ETD) architecture? Note: There are 2 correct answer to this question.

- A. Forensic Lab
- B. SAP HANA Smart Data Streaming
- C. SAP IQ
- D. SAP ASE

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 40

Which of the following objects allows you to restrict which users can distribute a role to another system using an RFC destination?

- A. S_USER_STA
- B. S_USER_AUT
- C. S_USER_AGR
- D. S_USER_SYS

Answer: D (LEAVE A REPLY)

NEW QUESTION: 41

Which of the following illustrate the simplification of users and role maintenance on SAP Cloud? Note: There are 2 correct answer to this question.

- A. Business users have business roles.

- B. Read and write access can be restricted.
- C. Business roles are automatically provisioned.
- D. Templates are provided for role derivation.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

During maintenance of role you notice that the status text for an authorization object indicates status "Changed New" What does this status text mean?

- A. The authorization object was used to create a new authorization because the value contained in SU24 differ from the SAP standard contained in SU25
- B. The authorization object was used to create a new authorization because the initial configuration of the role change a default value maintained in SU24
- C. This authorization object has been flagged as critical object
- D. The authorization object must be maintained again

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which of the following describes an Authorization Object Class?

- A. It defines a logical grouping of authorization objects
- B. It defines a group of 1 to 10 authorization field together
- C. It defines authorizations for different authorization objects
- D. It defines smallest unit against which an authorization check can be run

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Where can you enable the Read Access Logging tools?

- A. SUIM
- B. SICF
- C. SWI5
- D. SPRO

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which of the following user types are precluded from logging onto the system directly?

Note: There are

3 correct Answers to this question.

- A. Reference
- B. Dialog
- C. System
- D. Communication
- E. Service

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which of the following are system security threats? Note: There are 3 correct Answers to this question.

- A. Code injection
- B. Authorization violation
- C. System penetration
- D. Availability
- E. Nonrepudiation

Answer: A,B,C ([LEAVE A REPLY](#))

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Which of the following are examples of personal data under the GDPR? Note: There are 3 correct Answers to this question.

- A. Aggregated statistics on the use of a product
- B. Age group
- C. IP address
- D. GPS data from a cellular phone
- E. E-mail address

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 48

Which of the following functionalities are supported by SAP Information Lifecycle Management (ILM)?

Note: There are 3 correct answer to this question.

- A. Data retention
- B. Alert Notification
- C. Data Logging
- D. Data Archiving
- E. Data Destruction

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which application allows a role developer to perform the mass maintenance of menu options from selected SAP Fiori Tile Catalogs?

- A. PRGN_CREATE_FIORI_FRONTENDROLE
- B. PRGN_COMPARE_ROLE_MENU
- C. PRGN_PRINT_AGR_MENU
- D. PRGN_CREATE_FIORI_BACKENDROLES

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which of the following illustrate the simplification of user and role maintenance on SAP Cloud? Note:

There are 2 correct Answers to this question.

- A. Business users have business roles.
- B. Business roles are automatically provisioned.
- C. Templates are provided for role derivation.
- D. Read and write access can be restricted.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which archiving object can you use for archiving change documents related to changes with authorizations assigned to user?

- A. US_AUTH
- B. USJJSER
- C. US_PROF
- D. US_PASS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

What is the equivalent of the AS ABAP user type System in the AS Java UME security policy?

- A. Internal service user
- B. Technical user
- C. Default user
- D. J2EE user

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following user types are precluded from logging in to system directly? Note:
There are 3 correct answer to this question.

- A. Service
- B. System
- C. Dialog
- D. Communication
- E. Reference

Answer: B,D,E ([LEAVE A REPLY](#))

Valid C_SECAUTH_20 Dumps shared by Actual4test.com for Helping Passing C_SECAUTH_20 Exam! Actual4test.com now offer the **newest C_SECAUTH_20 exam dumps**, the Actual4test.com C_SECAUTH_20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SECAUTH_20 dumps with Test Engine here:

https://www.actual4test.com/C_SECAUTH_20_examcollection.html (85 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)