

SAP.C_TAW12_750.v2021-09-20.q141

Exam Code:	C_TAW12_750
Exam Name:	SAP Certified Development Associate - ABAP with SAP NetWeaver 7.50
Certification Provider:	SAP
Free Question Number:	141
Version:	v2021-09-20
# of views:	2983
# of Questions views:	1410
https://www.freepdfdumps.com/SAP.C_TAW12_750.v2021-09-20.q141.html	

NEW QUESTION: 1

How to call the stored procedures in ABAP code?

Please choose the correct answer.

- A. Native SQL
- B. Open SQL
- C. CDS view
- D. Only SQL

Answer: A (LEAVE A REPLY)

NEW QUESTION: 2

Which desktops are part of the newABAP debugger? There are 3 correct answers to this question.

- A. Break./Watchpoints
- B. List
- C. Objects
- D. Desktop 1
- E. Session

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 3

The ABAP Messaging Channels (AMC) uses the WebSocket protocol to gain two-way communication instead of HTTP.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which actions release a database lock (with a default value for _SCOPE)? Select all that apply.

- A. ENQUEUE_<lock_object>
- B. DEQUEUE_<lock_object>
- C. A CALL TRANSACTION / A SUBMIT (Sepeperat)
- D. A call to a function module
- E. The display of an SAP screen
- F. The display of a dialog message type A
- G. The display of a dialog message type E
- H. COMMIT WORK
- I. ROLLBACK WORK
- J. An /n in the command field

Answer: B,F,H,I,J ([LEAVE A REPLY](#))

NEW QUESTION: 5

It is possible to make multiple changes to data objects at the same time in the Debugger

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

All breakpoints are valid for the entire Debugger session, and all can be changed by the Debugger

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

For which of the following requirements can you implement a functional method?

There are 2 correct answers to this question.

Response:

- A. A method to set an instance attribute with one importing parameter and no other parameters
- B. A factory method that returns an object reference
- C. A private static helper method that returns a single value as the result of an algorithm
- D. A handler method for an event that has a returning parameter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

An internal table can have primary keys as well as secondary keys.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

The ALV was introduced with ABAP object-oriented capabilities in release 4.5A.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which of the following can you do with the SAP code inspector?

Please choose the correct answer.

Response:

- A. Analyze runtime data.
- B. Monitor background tasks
- C. Monitor runtime behavior
- D. Perform static code checks

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

When you define local classes in ABAP, which syntactical sequence must you follow?

Please choose the correct answer.

Response:

- A. PRIVATE SECTION, PROTECTED SECTION, PUBLIC SECTION
- B. The order doesn't matter.
- C. The order is handled automatically.
- D. PUBLIC SECTION, PROTECTED SECTION, PRIVATE SECTION

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which data element property do you set so that the system logs changes to the content of fields with this data element?

Please choose the correct answer.

Response:

- A. Input history
- B. Documentation
- C. Change document
- D. PARAMETER ID

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

When do you need to use the GROUP BY clause in the SELECT statement?

Please choose the correct answer.

Response:

- A. If you want to use aggregate functions and all components in the field list are aggregate functions
- B. If you want to use ORDER BY to specify a sub-order
- C. If you want to redefine the sequence of the columns in the result set
- D. If you want to use aggregate functions and at least one component in the field list is a column identifier

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

What is the event block that all of your code changes belongs to if you do not explicitly code any event blocks in an executable program? Please choose the correct answer.

- A. LOAD-OF-PROGRAM
- B. AT SELECTION-SCREEN OUTPUT
- C. INITIALIZATION
- D. START-OF-SELECTION

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

How many work areas are available in the Debugger?

Please choose the correct answer.

Response:

- A. 12
- B. 9
- C. 7
- D. 15

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

When is an ENDSELECT not required for a SELECT?

There are 3 correct answers to this question.

Response:

- A. When you specify a join of tables
- B. When the FROM is a view
- C. When you do a SELECT SINGLE
- D. When you specify appending a table

E. When you specify into a table

Answer: C,D,E (LEAVE A REPLY)

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which type of view uses an inner join in a search help?

- A. Maintenance view
- B. Database view
- C. Help view

Answer: B (LEAVE A REPLY)

NEW QUESTION: 18

A selection screen can only be defined in an executable program.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

Which database objects can you create in the ABAP Dictionary?

There are 2 correct answers to this question

Response:

- A. Projection views
- B. Indexes
- C. Foreign key relationships
- D. Logical databases

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 20

What is the correct order for using a lock object?

Please choose the correct answer.

Response:

- A. release the lock, Read the data, set the lock, change the data

- B. Read the data, set the lock, change the data, release the lock
- C. Set the lock, read the data, release the lock, change the data
- D. Set the lock, read the data, change the data, release the lock

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

An internal table can be defined using the DATA statement.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Which elementary field types are considered a character type? Select all that apply.

- A. N
- B. C
- C. I
- D. STRING
- E. X
- F. T
- G. F
- H. D
- I. XSTRING

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which of the following tasks does the BADI implementing class perform?

Please choose the correct answer.

Response:

- A. Inserting
- B. Filtering
- C. Deleting
- D. Sequencing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

You can use the APPEND statement to fill a sorted internal table.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

In an ABAP program, you to assign an initial value to an elementary data object when you define it. Which addition must you use?

- A. OBLIGATORY
- B. READ-ONLY
- C. DEFAULT
- D. VALUE

Answer: D (LEAVE A REPLY)

NEW QUESTION: 26

What can be defined using an implicit enhancement option?

There are 3 correct answers to this question

Response:

- A. Replacements for global SAP methods
- B. Additional exceptions in SAP function modules
- C. Additional parameters in SAP function modules
- D. Replacement for SAP function modules
- E. Additional attributes in global SAP classes

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 27

What is the default selection screen number for the ABAP program?

- A. None of the above
- B. 1000
- C. 1100
- D. 100

Answer: B (LEAVE A REPLY)

NEW QUESTION: 28

What do you need to consider when creating a secondary index on a table? There are 2 correct answers to this question.

- A. The most frequently selected fields should be at the first positions in the index
- B. The table will be updated more quickly if you create more indexes
- C. The index can be created for specific database systems only
- D. The index must always be unique

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 29

You want to select data from two tables and store the result in as structure.

Table PARTNER contains the fields PARTJD and KIND.

Table CONTRACT contains the fields CONTJD, CONT_TYPE and DIVISION.

The structure is defined as follows

DATA: BEGIN OF wa_result,
Part_id type partner-partjd, cont_id type contract-cont_id,
ConMype TYPE contract-cont_type,
END of wa_result,
Lt_result type table of wa_result.

How can you replace the following SELECT statement with an outer join?

SELECT partjd from partner INTO wa_result WHERE kind = 'Residential'.
SELECT contjd from CONTRACT into wa_result-cont_id WHERE part EQ
wa_partner-part_id And DIVISION eq 'Water'.

Append wa_result to Lt_result.

ENDSELECT.

If sy-subrc<>0. CLEAR wa_result-cont_id

APPEND wa_result TO Lt_result. ENDIF.

ENDSELECT.

Please choose the correct answer.

A. SELECT partjdcontjd from partner AS A LEFT JOIN contract AS b ON a-partjd = b-partjd INTO CORRESPONDING FIELDS OF TABLE Lt_result WHERE kind = 'Residential' and AND division EQ 'Water'.

B. SELECT partjdcontjd from partner LEFT JOIN contract on partner-partjd = contract-partjd AND partner-kind EQ 'Residential' INTO CORRESPONDING FIELDS OF TABLE Lt_result WHERE division eq 'Water'.

C. SELECT partjdcontjd from partner AS A LEFT JOIN contract AS b ON a-partjd = b-partjd AND b-division EQ 'Water' INTO TABLE Lt_result WHERE kind = 'Residential'.

D. SELECT partjdcontjd from partner LEFT JOIN contract on partner-partjd = contract-partjd AND contract-division EQ 'Water' INTO TABLE Lt result WHERE kind EQ 'Residential'.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 30

Function modules provide which types of parameters? Select all that apply.

A. Return values

B. Input

C. Output

D. Exceptions

E. Input/output (changing)

Answer: B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 31

Which options are available for a JOIN in ABAP Open SQL?

There are 3 correct answers to this question

Response:

- A. INNER JOIN
- B. CROSS JOIN
- C. LEFT OUTER JOIN
- D. FULL JOIN
- E. RIGHT OUTER JOIN

Answer: A,C,D ([LEAVE A REPLY](#))

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps,

30%OFF Special Discount: [Freepdfdumps](#))

NEW QUESTION: 32

Which hook method exists for all controller types?

Please choose the correct answer.

Response:

- A. wddoonclose()
- B. wddobeforenavigation()
- C. wddoonopen()
- D. wddoinit()

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is required to fully specify a Table Type in the ABAP Dictionary?

There are 3 correct answers to this question.

Response:

- A. Access type
- B. Header line
- C. Table key
- D. Table size
- E. Line type

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 34

How would you find out if an application program offers a program exit?

Please select all the correct answers that apply.

Response:

- A. Search for the character string CUSTOMER-FUNCTION
- B. Use the Repository Information System
- C. Look for a customer exit in the SAP reference IMG within an application area
- D. Use the Application Hierarchy

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 35

You want to display a dialog box in your ABAP program. Which statement do you use?
Please choose the correct answer.

Response:

- A. CALL SCREEN 200 STARTING AT 5 5.
- B. SET SCREEN 200.
- C. CALL SCREEN 200.
- D. WINDOW 200 STARTING AT 5 5.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 36

Which of the following statements are correct? Select all that apply (S. 470) {4 Richtig}

- A. Only public methods can be addressed outside the class.
- B. None of the above
- C. Class methods assigned to the public visibility section can be accessed outside the class using the static component selector and the class name.
- D. You can call private methods within the public methods without reference '^' to the object or class.
- E. Static methods can be defined in both the public and private visibility section of the class.

Answer: A,C,D,E (LEAVE A REPLY)

NEW QUESTION: 37

Private components of the class cannot be addressed directly from outside the class except when the friendship concept applies

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 38

What is unique about a functional method?
There are 5 correct answers to this question.

Response:

- A. It can contain an exporting parameter.

- B. It must contain a returning parameter.
- C. It can be used in logical expressions.
- D. It can contain an importing parameter.
- E. It can contain a changing parameter.
- F. It can be used in SELECT statements.
- G. It must be a singleton.

Answer: A,B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 39

The Next Screen attribute can be temporarily overwritten by the set screen statement (that is, SET SCREEN 200).

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 40

What are the differences between displaying in a full screen and in a container?

There are 2 correct answers to this question.

Response:

- A. Only a full-screen ALV allows the use of event handling.
- B. Only an ALV in a container allows the use of event handling.
- C. The only difference is that the container name must be specified when creating the ALV object.
- D. Any type of ALV allows the use of event handling.
- E. The container requires the use of an additional object (a container control).
- F. The full screen requires Dynpro programming.

Answer: D,E (LEAVE A REPLY)

NEW QUESTION: 41

Where should the labels for fields be stored?

Please choose the correct answer.

Response:

- A. Domain
- B. Table
- C. Data element
- D. Structure
- E. Field

Answer: C (LEAVE A REPLY)

NEW QUESTION: 42

You can list a maximum of six browsers in the Object Navigator. (S. 105) {1 Richtig}

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which of the following is a true statement? Select all that apply.

A. A sorted table can have a unique or a non-unique key.

B. A hashed table should always have a unique table key.

C. A standard table should always have a unique key.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 44

For which of the following requirements can you implement a functional method? There are 2 correct answers to this question.

A. A private static helper method that returns a single value as the result of an algorithm

B. A factory method that returns an object reference

C. A handler method for an event that has a returning parameter

D. A method to set an instance attribute with one importing parameter and no other parameters

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

How would you define a method of an ABAP class to prevent this method from being available in a subclass?

Please choose the correct answer.

Response:

A. Private

B. Protected

C. Abstract

D. Final

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which of the following regarding search helps is a true statement? Select all that apply.

A. The SPos parameter defines the position of the input field on the dialog '-' screen.

B. The interface for the search help is defined by the IMP (import) and EXP '-' (export) flags of the search help parameter

C. The text table for the selection method is automatically populated if the text table is attached to the database table being used as the selection method.

D. The LPos parameter defines the position of the search help parameter in the '-' search hit list.

Answer: A,B,C,D (LEAVE A REPLY)

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Which of the following is true? Select all that apply. (S. 105) {2 Richtig}

- A.** The repository objects and the cross-client customization are recorded in a task belonging to the transportable request if the consolidation route is defined in the Transport Management System.
- B.** The repository objects and cross-client customization objects are recorded in a task belonging to a local change request if there is no consolidation route leading from the current system defined in the Transport Management System for the transport layer.

Answer: (SHOW ANSWER)

NEW QUESTION: 48

An internal table line type with a deep or nested structure can be defined for internal tables with a header line.

- A.** True
- B.** False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 49

An executable ABAP program contains a standard selection screen and uses the event blocks AT SELECTION SCREEN, AT SELECTION-SCREEN OUTPUT, INITIALIZATION, START-OFSELECTION.

In which sequence will ABAP runtime call these event blocks?

Please choose the correct answer.

Response:

- A.** 1. INITIALIZATION
- 2. AT SELECTION-SCREEN OUTPUT
- 3. AT SELECTION-SCREEN

4. START-OF-SELECTION
B. 1. AT SELECTION-SCREEN OUTPUT
2. INITIALIZATION
3. AT SELECTION-SCREEN
4. START-OF-SELECTION
C. 1. INITIALIZATION
2. AT SELECTION-SCREEN
3. AT SELECTION-SCREEN OUTPUT
4. START-OF-SELECTION
D. 1. INITIALIZATION
2. AT SELECTION-SCREEN OUTPUT
3. START-OF-SELECTION
4. AT SELECTION-SCREEN
Answer: (SHOW ANSWER)

NEW QUESTION: 50

Which type of view uses an inner join in a search help?

Please choose the correct answer.

Response:

- A. Candidate key view
- B. Help view
- C. Database view
- D. Maintenance view

Answer: C (LEAVE A REPLY)

NEW QUESTION: 51

At most, a menu bar can have 10 menus. (S. 411) {1 Richtig}

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 52

Which method of passing parameters is preferred for its performance?

Please choose the correct answer.

Response:

- A. Pass by value
- B. Pass by reference
- C. Pass by class
- D. Pass by subclass

Answer: B (LEAVE A REPLY)

NEW QUESTION: 53

Which of the following is correct?

- A. The screen attributes can be modified in the PROCESS BEFORE OUTPUT and PROCESS AFTER INPUT event blocks.
- B. The screen attributes can be modified in the PROCESS BEFORE OUTPUT event block.
- C. The screen attributes can be modified in the PROCESS AFTER INPUT even block.
- D. None of the above

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

For which of the following purposes can you use the ABAP dictionary?

There are 2 correct answers to this question.

Response:

- A. To maintain program translations
- B. To create development classes
- C. To create lock objects
- D. To activate logging for transparent tables

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

ABAP now has predefined functions that behave like functional methods.

- A. TRUE
- B. FALSE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

To which ABAP Dictionary definition can you assign fixed values? Please choose the correct answer.

- A. Component of a structure
- B. Field of a transparent table
- C. Data element
- D. Domain

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

A transport company keeps track of this availability in two tables, table VEHICLES and table TRANSPORT.

To accept a new transport of a certain capacity must be found in table VEHICLES. If a record is found, a record is created in table TRANSPORT. The capacity is then adjusted in table VEHICLES.\ You have four function modules at your disposal.

UPD_VEH1_A and UPD_VEH1_B update a matching report in table VEHICLES. If an error occurs both issue a message of type X. If no error occurs only UPD_VEH1_A issues a message of type X. If no error occurs UPD_VEH1_A issues a message of type I.
UPD_TRAN_A and UPD_TRAN_B create a single record in table TRANSPORT. If an error occurs both issues a message of type X. If no error occurs only UPD_TRAN_A issues a message of type I.

Which of the following function module calls ensures a single logical unit of work? Please choose the correct answer.

- A. 1. UPD_TRAN_B
2. UPD_VEH1_B
- B. 1. UPD_VEH1_A
2. UPD_TRAN_B
- C. 1. UPD_VEH1_A
2. UPD_TRAN_A
- D. 1. UPD_TRAN_A
2. UPD_VEH1_B

Answer: B (LEAVE A REPLY)

NEW QUESTION: 58

An SAP LUW differs from a database LUW in that it allows for multiple screens to be processed.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 59

Which components belong to an elementary search help?

There are 2 correct answers to this question.

Response:

- A. Attachment to a field
- B. Selection method
- C. Fixed values
- D. Import / export parameters

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 60

What is the allowed length of the ABAP Dictionary data type DF34_RAW?

- A. The allowed length is between 1 and 34 digits.
- B. The allowed length is 34 digits.
- C. The allowed length is between 1 and 31 digits
- D. The allowed length is between 0 and 33 digits.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Nested source code enhancement allows you to enhance the source code plug-in.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

In which sequence are the following ABAP Events triggered?

Please choose the correct answer.

Response:

- A. INITIALIZATION
AT SELECTION-SCREEN
3. START-OF-SELECTION
- B. START-OF-SELECTION
AT SELECTION-SCREEN
3. INITIALIZATION
- C. INITIALIZATION
START-OF-SELECTION
3. AT SELECTION-SCREEN
- D. AT SELECTION-SCREEN
INITIALIZATION
3. START-OF-SELECTION

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 63

Which statements are true? Select all that apply.

- A. The ALV Object Model requires a table refresh after programmatically changing the ALV
- B. The ALV Object Model can define a sort criteria for initial display.
- C. The ALV Object Model uses a reference to the data table for display.

- D. The ALV Grid requires a table refresh after programmatically changing the DALV.
- E. The ALV Grid can define a sort criteria for initial display.
- F. The ALV Grid uses a reference to the data table for display.

Answer: B,C,D,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 64

What can you create using the ABAP Dictionary?

There are 3 correct answers to this question.

Response:

- A. Field symbols
- B. Type pools
- C. Internal tables
- D. Transparent tables
- E. Domains

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 65

You want to develop a program that processes character type dat

a. When you implement the program, you can either use the classical string statements or the newer strings expressions and functions What are the main benefits of using string expressions and string functions?

There are 2 correct answers to this question

Response:

- A. You can improve the performance significantly
- B. You can write compact syntax instead of a long sequence of statements
- C. You can write code that is very easy to read and understand
- D. You can reduce the number of intermediate variables

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

You are making changes to a program that already has a transaction code linked to it.

Your colleague is testing the transaction in your development system. At what point can the changed version of the program be tested?

Please choose the correct answer.

Response:

- A. When you perform a syntax check on the program
- B. When you release the transport requests for the program
- C. When you save the program
- D. When you activate the program

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

You are working with ABAP Development Tools (ADT) For Eclipse. Which of the following options belongs to the settings of a specific ABAP project rather than the entire Eclipse workbench? Please choose the correct answer.

- A. Editor shortcut key options
- B. Statement template options
- C. Code formatting options
- D. Code completion options

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

Each ABAP program starts with an introductory statement. Which statements are correct? Select all that apply.

- A. The introductory statement can be modified.
- B. The introductory statement must never be modified.
- C. The introductory statement must be the first line in the program
- D. The introductory statement must be the first statement in the program.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

What are the advantages of defining texts symbols in executable programs?

There are 2 correct answers to this question

Response:

- A. Then can store up to 256 characters
- B. They are easier to maintain than literals
- C. They facilitate multilingual functionality
- D. The same text symbol can be used by other programs

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 70

A data object is concretely defined by means of the data type and occupied memory. It contains data with which ABAP programs work at runtime.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

What is the default length of the type P data type?

- A. 8
- B. 1
- C. 1-16

Answer: (SHOW ANSWER)

NEW QUESTION: 72

The class constructor method is called automatically when you access the class for the first time.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 73

You display the content of an internal table using an ALV grid control. The content of the internal table changes during the program. Which CL_GUI_ALV_GRID class method can you use to display the changed content?

Please choose the correct answer.

Response:

- A. SET_TABLE_FOR_FIRST_DISPLAY in module PAI
- B. SET_TABLE_FOR_FIRST_DISPLAY in module PBO
- C. REFRESH_TABLE_DISPLAY in module PAI
- D. REFRESH_TABLE_DISPLAY in module PBO

Answer: D (LEAVE A REPLY)

NEW QUESTION: 74

Which of the following folder is essential to relate to Smart Data Access and also combines data from remote sources?

Choose the correct answer

- A. Security folder
- B. Content folder
- C. Administration folder
- D. Provisioning folder

Answer: D (LEAVE A REPLY)

NEW QUESTION: 75

What does the Refactoring Assistant allow you to do?

There are 2 correct answers to this question.

Response:

- A. Rename all subclasses of a method
- B. Rename all occurrences of a method
- C. Move components between superclasses and subclasses
- D. Move between classes and interfaces

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 76

Each ABAP program that actually contains executable statements...

There are 2 correct answers to this question.

Response:

- A. Can be tested from the ABAP Workbench by pressing (F8).
- B. Assigns every executable statement to a processing block regardless of it being in a processing block.
- C. Is divided into processing blocks.
- D. Has declarative statements outside of processing blocks that are considered local.
- E. Only assigns executable statements in a processing block to a processing block.
- F. Uses event blocks to trigger events in ABAP.
- G. Has declarative statements inside of processing blocks that are considered local.

Answer: B,C (LEAVE A REPLY)

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

A view can only be displayed in which circumstances?

- A. It can always be displayed.
- B. It contains an inbound and outbound plug
- C. It has been embedded in a window.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 78

You want to include an element of type 'Table' in your web dynpro. What actions add the corresponding columns to the table automatically?

- A. Right click the table and select the 'CREATE_BINDING' option.
- B. Bind the table attribute 'DATA_SOURCE' to the context node.
- C. Generate a 'BIND_TABLE' method using the web dynpro method wizard.
- D. Include the method BIND_TABLE of IF_WD_CONTEXT_NODE.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 79

What are the main points of SAP HANA High Availability Per Datacenter that are available even in the event of a disaster?

There are 2 correct answers to this question

- A. High availability configuration
- B. Services-Name and index server on all nodes
- C. Shared file systems for only one server
- D. Active clusters for all servers

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

What do enhancement spots manage?

There are 3 correct answers to this question

Response:

- A. Explicit enhancement sections
- B. Classic BAdIs
- C. New BAdIs
- D. Implicit enhancement points
- E. Explicit enhancement points

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which statements are true about a class that has granted friendship to another class?

Select all that apply.

- A. All classes that inherit from the friend (subclasses) also have the same '-' access.
- B. The friend has access to private attributes.
- C. The friend has access to public attributes.
- D. The friend has access to protected attributes.
- E. All classes the friend has granted friendship access status to also have the '-' same access.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 82

What is the difference between a value table and a check table?

- A. No difference; they are the same thing.
- B. A value table is a check table after a foreign key is defined
- C. A check table is defined in the domain, whereas a value table is defined in '-' the data element
- D. A value table is defined in the domain, whereas a check table is defined in '-' the data element.
- E. A value table does not exist

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

Which statement ends a screen sequence and starts from initial screen?

Please choose the correct answer.

Response:

- A. LEAVE TO SCREEN
- B. CALL SCREEN
- C. SET SCREEN 0
- D. LEAVE SCREEN

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 84

What data type you can create in the ABAP Dictionary?

Please choose the correct answer

Response:

- A. Lock object
- B. Structure
- C. Type group
- D. Secondary index

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

Under which circumstances will the classic Debugger start as the Debugger?

- A. None; the new Debugger will always start as the Debugger
- B. If you manually switched to the classic Debugger during your last session
- C. When five modes already exist for this logon session.
- D. When you specify the default as the classic Debugger in the settings of the ^ '-' Object Navigator.
- E. When the number of debugging sessions exceeds half the number of dialog '-' sessions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

How do you program an input validation on a selection screen that allows users to correct their input?

Please choose the correct answer.

Response:

- A. MESSAGE must be displayed.
- B. Implement the check at the event AT SELECTION-SCREEN. In case of an input error, a type A MESSAGE must be displayed.
- C. Implement a check at the event AT SELECTION-SCREEN. In case of an input error, a type E

D. Implement the check at the event END-OF-SELECTION. In case of an input error, a type E MESSAGE must be displayed.

E. Implement the check at the event AT SELECTION-SCREEN OUTPUT. In case of an input error, a type E MESSAGE must be displayed.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 87

When does the lifetime of a component controller begin and end?

Please choose the correct answer.

Response:

A. It begins with the Web Dynpro component and ends with the Web Dynpro application that called it.

B. It begins the first time the Web Dynpro application is called at runtime and ends when the Web Dynpro application that called and instantiated the component ends.

C. It lasts from creating data within the controller to cover the whole period during which the component is in use.

D. It ends the first time the Web Dynpro application is called at runtime and ends when the Web Dynpro application that called and instantiated the component ends.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

Which statements are considered obsolete and cannot be used in ABAP Objects?

Please select all the correct answers that apply.

Response:

A. LEAVE

B. SEARCH

C. ON CHANGE OF

D. LOOP AT dbtab

E. DATA ... TYPE ... OCCURS

F. INFOTYPES

G. DATA ... BEGIN OF ... OCCURS

H. TABLES

I. RANGES

Answer: A,B,C,D,E,F,G,H,I ([LEAVE A REPLY](#))

NEW QUESTION: 89

In the technical settings for a transparent table, buffering is switched on and single record buffering is selected.

Which statement uses the buffered data assuming that the WHERE clause contains restrictions for all key fields?

Please choose the correct answer.

Response:

- A. SELECT SINGLE ... FOR UPDATE.
- B. SELECT SINGLE
- C. SELECT ENDSELECT.
- D. SELECT ... INTO TABLE

Answer: B (LEAVE A REPLY)

NEW QUESTION: 90

Which of the following statements regarding search helps are true? Select all that apply.

- A. You can use a database view for the search help selection method.
- B. Help views can also be used for the selection method for search help.
- C. You can use transparent tables for the search help selection method.
- D. You can use a maintenance view for the search help selection method.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 91

What is variable-length structure called?

- A. Nested structure
- B. Deep structure
- C. Flat structure

Answer: (SHOW ANSWER)

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 92

Which of the following tool is introduced as a holistic quality assurance tool? Choose the correct answer

- A. ABAP Test Cockpit (ATC)
- B. DBA Cockpit
- C. DBMS Cockpit
- D. BW system

Answer: A (LEAVE A REPLY)

NEW QUESTION: 93

In addition to closing the result set, what does the CLOSE method of the CL_SQL_RESULT_SET class when using ABAP Database Connectivity (ADBC) do?
Please choose the correct answer.

- A. Update packages
- B. Release packages
- C. Update resources
- D. Release resources

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 94

Buffering data can speed access to data up to 100 times when compared to reading it from the database.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

Which type of view uses an inner join in a search help?

- A. Help view
- B. Database view
- C. Maintenance view

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 96

What is the result of the following arithmetic operation?

DATA: int TYPE I int = 5 /10 {1 Richtig}

- A. 0
- B. 5
- C. 1

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 97

What type of ABAP Dictionary view is implemented as an INNER JOIN?

Please choose the correct answer.

Response:

- A. Maintenance view
- B. Help view
- C. Projection view
- D. Database view

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which of the following is a true statement? Select all that apply.

- A. Inactive objects can be transported.
- B. Client-specific customization objects are assigned to the customizing '-' request
- C. Repository objects and cross-client customization objects are assigned to the workbench request.
- D. All transportable objects have to be assigned to a package.
- E. Local repository objects can be transported

Answer: (SHOW ANSWER)

NEW QUESTION: 99

Which of the following Data Types are allowed in ABAP?

There are 2 correct answers to this question.

Response:

- A. DECFLOAT16
- B. DECFLOAT64
- C. DECFLOAT34
- D. DECFLOAT32

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 100

What character is used as a symbol for the operand type in an expression?

- A. @
- B. ~
- C. #
- D. None of the above

Answer: (SHOW ANSWER)

NEW QUESTION: 101

Value help can be supplied from which of the following? Select all that apply.

- A. Process On Value request
- B. Search help for a screen field
- C. Fixed values
- D. Search help from a text table
- E. Search help for a check table
- F. Key values of a check table
- G. Search help for a data element
- H. Search help for table or structure fields

Answer: A,B,C,D,E,F,G,H (LEAVE A REPLY)

NEW QUESTION: 102

Each work process... (select all that apply.)

- A. Uses a pool of database connections established when the SAP NetWeaver AS for ABAP started.
- B. Uses a database connection to a work process established when the SAP NetWeaver AS for ABAP started.
- C. Is independent of other work processes
- D. Can make database changes spanning multiple database LUWs
- E. Can only make database changes within a single database LUW.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 103

When to use Enhanced Open SQL?

There are 2 correct answers to this question.

- A. At the time of Dictionary Views
- B. To view scalar components
- C. To access system fields
- D. Need the query in one piece of code only

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

The FIELD statement with the ON INPUT addition is used to conditionally call the ABAP dialog module. The ABAP dialog module is called if the value of the screen field is other than the initial value. (S. 411) {1 Richtig}

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 105

You can call a module for the FIELD statement to validate user entry on the input field. You can validate the entry on the input field and send an error or a warning message from an ABAP dialog module.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 106

Which of the following actions can be performed in the Process After Input (PAI) processing block? Please choose the correct answer.

- A. Set the GUI status of the screen.
- B. Set the title bar.

- C. Modify screen attributes dynamically.
- D. Check the function code.

Answer: D (LEAVE A REPLY)

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 107

Identify the types of layout managers. Select all that apply.

- A. RowLayout
- B. GridLayout
- C. reeLayout
- D. MatrixLayout
- E. FlowLayout
- F. ColumnLayout

Answer: (SHOW ANSWER)

NEW QUESTION: 108

Each component has an interface; of what does this interface consist?

There are 2 correct answers to this question.

Response:

- A. Data Container
- B. Interface context
- C. Interface controller
- D. Interface view

Answer: (SHOW ANSWER)

NEW QUESTION: 109

Which of the following statements are true? Select all that apply

- A. You cannot use a pooled or cluster table for a database view.
- B. The tables included in the help view should have foreign key relationships.
- C. The tables included in the maintenance view should have foreign key relationships.
- D. Projection views can have more than one table included for the view definition.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 110

A transport company keeps track of this availability in two tables, table VEHICLES and table TRANSPORT.

To accept a new transport of a certain capacity must be found in table VEHICLES. If a record is found, a record is created in table TRANSPORT. The capacity is then adjusted in table VEHICLES. You have four function modules at your disposal.

UPD_VEH_A and UPD_VEH_B update a matching report in table VEHICLES.

If an error occurs both issue a message of type X.

If no error occurs only UPD_VEH_A issues a message of type X.

If no error occurs UPD_VEH_A issues a message of type I.

UPD_TRAN_A and UPD_TRAN_B create a single record in table TRANSPORT. If an error occurs both issues a message of type X.

If no error occurs only UPD_TRAN_A issues a message of type I.

Which of the following function module calls ensures a single logical unit of work? Please choose the correct answer.

A. 1. UPD_TRAN_B

2. UPD_VEH_B

B. 1. UPD_VEH_A

2. UPD_TRAN_B

C. 1. UPD_VEH_A

2. UPD_TRAN_A

D. 1. UPD_TRAN_A

2. UPD_VEH_B

Answer: B (LEAVE A REPLY)

NEW QUESTION: 111

Which statement will interrupt the processing of the current screen and branch to new screen?

A. SET SCREEN <NNNN>

B. CALL SCREEN <NNNN>

C. LEAVE TO SCREEN <NNNN>

D. None of the above

Answer: B (LEAVE A REPLY)

NEW QUESTION: 112

You cannot use the INSERT statement to insert lines into a standard internal table.

A. True

B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 113

Identify the types of controller.

There are 5 correct answers to this question.

Response:

- A. Consumer controller
- B. Window controller
- C. Configuration controller
- D. Custom controller
- E. Component controller
- F. View controller

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 114

What is mandatory for automatic data transport between a variable and an input field on a classical screen (dynpro)?

Please choose the correct answer.

Response:

- A. The property OUTPUT of the input field must be set.
- B. The variable must be declared using the TABLES statement.
- C. The variable must be declared using the DATA statement.
- D. The name of the variable and the name of the input field must be identical.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 115

Compared to a predefined ABAP type what additional properties can be assigned to a domain?

There are 3 correct answers to this question.

Response:

- A. Value tables
- B. Conversion exits
- C. Fixed values
- D. Parameter IDs
- E. Search helps

Answer: [A,B,C \(LEAVE A REPLY\)](#)

NEW QUESTION: 116

ABAP is a programming language that...

There are 4 correct answers to this question.

Response:

- A. Controls the business logic.
- B. Processes and formats data.

- C. Executes on all three levels of the three-tier architecture.
- D. Separates program code from language text.
- E. Interacts with the user.

Answer: (SHOW ANSWER)

NEW QUESTION: 117

What is the ALV Object Model?

Please choose the correct answer.

Response:

- A. A group of classes that apply Grid as a whole and inherit from a multiple class
- B. A group of classes that describe the BDC Grid as a whole and inherit from a single class
- C. A group of classes that describe the ALV Grid as a whole and inherit from a single class
- D. A group of hierarchal classes that describe the ALV Grid as a whole but do not inherit from a single class

Answer: D (LEAVE A REPLY)

NEW QUESTION: 118

Which of the following features does the ABAP Test Cockpit offer that the ABAP code Inspector does NOT Offer? There are 2 correct answers to this question.

- A. Enhanced distribution of results
- B. Configuration of check variants
- C. Documented checks
- D. Flexible schedule of check runs

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 119

What are the advantages of modularization?

There are 3 correct answers to this question

Response:

- A. Profitability across DBMS
- B. Reusability
- C. Transparency
- D. Maintainability
- E. Performance

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 120

When starting the Debugger, what circumstance causes the runtime error DEBUGGING_NOT_POSSIBLE?

- A. When more than five sessions are already associated with this login user

- B. When the number of debugging sessions on the server exceeds the value '-' defined by the profile parameter rdisp/wpdbug_max_no
- C. Starting a non-exclusive mode in a productive system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

Which of the following statements regarding the event AT SELECTIONSCREEN ON HELP-REQUEST FOR <FIELD> is correct?

Please choose the correct answer.

Response:

- A. None of the above.
- B. This event will display (F1) help for the input field on the selection screen.
- C. This event will display self-defined (F1) help for the input field programmed in the event block and will override any help possibly defined in the ABAP Dictionary for the field.
- D. This event will display self-defined (F1) help for the output field programmed in the event block and will override any help possibly defined in the ABAP Dictionary for the field.

Answer: B ([LEAVE A REPLY](#))

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 122

Repository objects are client-specific.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 123

When would you call the RFC function module synchronously?

There are 2 correct answers to this question.

Response:

- A. During interactive communication
- B. During two-way communication

- C. During queue processing
- D. During unidirectional communication

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 124

Database access can occupy most of the runtime in an ABAP program. Which tools are available to assist you to diagnose performance issues in your program? Select all that apply}

- A. Performance Trace (Transaction ST05)
- B. ABAP Objects Runtime Analysis (Transaction ATRA)
- C. ABAP Objects Runtime Analysis (Transaction SE30)
- D. ABAP Trace (Transaction SAT)

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 125

With what can you simulate multiple inheritance?

- A. INHERITING FROM
- B. INTERFACES
- C. REDEFINITION

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

You can maintain SAPscript forms and SAP Smart Forms within the ABAP Workbench.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 127

Each work process...

There are 3 correct answers to this question.

Response:

- A. Uses a pool of database connections established when the SAP NetWeaver Application Server ABAP started.
- B. Uses a database connection to a work process established when the SAP NetWeaver Application Server ABAP started.
- C. Can only make database changes within a single database LUW.
- D. Can make database changes spanning multiple database LUWs.
- E. Is independent of other work processes.

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 128

You write a report that displays mass data in a table. You decide to use the ALV Grid control (class CL_GUI_ALV_GRID) instead of a classical list display with WRITE statements.

Which of the following functions can you offer to the user without doing any specific programming? There are 2 correct answers to this question. Response:

- A. Sort and filter the data by any column
- B. Convert currency amount columns
- C. Change column width and sequence
- D. Display details by double-clicking on a row

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

Which of the following statements are correct? Select all that apply.

- A. An enhancement spot can contain one or more simple or composite '-' enhancements.
- B. An enhancement spot can contain an explicit enhancement point and an enhancement section.
- C. An enhancement spot can contain an explicit enhancement point, explicit '-' enhancement section, and new BAdI.
- D. An enhancement spot can contain either an explicit enhancement point and enhancement section or a new BAdI only, but all three cannot be in the same enhancement spot.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 130

The Java stack and the ABAP stack of an SAP NetWeaver Application Server must always be installed together

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 131

Which statements are allowed for processing internal tables?

There are 3 correct answers to this question.

Response:

- A. SELECT
- B. DELETE
- C. UPDATE
- D. MODIFY
- E. INSERT

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 132

Internal tables cannot have a deep or nested structure in their line type

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 133

The binding between a UI element and a context attribute is a two-way relationship

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 134

The valid value for a decimal floating point number of type decfloat34 is a number between 1E6145 and

-1E-6143 for a negative number, 0, and +1E-6143 to 1E6145.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 135

Which of the following functions does the ABAP Dispatcher perform?

There are 2 correct answers to this question.

Response:

- A. It directs HTTP requests from an SAP system to a web server.
- B. It enables communication between SAP systems and external application systems.
- C. It distributes user requests among available work processes.
- D. It communicates with other instances in the system.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 136

If an error or warning message is sent from the ABAP dialog module for the FIELD statement within the CHAIN and ENDCHAIN statements, then all of the fields within CHAIN and ENDCHAIN are ready for user input again. (S. 411) {1 Richtig}

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 137

What is the best order to provide an event handler for an ALV?

Please choose the correct answer.

Response:

- A. Register for the event, write the handler, create the ALV, display the ALV
- B. Write the handler, register for the event, create the ALV, display the ALV
- C. Create the ALV, write the handler, register for the event, display the ALV
- D. Write the handler, create the ALV, register for the event, display the ALV
- E. Write the handler, create the ALV, display the ALV, register for the event

Answer: D (LEAVE A REPLY)

NEW QUESTION: 138

Which of the following statements about the Object Navigator are true?

There are 4 correct answers to this question.

Response:

- A. Menus can be displayed and edited in the Object Navigator.
- B. Screens can be displayed and edited in the Object Navigator.
- C. You can create BAdI implementations in the Object Navigator.
- D. The ABAP Dictionary can be maintained in the Object Navigator.
- E. You can create customer projects (Transaction CMOD) in the Object Navigator.
- F. ABAP programs can be displayed and edited in the Object Navigator.

Answer: A,B,D,F (LEAVE A REPLY)

NEW QUESTION: 139

Data types store data and occupy memory.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 140

What must you take into consideration when you use the new open SQL syntax (available as of SAP Net weaver 7.4 SP05)? There are 2 correct answers to this question.

- A. All arithmetic expressions can be used for all type of variables.
- B. All ABAP variables must be escaped with a proceeding @ sign.
- C. All fields in the GROUP BY clause must be separated by commas.
- D. All Keywords are case sensitive.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 141

Code within an explicit enhancement section can be replaced by the customer.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid C_TAW12_750 Dumps shared by Actual4test.com for Helping Passing C_TAW12_750 Exam! Actual4test.com now offer the **newest C_TAW12_750 exam dumps**, the Actual4test.com C_TAW12_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TAW12_750 dumps with Test Engine here:

https://www.actual4test.com/C_TAW12_750_examcollection.html (80 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)