

## SAP.C\_TAW12\_750.v2023-04-22.q34

<b>Exam Code:</b>	C_TAW12_750
<b>Exam Name:</b>	SAP Certified Development Associate - ABAP with SAP NetWeaver 7.50
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	34
<b>Version:</b>	v2023-04-22
<b># of views:</b>	843
<b># of Questions views:</b>	340
<a href="https://www.freepdfdumps.com/SAP.C_TAW12_750.v2023-04-22.q34.html">https://www.freepdfdumps.com/SAP.C_TAW12_750.v2023-04-22.q34.html</a>	

### NEW QUESTION: 1

What type of ABAP Dictionary view is implemented as an INNER JOIN?

- A. Database view
- B. Help views
- C. Maintenance view
- D. Projection view

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 2

What can be implemented using an implicit enhancement option? Note: There are 3 correct answers to this question

- A. Overwrite methods for SAP function modules
- B. Additional parameters in SAP function modules
- C. Additional exceptions in SAP function modules
- D. Overwrite methods for global SAP classes
- E. Additional attributes for global SAP classes

**Answer: A,D,E (LEAVE A REPLY)**

### NEW QUESTION: 3

You are asked to enhance the GUI status of an SAP standard application. How do you identify which menu exit function code you can use?

- A. It starts with an ampersand (&)
- B. It starts with an asterisk (\*)
- C. It starts with a dollar sign (\$)

D. It starts with a plus (+)

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 4**

Which of the following statements correctly define a data object with the data type of data element s\_conn\_id?

Note: There are 3 correct answers to this question

- A. PARAMETER pa\_id TYPE s\_conn\_id
- B. CONSTANTS gc\_id TYPE s\_conn\_id VALUE '0400'
- C. DATA: gv\_id LIKE s\_conn\_id
- D. DATA: gv\_id TYPE s\_conn\_id
- E. DATA: gv\_id TYPE REF TO s\_conn\_id

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 5**

What must exist before you can create a new transportable function module? Note: There are 3 correct answers to this question.

- A. Module pool
- B. Function group
- C. Type group
- D. Package
- E. Change request

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 6**

You want to deploy a program that processes character type data. When you implement the program, you can either use the classical string statement or the newer string expressions and functions what are the main benefits of using the newer string expressions and string functions?

Note: There are 2 correct answers to this question

- A. You can write code that is very easy to read and understand
- B. You can improve the performance significantly
- C. You can write compact syntax instead a long sequence of statements
- D. You can reduce the number of intermediate variables

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 7**

Which of the following statement create a data object? Note: There are 3 correct answers to this question.

- A. CONSTANT
- B. type

- C. CLASS
- D. parameters
- E. class-data

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 8**

What are some advantages of using open SQL? Note: There are 2 correct answers to this question

- A. All standard SQL commands can be used
- B. It can be used with any supported DBMS.
- C. Syntax is checked at design time.
- D. The application server buffer is NOT used.

**Answer:** B,C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 9**

A user runs an ABAP program AND enters an incorrect value on the selection screen AND and chooses Execute. Which event block must send the error messages in order messages in order to display the selection screen again?

- A. AT SELECTION-SCREEN
- B. AT SELECTION-SCREEN OUTPUT
- C. AT SELECTION-SCREEN ON VALUE REQUEST
- D. AT SELECTION-SCREEN ON HELP-REQUEST

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 10**

You defined database view A and maintenance view B in the ABAP Dictionary. What restrictions apply to these views? Note: There are 2 correct answers to this question

- A. Only A can be used in the FROM clause of a SELECT statement
- B. The join of both A and B is an inner join
- C. The tables joined in A must have foreign key relationships
- D. The tables joined in B must have foreign key relationship

**Answer:** A,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 11**

You call a lock module, Which exceptions could the lock module raise when a logical lock CANNOT be set?

Note: There are 2 correct answers to this question.

- A. SYSTEM\_FAILURE
- B. CX\_SY\_DATA\_ACCESS\_ERROR
- C. CX\_SY\_OPEN\_SQL\_ERROR
- D. FOREIGN\_LOCK

**Answer: A,D ([LEAVE A REPLY](#))**

### **NEW QUESTION: 12**

Which database objects can you create in the ABAP Dictionary? Note: There are 2 correct answers to this question.

- A. Foreign key relationships
- B. Logical databases
- C. Projection views
- D. Indexes

**Answer: A,C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 13**

You have declared a sorted internal table with the columns A AND B AND C AND D.

The key consists of columns A AND B AND C in this order.

Which combination of columns in the where clause of a Loop statement allows the system to optimize the access to table?

Note: There are 2 correct answers to this question.

- A. A AND B
- B. C AND D
- C. A AND B AND C AND D
- D. B and C

**Answer: A,D ([LEAVE A REPLY](#))**

### **NEW QUESTION: 14**

A class is defined as follows `CLASS my_class DEFINITION PUBLIC SECTION METHODS do_something EVENTS state_changed CLASS Methods staticl PRIVATE SECTION TYPES t_table type Standard table OF 1001 CONSTANTS gc_constTYPE I ENDCLASS` which components of the class can static method `staticl` address directly?

Note: There are 2 correct answers to this question

- A. The `state_changed` event
- B. The `do_something` method
- C. The `t_table` type
- D. The `gc_const` constant

**Answer: C,D ([LEAVE A REPLY](#))**

### **NEW QUESTION: 15**

How is data shared between web Dynpro controllers? Note: There are 2 correct answers to this question

- A. By using context mapping from a view controller to a component controller
- B. By using context mapping from a view controller to a custom controller

- C. By using context mapping from a view controller to another view controller
- D. By using data binding from a view controller to another view controller

**Answer: A,B (LEAVE A REPLY)**

#### **NEW QUESTION: 16**

What are the reasons to use modularization? Note: There are 3 correct answers to this question

- A. Promotes reusability
- B. Portability across DBMS
- C. Easier maintenance
- D. Improved performance
- E. Improved transparency

**Answer: A,C,D (LEAVE A REPLY)**

**Valid C\_TAW12\_750 Dumps** shared by Actual4test.com for Helping Passing C\_TAW12\_750 Exam! Actual4test.com now offer the **newest C\_TAW12\_750 exam dumps**, the Actual4test.com C\_TAW12\_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C\_TAW12\_750 dumps with Test Engine here:

[https://www.actual4test.com/C\\_TAW12\\_750\\_examcollection.html](https://www.actual4test.com/C_TAW12_750_examcollection.html) (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 17**

Which of the following rules must you follow when you create a static constructor? Note: There are 3 correct answers to this question

- A. You CANNOT define parameters
- B. You must name the method CONSTRUCTOR
- C. You can define class-based or classic exceptions
- D. You must define the method as public

**Answer: A,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 18**

You have been asked by a customer to develop open SQL code to convert the value of argument "arg" into the ABAP Dictionary type specified, which SQL syntax do you use to meet this requirement?

- A. CASTING (arg FOR type)
- B. CAST (arg AS type)
- C. CASTING (arg AS type)
- D. CAST (arg FOR type)

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 19**

You write the following ABAP statement `SELECT SINGLE carrid AND connid cityfrom AND cityto FROM spifi INTO@gs_spfi WHERE carrid=@ps_car AND connid = @pa_con`  
How are the selected fields placed into rget Structure gs\_spfir?

- A. Into fields with the same type.
- B. Into fields with the same name and same type.
- C. From left to right
- D. Into fields with the same name.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 20**

Where can you define data types that can be used throughout the system? Note: There are 3 correct answers to this question.

- A. In a method
- B. In a function module
- C. In the ABAP Dictionary
- D. In a global interface

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 21**

Which data types are incomplete ABAP standard data types? Note: There are 3 correct answers to this question.

- A. P
- B. N
- C. D
- D. I
- E. C

**Answer: A,B,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 22**

You have the following class definition: `CLASS ICL_airplane DEFINITION PUBLIC SECTION.`

`METHODS: set_passengers. PROTECTED SECTION CONSTANTS c_pos type i.methods get_passengers PRIVATE SECTION DATA mv_passengers TYPE I, METHODS set_attributes ENDCALSS.` Which components can be addressed directly from a subclass of class ICL\_airplane?

- A. SET\_ATTRIBUTES
- B. GET\_PASSENGER
- C. Pos

D. SET\_PASSENGER

**Answer: B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 23**

A screen has the following PAI flow login: PROCESS AFTER INPUT. FIELD A MODULE check\_A FIELD B MODULE Check\_b CHAIN FIELD:

C AND D. MODULE check\_CD ENDCHAIN CHAIN FIELD: C AND B MODULE check\_CB ENDCHAIN. What happens is the application sends a type E message during the check\_CB module processing?

**A.** The screen is displayed again without processing the PBO flow logic All are ready for input.

**B.** The screen is displayed again and the PBO flow logic is processes only fields B and care ready for input.

**C.** The screen is displayed again without processing the PBO flow logic only fields B and care ready for input.

**D.** The screen is NOT displayed again processing terminates, and the user must restart the ABAP program.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 24**

What pre-defined ABAP data type is deep?

**A.** STRING

**B.** X

**C.** DECFLOAT34

**D.** N

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 25**

What type of method is generated automatically by the web Dynpro Explorer when you assign an action to a button UI element?

**A.** Event handler method

**B.** Ordinary method

**C.** Standard hook method

**D.** Supply function

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 26**

You run an executable program that contains the following code: DATA: gv\_var1 TYPE n LENGTH 3.

gv\_var2 TYPE n LENGTH 3 VALUE '456' START OF SELECTION. CLEAR gv\_var2

gv\_var2=g

- A. When the assignment to gv\_var2 is executed
- B. As soon as the program is loaded into the terminal session
- C. When value '123' is assigned to the data object
- D. At the beginning of the START-OF-SELECTION event block

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 27**

Which are the functions of the ABAP dispatcher? Note: There are 3 correct answers to this question

- A. It integrates the presentation layer
- B. It requests the data from the database or the buffers
- C. It distributes the request among the work processes
- D. It saves the processing request in request in request queues
- E. It performs a roll-in and roll-out of user context

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 28**

You have been asked to review the following expression AND which processes character string result = find (val = 'ababABAP' sub = 'A' occ = 2 case = \*X'). What is the expected value of result?

- A. 4
- B. 2
- C. 6
- D. 1

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 29**

To which of the following can you assign a search help? Note: There are 3 correct answers to this question

- A. Structure component
- B. Domain
- C. Data element
- D. Check table
- E. Table type

**Answer:** A,C,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 30**

You have created table ZTAB and you want to create a foreign-key relationship to table SAPTAB Under which conditions is this possible? Note: There are 2 correct answers to this question.

- A. The check field in ZTAB must have a data element that does NOT refer to a domain

**B.** The check field in ZTAB must have the same domain as the corresponding field of check table SAPTAB

**C.** The check field in ZTAB Must have the same ABAP Dictionary type as the corresponding field of check table SAPTAB

**D.** The check field in ZTAB must have the same name as the corresponding field of check table SAPTAB

**Answer: B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 31**

A costumer has asked that you improve performance for a small table with frequent read accesses, what buffering type do you recommend?

**A.** Column store

**B.** Single record

**C.** Full table

**D.** Primary key

**Answer: C (LEAVE A REPLY)**

**Valid C\_TAW12\_750 Dumps** shared by Actual4test.com for Helping Passing C\_TAW12\_750 Exam! Actual4test.com now offer the **newest C\_TAW12\_750 exam dumps**, the Actual4test.com C\_TAW12\_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C\_TAW12\_750 dumps with Test Engine here:

[https://www.actual4test.com/C\\_TAW12\\_750\\_examcollection.html](https://www.actual4test.com/C_TAW12_750_examcollection.html) (80 Q&As Dumps,

**30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 32**

You enhance an SAP standard global class by defining a post-method for an SAP method, the original SAP method has an EXPORTING parameter named PARI. What type of parameters is PARI in the post-method?

**A.** IMPORTING

**B.** EXPORTING

**C.** CHANGING

**D.** RETURNING

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 33**

How can you search for classic Business Add-ins (BADIs)? Note: There are 2 correct answers to this question

- A. Search in the application program for the method GET\_INSTANCE of class CL\_EXITHANDLER
- B. Search in the application program for the GET BADI statement.
- C. Search in the application program for the CALL BADI statement.
- D. Search the relevant component in the implementation Guide (IMG)

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 34

You want to loop over an internal table without copying each table row to a work area. How can you achieve this using a field symbol?

- A. LOOP...INTOTRANSPORT...ENDLOOP
- B. LOOP-REFERENCE INTCL.ENDLOOP
- C. LOOP..INTO...ENDLOOP
- D. LOOP...ASSIGNING...ENDLOOP

Answer: D ([LEAVE A REPLY](#))

**Valid C\_TAW12\_750 Dumps** shared by Actual4test.com for Helping Passing C\_TAW12\_750 Exam! Actual4test.com now offer the **newest C\_TAW12\_750 exam dumps**, the Actual4test.com C\_TAW12\_750 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C\_TAW12\_750 dumps with Test Engine here:

[https://www.actual4test.com/C\\_TAW12\\_750\\_examcollection.html](https://www.actual4test.com/C_TAW12_750_examcollection.html) (80 Q&As Dumps,

**30%OFF Special Discount: Freepdfdumps**)