

SAP.C_TS413_2020.v2022-08-29.q77

Exam Code:	C_TS413_2020
Exam Name:	SAP Certified Application Associate - SAP S/4HANA Asset Management
Certification Provider:	SAP
Free Question Number:	77
Version:	v2022-08-29
# of views:	2076
# of Questions views:	770
https://www.freepdfdumps.com/SAP.C_TS413_2020.v2022-08-29.q77.html	

NEW QUESTION: 1

Which statements are correct about UI technologies in SAP S/4HANA Asset Management? Note: There are 2 correct Answers to this question.

- A. Web Dynpro apps can be used in the SAP Fiori launchpad.
- B. SAP GUI transactions can be used in the SAP Fiori launchpad.
- C. The cloud version can also use SAP GUI for Windows.
- D. SAP Fiori launchpad supports only SAPUI5 apps.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Which UI technologies are supported in SAP S/4HANA asset management when you use SAP Fiori launchpad? choose 3 answers

- A. SAP GUI for HTML
- B. SAPUI5
- C. SAP GUI for windows
- D. business server pages (BSP)
- E. Web Dynpro

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which scheduling parameters are used in a multiple-counter plan? Note: There are 2 correct Answers to this question.

- A. Scheduling indicator
- B. Factory calendar

C. Scheduling period

D. Start date

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

With SAP S/4HANA embedded analytics, which tools are aimed at end users?

A. SAP Smart Business cockpits

B. Analytical SAP Fiori applications

C. Query Browser

D. Query Designer

E. Design Studio

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

You use SAP Work manager. Which operation can the maintenance worker execute?

choose 2 answer

A. create equipment

install equipment

B. scheduling resources

change task list

C. change BOM

create work order on the ESRI map

D. create notification

create a measuring reading

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which objects have been enhanced with linear data in maintenance processes? Note:

There are 3 correct Answers to this question.

A. Measurement document

B. Work order confirmation

C. Maintenance plan header

D. Maintenance plan item

E. Equipment task list

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following statements about order settlement and business completion are correct?

A. Business completion is performed for an order that has been fully settled.

B. Technical completion occurs when all of the required tasks have been performed.

- C. After business completion, an order can be debited with actual costs.
- D. Settlement credits the order with the actual costs.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

What happens when you enter an invoice with reference to a purchase order?

- A. The system suggests data from the purchase order and the goods receipt.
- B. The system suggests data only from the goods receipt.
- C. The system suggests data only from the purchase order.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

You want to assign a maintenance planning plant directly to an organizational unit. Which of the following units can you use?

- A. Location
- B. Controlling area
- C. Maintenance planner groups
- D. Maintenance work center

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

How can you define the data transfer within a technical object hierarchy? choose 2 answers

- A. use the data origin function to update the supported fields for the bill of materials
- B. use the reference functional locations for transfer data to the corresponding functional locations
- C. use the data origin function to change the supported fields in the functional location
- D. use the data origin function to change the supported fields for the piece of equipment

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which activities can the planner perform by using the maintenance planning overview with the default filters? choose 3 answers

- A. analyze outstanding notification that have NOT been assigned to the maintenance order
- B. analyze confirmed maintenance orders which were NOT settled
- C. display purchase orders for non-stock material for which the goods receipt was NOT posted
- D. display approved purchase requisitions for non-stock material for which NO purchase order was generated
- E. analyze released maintenance orders whose end date is in the past and were NOT finally confirmed

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

How SAP offer SAP Asset intelligent network?choose 1 answer

- A.** as a license free SAP S4HANA add-on
- B.** as a cloud-based application
- C.** as a license-free ERP add-on
- D.** as a part of S4HANA on premise

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the function of the print diversion setting?

- A.** It enables you to determine which papers are printed for the technician.
- B.** It enables you to define which shop papers are printed as a system default.
- C.** It tells the system that a shop paper for an order is ready to be printed.
- D.** It enables you to chose a printer based on certain fields in the order.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which of the following roles is responsible for executing an order during the corrective maintenance process.

- A.** Maintenance Supervisor
- B.** Warehouse Clerk
- C.** Maintenance Technician
- D.** Maintenance Planner

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 15

What is a characteristics of the SAP Fiori tile group? choose 1 answer

- A.** it is assigned using the set/get parameteres
- B.** it is a building block of the SAP fiori catalog
- C.** it shows active tiles in SAP fiori launchpad
- D.** it provide an invisible group of SAP Fiori catalogs

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which of the following are valid schedulingparameter in the multiple-counter plan? choose 2 answers

- A.** start counter reading
- B.** call horizon
- C.** schedule period

D. Or-link

Answer: ([SHOW ANSWER](#))

Valid C_TS413_2020 Dumps shared by Actual4test.com for Helping Passing C_TS413_2020 Exam! Actual4test.com now offer the **newest C_TS413_2020 exam dumps**, the Actual4test.com C_TS413_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TS413_2020 dumps with Test Engine here:

https://www.actual4test.com/C_TS413_2020_examcollection.html (**90 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

The technical completion of the actual maintenance order was posted with a delay of 10 days. How can the planner shift the next planned date by the same amount? choose 1 answer

- A. set the shift factor for early completion 100 %
- B. set the shift factor for late completion 100 %
- C. set the shift factor for early completion 10 %
- D. set the shift factor for the late completion to 10 %

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

The technical completion of the current maintenance order was posted with a delay of 5 days. What happens to the next planned date if you set the shift factor for early completion to 100%?

- A. It is postponed by 5 days.
- B. It is not shifted.
- C. It will be 5 days earlier.
- D. It is postponed by a full cycle (100%).

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

what is primary goal of sapperdictive maintenance and service? choose 1 answer

- A. to provide advanced cost controlling analysis
- B. to collect and analyze machine data
- C. to create a cloud-based equipment directory
- D. to precalculate maintenance projects

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

What are the key functionalities in SAP Cloud Platform?

- A. Edge computing
- B. Open APIs
- C. Integration
- D. Microservices

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

What characterizes the architecture of a simple application?

- A. No data redundancy
- B. Reduction in number of tables
- C. Works with any database
- D. Use of dedicated aggregation tables
- E. Push data-intensive tasks to SAP HANA

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which activities can a planner perform with the manage malfunction report SAPUI5 app?
choose 3 answer

- A. assign work to technician
- B. print shop papers
- C. enter effort
- D. enter measurement reading
- E. enter material

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

You create a revision for a Maintenance Event Builder (MEB) scenario. Which of the following statements are correct? Note: There are 2 correct Answers to this question.

- A. You must use hierarchical task lists for the MEB scenario.
- B. You can assign a hierarchical task list to the revision.
- C. You must assign maintenance notifications to the revision.
- D. You can assign a network to a revision.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which valuation category do you use to refurbish a material?

- A. Retail
- B. Condition-based
- C. Origin

D. In-house/external procurement

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following is scheduling indicator? choose 1 answer

A. time-earliest date

B. time-latest date

C. time-key date

D. time-fixed date

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

To which of the following organizational units can you directly assign a maintenance plant? choose 1 answer

A. profit center

B. personnel area

C. standard purchasing organization

D. controlling area

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following can you assign to an equipment category via a view profile? Note: There are 2 correct Answers to this question.

A. Configuration

B. Manufacturer data

C. Warranty

D. Serial data

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

SAP S/4HANA is built to natively integrate with business networks such as:

A. SAP Concur

B. SAP Fieldglass

C. SAP Ariba

D. LinkedIn

E. SAP Hybris

Answer: A,B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 29

You want to set up a general maintenance task list for inspection rounds using the overall time confirmation as a simplified way to record measurement documents. What do you need to do? Note:

There are 2 correct Answers to this question.

- A. Assign an inspection lot to the task list header.
- B. Assign an inspection document as a PRT to the task list operation.
- C. Assign a piece of equipment with an allocated measuring point to a task list operation.
- D. Assign a measuring point as a production resources/tools (PRT) to a task list operation.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

What happens if you change the primary key of a functional location?

- A. The user must decide whether the functional location is assigned to a new superior functional location.
- B. The functional location is immediately assigned to a new superior functional location when the new label is entered.
- C. The user must define a new labelling system for the new primary key.
- D. Changing the superior functional location via alternative labeling is not possible.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

You have several defective parts that you need to send to a subcontractor to get them refurbished, what must you do to trigger the external refurbishment order? choose 1 answer

- A. create a manual purchase order and add therefuribshment order number
- B. create an internal activity (PM 01) and add the defective mateiral as non stock component
- C. create a manual purchase requisition and add the refurbishment order number
- D. create an external activity (PM 02) within the refurbishment order

Answer: ([SHOW ANSWER](#))

Valid C_TS413_2020 Dumps shared by Actual4test.com for Helping Passing C_TS413_2020 Exam! Actual4test.com now offer the **newest C_TS413_2020 exam dumps**, the Actual4test.com C_TS413_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TS413_2020 dumps with Test Engine here:

https://www.actual4test.com/C_TS413_2020_examcollection.html (90 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

A billing document can be created from what two types of documents?

- A. Inquiry
- B. Rebate list
- C. Quotation
- D. Delivery
- E. Sales order

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 33

The planner add a stock material in the orders. What does the system create reservation depending on the settings of the order type? choose 2 answers

- A. when the order is saved
- B. when the cost are determined
- C. when the order is released
- D. after the available check is performed

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Which actions can you perform with the create technical objects SAP fiori app? choose 3 answers

- A. edit classification data and characteristics
- B. display asset viewer
- C. change a reference location
- D. create measuring point
- E. assign document

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which edition allows more extensive customer modifications?

- A. On-premise edition
- B. Cloud edition

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

In which product does SAP deliver embedded analytics? choose 1 answer

- A. SAP BW/4HANA
- B. SAP Business intelligence
- C. SAP Business warehouse
- D. SAP S/4HANA

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which options do you have to allow the assignment of order operation to object list entries.
choose 3 answer

- A. to all notification
- B. only to notification created via maintenance plans
- C. to all maintenance plans
- D. to all object list entries
- E. to all task list

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which of the following is true about settlement rules?

- A. It can be changed when the first settlement rule is maintained for the order.
- B. The account assignment object is proposed from the master record for the reference object.
- C. It cannot be changed once it is determined.
- D. It must be entered manually in the order.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 39

A piece of equipment cannot be linked to a material. Determine whether this statement is true or false.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

When the planner adds a non-stock material in the order, what are valid process steps?
choose 3 answer

- A. post the credit memo
- B. create the purchase order
- C. post the goods issue
- D. post the goods receipt
- E. post the invoice

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which of the following types is supported out of the box in technical objects? choose 2 answers

- A. controller

- B. contractor
- C. organizational unit
- D. maintenance plant

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which steps support the maintenance technician in the Report and Repair Malfunction app (3 tiles)?

Note: There are 3 correct Answers to this question.

- A. Complete the malfunction report.
- B. Verify planned and actual costs.
- C. Find malfunction records already created in a list.
- D. Plan repair work for the responsible work center.
- E. Assign a production resource tool (PRT) to the operation.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

What are the effects when the planner release a maintenance order? choose 3 answers

- A. the planner can print the job papers
- B. the warehouse clerk can post a goods issue
- C. the planner CANNOT change planned costs
- D. the technician can record confirmations
- E. the planner can estimate costs

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following is true about SAP Work Manager?

- A. It is available only on SAP Cloud Platform
- B. It is used in combinations with SAP ERP and S/4HANA
- C. It is used in combinations with S/4HANA
- D. It is available in On Premise Edition and Cloud Edition

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which statements about the structure indicator are correct? Note: There are 2 correct Answers to this question.

- A. It defines hierarchy levels of the functional location structure.
- B. It can have a maximum length of 50 characters.
- C. It defines which data is transferred to the lower levels of the hierarchy.
- D. It defines the allowed characters for a functional location.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

To which objects can a personnel number be directly assigned? Note: There are 2 correct Answers to this question.

- A. Equipment
- B. Planner group
- C. Work center
- D. Business partner

Answer: C,D ([LEAVE A REPLY](#))

Valid C_TS413_2020 Dumps shared by Actual4test.com for Helping Passing C_TS413_2020 Exam! Actual4test.com now offer the **newest C_TS413_2020 exam dumps**, the Actual4test.com C_TS413_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TS413_2020 dumps with Test Engine here:

https://www.actual4test.com/C_TS413_2020_examcollection.html (90 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 47

The starting point for the corrective maintenance process usually is a _____.

- A. Order
- B. Activity
- C. Notification
- D. Catalog

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

Which of the following objects can you directly assign when you define the work center?

Note: There are 2 correct Answers to this question.

- A. Calculation key
- B. Fixed price of the activity type
- C. Capacity category
- D. Organizational unit (HR)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

What must you maintain before you create the measuring point or counters for technical objects? choose 1 answer

- A. create a code group in the necessary catalog

- B. enter an annual estimate
- C. assign characteristics to classes
- D. create necessary characteristics in the classification system

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which of the following statements about configuring the notification screen are correct?

- A. You can assign internal headings and symbols to tabs.
- B. You can apply a simple view or an enhanced view to each notification type.
- C. You can define only one screen area per tab.
- D. You can choose from 27 different tab pages for each notification type.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which object combination influences the display of the fleet-specific tab strip and fields?

choose 1 answer

- A. fleet object type and vehicle usage indicator
- B. equipment category and measuring point category
- C. fleet object type and measuring point category
- D. equipment category and fleet object type

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which operations are possible when you cancel the technical completion of a maintenance order? Note:

There are 2 correct Answers to this question.

- A. Book a goods receipt.
- B. Change the priority.
- C. Change the estimated costs.
- D. Cancel status Released.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following are components of cloud-based SAP Intelligent Asset Management? Note: There are 2 correct Answers to this question.

- A. Worker Safety applications
- B. SAP Predictive Asset Insights
- C. SAP Asset Manager
- D. SAP Work Manager

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

In which maintenance object can you use an activity type? choose 2 answer

- A. maintenance order operation
- B. work center
- C. maintenance order header
- D. task list header

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 55

The units of capacity in plant maintenance are managed in_____.

- A. Organizational Units
- B. Maintenance Work Centers
- C. Maintenance Planning Plant
- D. Maintenance Plant

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which functionalities are available in the SAP Asset Manager for a maintenance worker?

Note: There are

2 correct Answers to this question.

- A. Schedule resources. Change task list
- B. Confirm time sheets. Attach documents
- C. Change BOM. Create a work order on the ESRI map
- D. Display maps. Display and maintain technical objects

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which of the following is true about calculating the cost for maintenance?

- A. It is calculated at the Order operation level by default.
- B. It is calculated at the Order header level by default.
- C. You can configure the system to calculate the cost at the header level in the ordertype customizing in SPRO.
- D. The operation account assignment (OAA) business function allows to calculate costs of maintenance orders at operation level.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 58

What is the correct receiver object type for the settlement of a refurbishment order?

- A. The fixed asset
- B. The cost center
- C. The material

D. The WBS element

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which parameters are calculated during scheduling of a performance-based maintenance plan? choose 2 answers

- A. monthly performance based on annual estimate
- B. planned date based on sum of counter readings
- C. daily performance based on annual estimate
- D. planned date based on cycle and daily performance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

In the document management system, you can create new documents that contain information about equipment or repair instructions, and attach these to the maintenance order or operation.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

What are the three pillars of SAP Activate?

- A. Performance tuning
- B. Guided configuration
- C. SAP Best Practices
- D. Methodology

Answer: A,C,D ([LEAVE A REPLY](#))

Valid C_TS413_2020 Dumps shared by Actual4test.com for Helping Passing C_TS413_2020 Exam! Actual4test.com now offer the **newest C_TS413_2020 exam dumps**, the Actual4test.com C_TS413_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TS413_2020 dumps with Test Engine here:

https://www.actual4test.com/C_TS413_2020_examcollection.html (90 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

You want to display additional document information within the document flow of a maintenance order.

For which type of document must this be customized?

- A. Service entry sheet
- B. Invoice
- C. Purchase order
- D. Goods movement

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

The planner calls the document flow in the work order, which of the following document type are directly displayed? choose 3 answers

- A. invoice
- B. material document
- C. controlling document
- D. time confirmation
- E. accounting document

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which steps are available for the maintenance technician when using the Report Malfunction tile? Note:

There are 3 correct Answers to this question.

- A. Add a URL to provide further information.
- B. Display the current location of the technical object.
- C. Input estimated costs for repair malfunction.
- D. View details of the technical object by navigating to the Asset Viewer.
- E. Select and print the maintenance order shop papers.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 65

How do you activate subscreen for equipment master data incustomizing? choose 1 answer

- A. create a screen group info type and assign the group to the equipment category
- B. define thefield selection for the equipment master data
- C. assign object information parameter to the equipment category
- D. create a view profile and assign it to the equipment category

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 66

How does the work center influence cost calculation in the maintenance order? Note: There are 2 correct Answers to this question.

- A. Via activity type and hourly rate

- B. Via business partner and hourly price
- C. Via cost center and activity type
- D. Via organizational unit and personal hourly rate

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

What are the consequences when you activate alternative labelling? choose 1 answer

- A. the labeling system must be assigned to the functional location category
- B. you can change the primary functional location label and keep the old label as a historical label
- C. you CANNOT deactivate an alternative labeling
- D. you can change the primary functional location label and delete the old function location label

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

You create two maintenance packages and only one package should be executed at a time. Which parameter determines this?

- A. Lead flow
- B. Package sequence
- C. Cycle set sequence
- D. Hierarchy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Which of the following is the correct sales order management process?

- A. Picking, sales order, goods issue, billing, delivery
- B. Sales order, picking, goods issue, billing, delivery
- C. Sales order, delivery, picking, goods issue, billing
- D. Goods issue, picking, sales order, delivery, billing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

To which objects can you assign a safety plan? choose 2 answers

- A. work approval
- B. task list
- C. maintenance order
- D. permit

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 71

The maintenance engineer creates a singel cycle plan with the following parameters:

- * the call object is maintenance order
- * the indicator or seprate completion of maintenance call date is NOT set
- * the indicator for completion requirement is NOT activated
- * both shift factors are set to 100% .

Which date is relevant for the calculation for further planned dates for all objects? choose 1 answer

- A. planned date of the next call number
- B. completion date of maintenance plan
- C. technical completion date of the maintenance order
- D. basic finish date of the maintenance order

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which information does the usage list for equipement display? choose 1 answer

- A. validity periods
- B. material consumption
- C. Failure frequency
- D. operation hours

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

What aresome of the trends driving the need for a reengineered business suite built for the digital world?

- A. Massive increase in device connectivity
- B. Adoption of cloud computing
- C. Increase in ownership of mobile devices
- D. Business users are taking on more technical IT tasks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Which statement is correct when planning maintenance work that is to be carried out by an external company?

- A. A service master record must always be assigned to the external order operation.
- B. In the control key assigned to the order operation, the "Service" indicator must always be activated.
- C. If you assign a control key for an external order operation, the actual values must always be entered as a goods receipt in the system.
- D. If you assign a control key with indicator "Service" for an external service, you have to enter the actual values via the service entry sheet.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 75

You require stock material to carry out maintenance tasks. Which of the following statements regarding material planning in the maintenance order are correct? Note: There are 3 correct Answers to this question.

- A. A goods receipt can be entered for a technically completed maintenance order.
- B. Material can be assigned at the order header level.
- C. A control key for internal workforce is required when assigning stock material to an order operation.
- D. The pick list for materials can be printed before order release.
- E. Material can be assigned at the order operation level.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 76

Which of the following are examples of organizational elements?

- A. None of the above
- B. All of the above
- C. Plant
- D. Client
- E. Company code

Answer: ([SHOW ANSWER](#))

Valid C_TS413_2020 Dumps shared by Actual4test.com for Helping Passing C_TS413_2020 Exam! Actual4test.com now offer the **newest C_TS413_2020 exam dumps**, the Actual4test.com C_TS413_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TS413_2020 dumps with Test Engine here:

https://www.actual4test.com/C_TS413_2020_examcollection.html (90 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

At which level can the planner estimate costs in a maintenance order? choose 1 answer

- A. at the work center level
- B. at the value category level
- C. at the cost center level
- D. at the component level

Answer: B ([LEAVE A REPLY](#))

Valid C_TS413_2020 Dumps shared by Actual4test.com for Helping Passing C_TS413_2020 Exam! Actual4test.com now offer the **newest C_TS413_2020 exam dumps**, the Actual4test.com C_TS413_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_TS413_2020 dumps with Test Engine here:

https://www.actual4test.com/C_TS413_2020_examcollection.html (**90** Q&As Dumps,

30%OFF Special Discount: **Freepdfdumps**)