

SASInstitute.A00-420.v2025-01-31.q94

Exam Code:	A00-420
Exam Name:	SAS Viya Intermediate Programming
Certification Provider:	SASInstitute
Free Question Number:	94
Version:	v2025-01-31
# of views:	2507
# of Questions views:	940
https://www.freepdfdumps.com/SASInstitute.A00-420.v2025-01-31.q94.html	

NEW QUESTION: 1

Complete the SAS program below to generate a table named cost_cont in the casuser caslib that contains the statistics for each value of continent.

```
proc mdsummary data=casuser.orders;  
var cost;  
groupby continent / _____;  
run;
```

Answer:

casuser.cost_cont

NEW QUESTION: 2

Complete the following FedSQL code to convert the character variable markup to a numeric variable.

```
proc cas;  
session mysess;  
fedSql.execDirect /  
query="create table casuser.cars_fedsql {options replace=true} as  
select make, model, mpg_city, mpg_highway, <insert code segment here> as markup_N from  
casuser.cars"; run;
```

A. input(markup,'best12.')

B. cast(markup,'best12.')

C. inputn(markup,'best12.')

D. put(markup,'best12.')

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which CAS statement is used to select specific columns from a CAS table?

- A. CASSELECT
- B. CASWHERE
- C. CASTABLE
- D. CASCOLUMN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which CAS action is used to rename variables in a CAS table?

- A. cas.rename
- B. cas.alter
- C. cas.modify
- D. cas.change

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which SAS Viya component is responsible for storing and managing user-defined formats?

- A. CAS server
- B. SAS Data Connector
- C. SAS Studio
- D. SAS Metadata Server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

When loading a data set into memory using PROC CASUTIL and the LOAD statement, what option will set the in-memory table's scope to GLOBAL?

Enter your answer in the space below: _____

Answer:

promote

NEW QUESTION: 7

Which variables must be included in the CAS table that stores DATA step code to be executed by the dataStep.runCodeTable action?

- A. PgmName
CASEngine
- B. DataStepSrc
ModelName
- C. Source
Name
- D. DataStepSrc
ModelName
- E. Code

TableName

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which statement is used to define a user-defined format in SAS Viya?

- A. LENGTH statement
- B. FORMAT statement
- C. LABEL statement
- D. INFORMAT statement

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

Given the dictionary myDict defined using the following statement: mydict = {age = 16, characteristics = {hair = "dark", eyes = "brown"}}; Which code segment correctly assigns the value brown to the variable x?

- A. selection = "eyes";
x = myDict["characteristics"][selection];
- B. x = myDict{"characteristics"}{"eyes"};
- C. selection = "eyes";
x = myDict[characteristics][selection];
- D. x = mydict.characteristics[eyes];

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 10

Assume all caslib names follow libref naming conventions.

Which code assigns librefs of the same name to each caslib?

- A. caslib _all_ assign;
- B. caslib assign _all_;
- C. caslib assign libref;
- D. caslib libref assign;

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

What is the purpose of the EXECUTE action in CAS language programming?

- A. To execute a DATA step program
- B. To execute a series of CAS actions
- C. To execute a SQL query
- D. To execute a macro program

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

In the deduplication.deduplicate action, which parameter eliminates rows with duplicate group-by variable values?

- A. noUniqueKeys
- B. groupBy
- C. uniqueOut
- D. noDuplicateKeys

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the purpose of applying a user-defined format to a variable in SAS?

- A. To change the data type of the variable
- B. To modify the appearance of the variable's values
- C. To rename the variable
- D. To apply data validation rules to the variable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

What is the purpose of the WHERE clause in CAS language programming?

- A. To specify the output variables
- B. To filter rows based on specified conditions
- C. To join multiple tables together
- D. To define the input data source

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

In SAS Viya, what is the purpose of the LIBNAME statement?

- A. To delete a library
- B. To create a new library
- C. To import external data
- D. To assign a library reference

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which CAS statement is used to perform data manipulation operations like filtering and transforming data?

- A. CASWHERE
- B. CASUTIL
- C. CASDATA
- D. CASTABLE

Answer: B ([LEAVE A REPLY](#))

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!
Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com A00-420 dumps with Test Engine here:
https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**
Special Discount: Freepdfdumps)

NEW QUESTION: 17

Which statement is used to sort a SAS dataset in ascending order?

- A. SORT DSN
- B. ORDER BY
- C. PROC SORT
- D. SORT DESCENDING

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which CAS-enabled procedure is used to perform clustering analysis on CAS tables?

- A. CASCLUSTER
- B. CASSTAT
- C. CASPROC
- D. CASKMEANS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which CASL program correctly adds the Sales caslib to access data in the /data/sales folder?

- A.

```
proc cas;  
table.addCaslib /  
name="sales",  
dataSource={srctype="path"},  
path="sales";  
run;
```
- B.

```
proc cas;  
table.addCaslib /  
name="/data/sales",  
dataSource={srctype="path"};  
run;
```
- C.

```
proc cas;  
table.addCaslib /  
name="sales",
```

```
path="/data/sales";  
run;  
D. proc cas;  
table.addCaslib,  
name="/data/sales",  
path="/data/sales";  
run;
```

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which statement is true for the table.copyTable action?

- A. The table= parameter specifies the name of the table that you want to replace.
- B. The casout= parameter is required, but the table= parameter is not required.
- C. The table= parameter allows you to create calculated columns.
- D. Both the table= and casout= parameters are required to use the copyTable action.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which CAS statement is used to join two or more CAS tables based on a common key variable?

- A. CASCOMBINE
- B. CASJOIN
- C. CASTABLE
- D. CASMERGE

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which SAS Viya component allows users to create and manage machine learning models?

- A. SAS Visual Analytics
- B. SAS Data Preparation
- C. SAS Studio
- D. SAS Model Studio

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

What is the purpose of the APPEND action in CAS language programming?

- A. To append columns to an existing CAS table
- B. To merge multiple CAS tables horizontally
- C. To concatenate multiple CAS tables vertically
- D. To add new observations to an existing CAS table

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

In SQL programming, which statement is used to filter rows based on conditions?

- A. ORDER BY
- B. WHERE
- C. HAVING
- D. SELECT

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which CAS-enabled procedure is used for descriptive statistics and data summarization?

- A. PROC GLM
- B. PROC FREQ
- C. PROC SQL
- D. PROC MEANS

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which CAS action is used to execute a DATA step program in SAS CAS?

- A. EXECUTE
- B. SUBMIT
- C. DATA
- D. RUN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which DATA step function is used to concatenate character variables in CAS programming?

- A. CATS
- B. CAT
- C. LENGTH
- D. CONCAT

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which CAS action is used to compute the frequency count of unique values in a column of a CAS table?

- A. cas.count
- B. cas.distinct
- C. cas.frequency
- D. cas.uniq

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which CAS-enabled procedure is used to perform time series analysis on CAS tables?

- A. CASTIMEPROC
- B. CASTIMEMINE
- C. CASTIMESERIES
- D. CASTIME

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

What is the primary purpose of using the DATA step in CAS programming?

- A. Performing complex statistical analyses
- B. Importing and exporting data
- C. Transforming and manipulating data
- D. Creating plots and graphs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Which action loads the cars.csv file from the casuser caslib into memory?

- A. table.upload / table={caslib="casuser", path="cars.csv"};
- B. table.loadTable / caslib="casuser" , path="cars.csv";
- C. table.upload / caslib="casuser" , path="cars.csv";
- D. table.loadTable / table={caslib="casuser", path="cars.csv"};

Answer: B ([LEAVE A REPLY](#))

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!

Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com A00-420 dumps with Test Engine here:

https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**)

Special Discount: [Freepdfdumps](#)

NEW QUESTION: 32

Which statement is true about the CAS server?

- A. Any SAS program can run on the CAS server.
- B. An action set performs a single task on the CAS server.
- C. A CAS session is required to work with the CAS server.
- D. A DATA Step always runs faster on the CAS server.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which CAS-enabled procedure is used to perform text mining on CAS tables?

- A. CASTEXTMINE
- B. CASTEXTSUMMARY
- C. CASTEXT
- D. CASTEXTPROC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which CAS action is used to generate a summary report of missing values in a CAS table?

- A. cas.missing
- B. cas.summary
- C. cas.check
- D. cas.validate

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

How can you rename a CAS table in CAS?

- A. Using the RENAME action
- B. Using the MODIFY action
- C. Using the ALTER TABLE action
- D. Using the EXPORT action

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which CAS action is used to calculate the sum, minimum, maximum, and mean for numeric variables in a CAS table?

- A. cas.statistics
- B. cas.describe
- C. cas.aggregate
- D. cas.summarize

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which CAS action is used to aggregate data at a higher level of granularity in a CAS table?

- A. cas.summarize
- B. cas.collapse
- C. cas.aggregate
- D. cas.groupby

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

Given the CAS table casuser.shoes and the following SAS program:
data casuser.shoes2(where=(region="Africa" and Product="Slipper"));
set casuser.shoes;
keep Region Product Sales;
run;

Which statement is true?

- A. The DATA step runs on the Compute Server.
- B. The DATA step runs in CAS.
- C. The DATA step runs in CAS, but the WHERE= data set option is ignored.
- D. The DATA step produces an error.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which CAS statement is used to load data from an external file into a CAS table?

- A. CASIMPORT
- B. CASLIB
- C. CASDATA
- D. CASTABLE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

What is the file extension used for SAS Viya programs?

- A. sql
- B. sas
- C. py
- D. viya

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which CAS action is used to format the values of a numeric variable in a CAS table?

- A. cas.format
- B. cas.transform
- C. cas.style
- D. cas.modify

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which SAS Viya component allows users to run SAS code on a distributed grid?

- A. SAS Data Preparation
- B. SAS Studio

- C. SAS Visual Analytics
- D. SAS Cloud Analytic Services (CAS)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which CAS action is used to delete rows from a CAS table?

- A. DELETE
- B. DROP TABLE
- C. ALTER TABLE
- D. EXPORT

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

How can you define a user-defined format in SAS?

- A. Using the DEFINE statement in PROC SQL
- B. Using the FORMAT statement in the DATA step
- C. Using the FORMAT procedure in SAS Studio
- D. Using the OPTIONS statement in PROC FORMAT

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which CAS statement is used to assign a CAS table to a CAS library?

- A. CASSET
- B. CASTABLE
- C. CASLIB
- D. CASDATA

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 46

Which data types are supported by CAS tables?

- A. CHAR, DOUBLE, VARCHAR, INT64
- B. CHAR, DOUBLE, VARBINARY, DECIMAL
- C. CHAR, DOUBLE, DECIMAL, TIMESTAMP
- D. CHAR, DOUBLE, VARCHAR, BINARY

Answer: ([SHOW ANSWER](#)**)**

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!

Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420 exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com A00-420 dumps with Test Engine here:

https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**)

Special Discount: [Freepdfdumps](#)

NEW QUESTION: 47

Which CAS action is used to calculate summary statistics for variables in a CAS table?

- A. cas.aggregate
- B. cas.stats
- C. cas.summary
- D. cas.describe

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

In SAS Viya, what is the purpose of the DATA step?

- A. To perform data visualization
- B. To import external data into SAS
- C. To create and modify SAS datasets
- D. To generate statistical reports

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 49

In the DATA step, which statement is used to conditionally execute code?

- A. IF-THEN statement
- B. PROC statement
- C. SELECT statement
- D. MERGE statement

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which CAS action is used to select specific columns from a CAS table?

- A. PICK
- B. CHOOSE
- C. EXTRACT
- D. SELECT

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 51

Which CAS action is used to create a new CASLIB?

- A. CASLIB
- B. LOAD
- C. ALTER TABLE

D. EXPORT

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

What is CAS in SAS Viya?

- A. A data visualization tool
- B. A programming language
- C. A distributed computing environment
- D. A data management tool

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which DATA step statement is used to merge two or more CAS tables based on a common key variable?

- A. SET statement
- B. MERGE statement
- C. MODIFY statement
- D. UPDATE statement

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which CAS action is used to perform aggregations and summary statistics?

- A. AGGREGATE
- B. DESCRIBE
- C. SUMMARIZE
- D. SUMMARY

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

The following SAS program is submitted:

```
cas listsessions;
```

What is the output to the log?

- A. A list of CAS sessions associated with the current user
- B. A NOTE with information about the new CAS session listsessions
- C. A syntax error
- D. A list of all active CAS sessions for all users

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which CAS-enabled procedure is used to perform data manipulation operations like filtering and transforming data?

- A. CASLIB
- B. CASDATAPARTITION
- C. CASDATA
- D. CASUTIL

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which CAS action is used to calculate the total count, distinct count, and missing count for variables in a CAS table?

- A. cas.unique
- B. cas.summary
- C. cas.count
- D. cas.missing

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 58

Which CAS-enabled procedure is used to perform data partitioning?

- A. CASTABULATE
- B. CASPARTITION
- C. CASPROC
- D. CASDATA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

In which situation is it best to leverage the CAS server?

- A. When you need to use the LASR procedure to access data.
- B. When using large data and computationally complex code.
- C. When executing BY statements with high cardinality variables.
- D. When you need to SORT all of your data before processing.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which CAS action is used to recode the values of a categorical variable in a CAS table?

- A. cas.transform
- B. cas.modify
- C. cas.remap
- D. cas.recode

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which operator is used for assignment in SAS Viya?

- A. EQ
- B. ==
- C. =
- D. :=

Answer: D ([LEAVE A REPLY](#))

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!
Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com A00-420 dumps with Test Engine here:

https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

When specified on the PROC SUMMARY statement, which statistic causes processing to occur on the Compute Server?

- A. SKEW
- B. STD
- C. MEAN
- D. MIN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Which CAS action is used to create a new CAS table based on specified conditions?

- A. FILTER
- B. WHERE
- C. SELECT
- D. SUBSET

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

Select the CASL statement that correctly removes the key named region from the dept dictionary.

- A. remove region.dept;
- B. delete region.dept;
- C. delete dept.region;
- D. remove dept.region;

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

In SAS Viya, what is the purpose of the SAS Studio application?

- A. To build machine learning models
- B. To create interactive reports
- C. To perform data visualization
- D. To write and execute SAS programs

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which PROC CASUTIL step suppresses error messages if the table is not found in-memory?

```
A. proc casutil;  
    droptable casdata="class" incaslib="casuser" quiet;  
quit;  
B. proc casutil quiet;  
    droptable casdata="class" incaslib="casuser";  
quit;  
C. proc casutil;  
    droptable casdata="class" incaslib="casuser" force;  
quit;  
D. proc casutil force;  
    droptable casdata="class" incaslib="casuser";  
quit;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which DATA step statement is used to conditionally assign values to variables based on specified conditions?

- A. DROP statement
- B. IF-THEN statement
- C. RENAME statement
- D. LENGTH statement

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Which CAS-enabled procedure allows the use of user-defined formats for data summarization?

- A. PROC MEANS
- B. PROC FREQ
- C. PROC SQL

D. PROC FORMAT

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

What is the purpose of the VALUE statement in PROC FORMAT?

- A. To specify the format name and type
- B. To assign a format to a variable
- C. To define the appearance of formatted values
- D. To define the range of values for a format

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which programming language is primarily used in CAS?

- A. Java
- B. SAS
- C. Python
- D. R

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which statement is used to create a new variable in SAS Viya?

- A. LENGTH statement
- B. RENAME statement
- C. IF-THEN statement
- D. DROP statement

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which CAS action is used to execute SQL queries in SAS CAS?

- A. SQL
- B. RUN
- C. SUBMIT
- D. EXECUTE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which CAS-enabled procedure is used to apply user-defined formats to variables?

- A. CASFORMAT
- B. CASPROC
- C. CASTABULATE
- D. CASUTIL

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

Which SAS component enables CAS-enabled procedures?

- A. SAS Visual Analytics
- B. SAS Cloud Analytic Services (CAS)
- C. SAS Studio
- D. SAS Data Preparation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

Which CAS-enabled procedure is used for regression analysis and modeling?

- A. PROC GLM
- B. PROC FREQ
- C. PROC MEANS
- D. PROC SQL

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

What is the purpose of the PROMOTE action in CAS?

- A. To rename variables in a CAS table
- B. To promote a CAS table to an in-memory table
- C. To create an index on a CAS table
- D. To convert a CAS table to a different format

Answer: B ([LEAVE A REPLY](#))

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!
Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com A00-420 dumps with Test Engine here:

https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**)

Special Discount: Freepdfdumps)

NEW QUESTION: 77

The table casuser.employees is partitioned onto 3 CAS worker nodes.

Which SAS program will correctly accumulate a total of the salary variable and store it in the variable totalSalary?

```
data casuser.output (keep=totalSalary);  
  set casuser.employees end=eof;  
  subTotSalary + Salary;  
  if eof then do;  
    totalSalary + subTotSalary;  
    output;  
  end;  
run;
```

A.

B.

```
data casuser.output;  
  set casuser.employees end=eof;  
  subTotSalary + Salary;  
  if eof then output;  
run;  
data casuser.output2 (keep= TotalSalary) /single=yes  
  set casuser.output end=eof;  
  totalSalary + subTotSalary;  
  if eof then output;  
run;
```

```
data casuser.output (keep=totalSalary);  
  retain totalSalary;  
  set casuser.employees end=eof;  
  totalSalary = totalSalary + Salary;  
  if eof then output;  
run;
```

C.

D.

```
data casuser.output (keep=subTotSalary) /single=yes;
  set casuser.employees;
  subTotSalary + Salary;
run;

data casuser.output2 (keep= TotalSalary) /single=yes;
  set casuser.output end=eof;
  totalSalary + subTotSalary;
  if eof then output;
run;
```

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which CAS action is used to merge two or more CAS tables based on common variables?

- A. EXPORT
- B. ALTER TABLE
- C. MERGE
- D. LOAD

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

Which programming language is used for SQL programming in SAS CAS?

- A. R
- B. Python
- C. SAS
- D. SQL

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 80

Given an array cars with an unknown number of elements, use a CASL function to complete the following program segment to complete the DO loop:

```
do i=1 to _____
;
print cars[i];
end;
```

Answer:

dim(cars)

NEW QUESTION: 81

Using the altertable action, which is the correct statement to rename the make column to veh_make in a CAS table?

```
proc cas;  
table.altertable / caslib="casuser", name="cars",  
<enter code segment here>;  
quit;
```

A. columns={{name="make" , rename="veh_make"}};
B. columns={name="make" = "veh_make"};
C. columns=[[name="make" , rename="veh_make"]];
D. columns={{rename="make" , name="veh_make"}};

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which CAS action is used to delete a CASLIB?

- A. ALTER TABLE
- B. EXPORT
- C. DROP TABLE
- D. CASLIB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which CAS object is used to store and manage data?

- A. CASSET
- B. CASTABLE
- C. CASLIB
- D. CASDATA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 84

What is the purpose of the BY statement in the DATA step?

- A. To subset the data
- B. To merge datasets
- C. To rename variables
- D. To sort the data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

What is the purpose of the CASLIB statement in SAS Viya?

- A. To delete a CASLIB
- B. To assign a CASLIB reference
- C. To create a new CASLIB

D. To import external data into CAS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

Complete the CASL statement below to save the result stored in r to a SAS data set named class in the mylib library.

saveresult r _____ =mylib.class;

Answer:

Dataout

NEW QUESTION: 87

Which CAS action is used to generate a random sample from a CAS table?

A. cas.random

B. cas.select

C. cas.sample

D. cas.fetch

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

What is the purpose of the GROUP BY clause in SQL programming?

A. To sort the result set

B. To define the output columns

C. To group rows based on common values

D. To filter rows based on conditions

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 89

What is the purpose of the SAS Explorer in SAS Studio?

A. To perform data cleaning and transformation

B. To visualize data in graphical format

C. To manage and organize SAS files and folders

D. To write and execute SAS programs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

Which CASL statement correctly saves a SAS data set keeping only the empid and hrdate variables?

A. table.save / caslib="hr", exportoptions={filetype="sas7bdat"}, name="hiredate", table={caslib="casuser", name="emp", vars={{name="empid"}, {name="hrdate"}}};

B. table.save / caslib="hr", exportoptions={filetype="basesas"}, name="hiredate", table={caslib="casuser", name="emp", keep={{name="empid"}, {name="hrdate"}}};

C. table.save / caslib="hr", exportoptions={filetype="basesas"}, name="hiredate",
table={caslib="casuser", name="emp", vars={"empid", "hrdate"}};
D. table.save / caslib="hr", exportoptions={filetype="sas7bdat"}, name="hiredate",
table={caslib="casuser", name="emp", keep={"empid", "hrdate"}};

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

Which function is used to calculate the mean of a variable in SAS Viya?

- A. MEAN
- B. MEDIAN
- C. AVG
- D. SUM

Answer: A ([LEAVE A REPLY](#))

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!
Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420
exam **questions have been updated** and **answers have been corrected** get the **newest**
Actual4test.com A00-420 dumps with Test Engine here:

https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 92

What does CAS stand for in CAS language programming?

- A. Cloud Analytic Services
- B. Centralized Analytical System
- C. Computerized Analytical Software
- D. Clustered Analytical Server

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 93

A CAS table has a CHAR column called FirstName with a length of 10.

How many bytes are used to store the value "Inez" in the column FirstName?

- A. 10 bytes
- B. 4 bytes
- C. 8 bytes
- D. 20 bytes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 94

Which CAS statement is used to create a new column in a CAS table?

- A. CASSET
- B. CASCOMPUTE
- C. CASWHERE
- D. CASTABLE

Answer: B ([LEAVE A REPLY](#))

Valid A00-420 Dumps shared by Actual4test.com for Helping Passing A00-420 Exam!

Actual4test.com now offer the **newest A00-420 exam dumps**, the Actual4test.com A00-420 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com A00-420 dumps with Test Engine here:

https://www.actual4test.com/A00-420_examcollection.html (256 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)