

## Salesforce.ANC-301.v2024-07-17.q106

Exam Code:	ANC-301
Exam Name:	Implement and Manage Tableau CRM
Certification Provider:	Salesforce
Free Question Number:	106
Version:	v2024-07-17
# of views:	624
# of Questions views:	1060
<a href="https://www.freepdfdumps.com/Salesforce.ANC-301.v2024-07-17.q106.html">https://www.freepdfdumps.com/Salesforce.ANC-301.v2024-07-17.q106.html</a>	

### NEW QUESTION: 1

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Aggregate by a measure
- B. Count rows by measure you want to visualize.
- C. Grouping by a dimesnsion
- D. Display the results graphically
- E. Filter to narrow down your results.

Answer: **A,C,E** ([LEAVE A REPLY](#))

### NEW QUESTION: 2

What kind of org should you use for checking challenges when you do Trailhead modules about Analytics?

- A. A higher education org, because analytics requires advanced math
- B. A Developer Edition org, because it's a free, safe environment where you can try things out
- C. A trial org, because you don't need to save anything
- D. An enterprise org, because that type of org is typically used by large companies

Answer: **B** ([LEAVE A REPLY](#))

### NEW QUESTION: 3

What happens if you first disable Analytics, and then you re-enable Analytics later? Select 2

- A. User permissions are removed from each defined permission set if Analytics is disabled. (Missed)
- B. User permissions are not removed from each defined permission set if Analytics is disabled.
- C. You must define the permission sets again if Analytics is re-enabled. (Missed)
- D. You must not define the permission sets again if Analytics is re-enabled.

Answer: ([SHOW ANSWER](#))

Reference:

[https://blog.bessereau.eu/assets/pdfs/bi\\_admin\\_guide\\_setup.pdf](https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf)

**NEW QUESTION: 4**

What are the two types of bindings? Choose 2:

- A. Results binding
- B. Data bindings
- C. Description bindings
- D. Selections bindings

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 5**

Universal Containers (UC) is a multinational company that utilizes Salesforce and has a variety of internal systems. UC uses Einstein Analytics for their data analysis platform and they want to automate their weekly manual process to create a dataset from their on-premise data warehouse.

Which solution should a consultant recommend to meet this requirement?

- A. Utilize a dataflow
- B. Utilize a Salesforce weekly export feature
- C. Utilize Analytics Connector.
- D. Utilize middleware with Analytics External Data API

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 6**

What can you do in a dataset recipe?

- A. Extract external data into Analytics
- B. Combine data from different datasets
- C. Build a dashboard
- D. Make a data chili

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 7**

A consultant wants to optimize data loads by extracting Salesforce objects using independent Einstein Analytics dataflows ahead of time. Which construct should be used to accomplish this?

- A. Dataflow
- B. Clone
- C. Augment
- D. Data Sync (Replication)

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 8**

What are two main steps for creating a dataset?

- A. Plan and map
- B. Extract and prepare
- C. Build and explore
- D. Run and monitor

**Answer: B** ([LEAVE A REPLY](#))

#### NEW QUESTION: 9

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

**Answer: B** ([LEAVE A REPLY](#))

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: "rowLevelSecurityFilter": "AccountOwner' == \"\${User.Name}\""

#### NEW QUESTION: 10

Using the Setup menu, the Universal Containers company activated data sync (replication) in the Einstein Analytics settings. After running the sync, they notice that the aggregate sum of a field within their dataset is different than what they manually calculated by summing the same data in the Salesforce object from which the dataset was populated.

Which two differences in the newly synced data can explain this? Choose 2 answers

- A. Differences involving permanently deleted records
- B. Differences involving workflow-updated fields
- C. Differences involving formula fields
- D. Differences involving trigger-updated fields

**Answer: (SHOW ANSWER)**

<https://help.salesforce.com/articleView?id=000314272&type=1&mode=1>

#### NEW QUESTION: 11

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

**Answer: B** ([LEAVE A REPLY](#))

[https://trailhead.salesforce.com/content/learn/modules/wave\\_exploration\\_smart\\_data\\_discovery\\_basics/wave\\_get\\_smart\\_data\\_discovery\\_and\\_data](https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data)

#### NEW QUESTION: 12

What happens if the ui.json file is empty?

- A. You create a text-only version of an app.
- B. The template will not include a configuration wizard.
- C. The dataflow fails.
- D. The app includes all possible dashboards by default.
- E. B and D

**Answer: B** ([LEAVE A REPLY](#))

Reference:

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_analytics\\_templates\\_intro/wave\\_analytics\\_templates\\_structure](https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure)

**NEW QUESTION: 13**

What can changing an answer to a wizard question do?

- A. Fine-tune dashboards to reflect how your company measures key indicators
- B. Alter your Service Cloud implementation
- C. Use up one of the three wishes granted you by the wizard
- D. Create a new set of dashboards with new KPIs

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 14**

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- B. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- C. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.
- D. Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

**Answer: D (LEAVE A REPLY)**

Reference:

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

**NEW QUESTION: 15**

What are two core design principles to consider when building Analytics apps or dashboards? Choose 2 answers

- A. Emphasis: make sure they have space for important information, such as headlines and key charts.
- B. Clarity: make sure they are uncluttered and easy to interpret.
- C. Consistency: make sure they have a sense of familiarity to strengthen your users' ease of use.
- D. Balance: make sure they have a balance of different charts to get a more interesting design.

**Answer: B,C (LEAVE A REPLY)**

<https://trailhead.salesforce.com/en/content/learn/modules/analytics-app-design/principles-good-design>

**NEW QUESTION: 16**

A consultant built an Einstein Analytics dashboard for a company. The company then requested an enhancement to the dashboard and provided additional data that needs to be displayed. As a result, the consultant decides to "augment" the dataflow.

Which phrase describes this transformation?

- A. Add data based on the right-side grain
- B. Join data similar to an SQL statement
- C. Add data as a lookup relationship (left side is the lowest grain)
- D. Join data based on a many-to-many relationship

**Answer: C (LEAVE A REPLY)**

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_enable\\_data\\_integration\\_basics/wave\\_extract\\_salesforce\\_data](https://trailhead.salesforce.com/en/content/learn/modules/wave_enable_data_integration_basics/wave_extract_salesforce_data)  
[https://help.salesforce.com/articleView?id=bi\\_integrate\\_augment\\_transformation.htm&type=5](https://help.salesforce.com/articleView?id=bi_integrate_augment_transformation.htm&type=5)

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 17**

Which Einstein Analytics asset or assets are created when using an App Template to create an app?

- A. The app, dataflows and datasets, and dashboards
- B. The app, dataflows and datasets, and users
- C. An empty app
- D. The app, dataflows and datasets, dashboards, and permission sets

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 18**

To use the Sales Analytics app, which permission set license do you need?

- A. Sales Wave
- B. Sales Analytics Apps
- C. Analytics Templated Apps
- D. Security User

**Answer: B (LEAVE A REPLY)**

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select "Service Analytics Apps." For Event Monitoring, select "Event Monitoring Analytics Apps," and so on.

**NEW QUESTION: 19**

Max Analytics API calls per user per hour

- A. 100,000
- B. 5,000
- C. 50,000
- D. 10,000

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 20**

A consultant is creating a Churn Prediction model to identify customers who are not likely to renew their contract.

What is the appropriate action to take?

- A. Exclude active customers (customer who have not churned) from the training dataset since their Churned) from the training dataset since their Churn Reason field are nulls.

- B. Replace nulls in the Churn Reason field as 'No reason given',
- C. For the Churn Reason field, enable the "This variable contains sensitive data" box because it may contain sensitive customer behavior.
- D. Exclude the Churn reason field from the dataset.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 21**

In what order does Einstein Discovery present the insights that it uncovers?

- A. B and D
- B. Insights that explain the most variation in the outcome variable, in ascending order
- C. Insights that explain the most variation in the outcome variable, in descending order
- D. Alphabetical, in ascending order
- E. Alphabetical, in descending order

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 22**

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

- A. computeExpression Transformation with SAQL Expression to calculate the duration
- B. flatten Transformation with Offset Expressions to calculate the duration
- C. computeRelative Transformation with offset parameter to calculate the duration
- D. computeRelative Transformation with SAQL Expression to calculate the duration

**Answer: D (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_computeRelative\\_transformation\\_operation.htm](https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm)

#### **NEW QUESTION: 23**

A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

- A. Dataset lens
- B. Existing datasets
- C. Records from a Salesforce object
- D. Connected data(Synced)

**Answer: B,D (LEAVE A REPLY)**

#### **NEW QUESTION: 24**

What is an Einstein Discovery story?

- A. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome
- B. An account of imaginary or real people and events told for entertainment

**C.** A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables

**D.** A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 25**

Einstein Discovery gives you several different kinds of recommended insights. Which of these insights is descriptive?

**A.** What Happened

**B.** Why It Happened

**C.** Predictions & Improvements

**D.** What Is the Difference

**Answer: (SHOW ANSWER)**

[https://trailhead.salesforce.com/en/content/learn/modules/understand\\_einstein\\_discovery\\_stories/use\\_stories](https://trailhead.salesforce.com/en/content/learn/modules/understand_einstein_discovery_stories/use_stories)

#### **NEW QUESTION: 26**

Exhibit:

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated?

**A.** Add a formula field to calculate the summary.

**B.** Use the Show Summary option in the compare table.

**C.** Use a SAQL query since the summary is not available in standard interface.

**D.** Create a computeExpression field in the Dataflow to calculate the summary.

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 27**

Which three statements are true regarding sharing inheritance? Choose 3 answers

**A.** If a user can see more than 3,000 records on the object in Salesforce, but the user does not have the "View All Data" permission, sharing inheritance is not used. The backup security predicate takes effect. This limitation does not apply to the Opportunity object.

**B.** Sharing inheritance supports Account, Campaign, Case, Contact, Opportunity, Lead, Order, User, and custom objects. If you use other objects, such as Idea or Site, you must use security predicates for those objects.

**C.** A dataset using sharing must also have a security predicate defined.

**D.** Sharing inheritance supports a foreign key for enforcing security.

**E.** When sharing inheritance is enabled, security predicates are ignored.

**Answer: (SHOW ANSWER)**

Reference:

[https://help.salesforce.com/articleView?id=bi\\_security\\_datasets\\_sharing\\_about.htm&type=5](https://help.salesforce.com/articleView?id=bi_security_datasets_sharing_about.htm&type=5)

#### **NEW QUESTION: 28**

What is a keyword in SAQL? And what case must it be in?

A. A keyword is basically just a function in SAQL, like group, foreach, etc. And it has to be lowercase.

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 29

Einstein Discovery is a tool that:

- A. Is like having a personal data scientist on staff
- B. Helps you hire the best data scientist for your business
- C. Replaces your team of BI experts and data analysts
- D. Understands your business better than you do

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 30

When you assign any Analytics permission set to users in your org, Salesforce auto-assigns the Analytics Platform permission set license to that user.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 31

A data architect wants to use a dataflow transformation to implement row-level security that is based on role hierarchy in Salesforce. Which transformation should be used to level the dataset hierarchy?

- A. digest transformation
- B. sfdcDigest transformation
- C. delta transformation
- D. flatten transformation

Answer: ([SHOW ANSWER](#))

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### NEW QUESTION: 32

What does Einstein Analytics check when a user submits a query against a dataset?

- A. Which rows the user has access to
- B. Whether the user has access to the app
- C. If the user has access to the dataset
- D. Which fields the user has access to

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 33**

A consultant is working with a credit card company that needs help with ongoing fraudulent transactions. The company provides a representative sample dataset for the consultant to analyze in Einstein Discovery. The story's initial assessment shows that a third-party payment app is the source of these fraudulent transactions. However, the company rejects this assessment outcome, stating they have not had a partnership with this payment app long enough for it to be a concern.

What is the recommended next step to improve the story outcome?

- A. Ask the credit card company for a more comprehensive dataset to analyze.
- B. Make adjustments to the story to better demonstrate that the third-party payment app is the culprit.
- C. Use the credit card company's domain knowledge and exclude the third-party payment app from the story.
- D. Explain to the company that the story has returned unbiased results and the initial assessment is accurate.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 34**

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Eliminate extreme values in the dataset.
- B. Add more data to the dataset.
- C. Run separate stories for each region.
- D. Normalize the margin by product group.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 35**

The model quality metrics of an Einstein Discovery story indicate that the GINI coefficient in the four folds are 0.82, 0.83, 0.84, and 0.75, respectively.

Which two actions should a consultant take? Choose 2 answers

- A. Do not deploy the story immediately, and research why one fold is performing worse than the others.
- B. Research and check the dataset for outliers in the target field and the main predictors that are shown on top of the story.
- C. Confirm that the overall GINI coefficient is good prior to deploying the story.
- D. Deploy the story, because the variation in the metrics is within the normal range.

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 36**

The Vice President of Sales wants to create a "Pipeline Trending" dashboard in Einstein Analytics that displays specific colors depending on the values of the fields.

Which two techniques can a consultant use to help address this requirement? Choose 2 answers

- A. Use an XMD file and assign colors to each field value.
- B. Use SAQL queries to calculate a color field and assign it to each field value.
- C. Use the "fields" menu when exploring the dataset and assign colors to each field value.
- D. Use a compute Expression to calculate a color field and assign it to each field value.

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 37**

What is a valid permission for a permission set?

- A. Always Sign Me Up for Dreamforce
- B. Enable Parental Control
- C. Access Sales Cloud Analytics Templates and Apps
- D. Sales Analytics Apps

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 38**

The Universal Containers Einstein Analytics team built a dashboard with two widgets:

1. List widget associated to the step "Type\_2" and grouped by the dimension "Type" (multi-selection)
2. Pie chart widget associated to the step "Step\_pie\_3" and grouped by the dimension "Type" The team wants to use bindings so any selection in the List widget will filter the Pie chart.

Additional notes:

- \* The steps use different datasets.
- \* Users should be able to choose more than one Type (multi-selection).

What is the right syntax for the binding?

- A)
- B)
- C)
- D)
- A. Option C
- B. Option D
- C. Option A
- D. Option B

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

What kind of insight is "What Is The Difference"?

- A. Descriptive
- B. Diagnostic
- C. Predictive
- D. Prescriptive
- E. Selective

**Answer:** ([SHOW ANSWER](#))

[https://trailhead.salesforce.com/content/learn/modules/understand\\_einstein\\_discovery\\_stories/understand-what-is-the-difference-insights](https://trailhead.salesforce.com/content/learn/modules/understand_einstein_discovery_stories/understand-what-is-the-difference-insights)

**NEW QUESTION: 40**

Which three parameters are used in a compare table formula field to calculate and display a field as percentage value? Choose 3 answers

- A. Calculation

- B. Format
- C. Column Name
- D. Column Color
- E. Length

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 41**

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Split the steps and charts into different pages in a dashboard.
- B. Replace AggregateFlex steps with SAQL steps.
- C. Check if any steps can be reused for multiple purposes.
- D. Avoid using conditional formatting.

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 42**

A dataset is ready for analysis in Einstein Discovery.

What is the first step a consultant should take after the data is loaded?

- A. Analyze data columns and decide which, if any, to drop.
- B. Produce a graph of the data to analyze.
- C. Identify data types and define the appropriate data as numeric.
- D. Load the data into Einstein Analytics

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 43**

What is the order of filter, limit, order and offset functions in SAQL?

**Answer:**

Filter and order can be interchanged. Offset must be after filter/order and limit must come after offset.

#### **NEW QUESTION: 44**

A training dataset is being prepared for an Einstein Discovery story. One is skewed with outliers. What action should the Einstein consultant take?

- A. Change the method of binning to fixed width.
- B. Remove the outlier rows.
- C. Nothing, because the field is not the outcome variable.
- D. Remove the field because it has bad data

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 45**

A Senior Sales Business Analyst asks for a dashboard that contains fiscal year product opportunities. Information is maintained in a spreadsheet which is comprehensive, but its contents often need to be explained. After sketching the dashboard, the consultant is ready to start building.

Which concept should be applied to this dashboard?

- A. Limit widget actions and exploration so users will focus only on the high-level information.
- B. Use the different chart types to make the dashboard interesting and appealing.
- C. Design the dashboard with the desktop in mind and use the same layout for mobile devices for consistency.
- D. Use charts to help users ask questions, not illustrate a conclusion.

**Answer: D (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bi\\_dashboard\\_build\\_tips.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5)

#### NEW QUESTION: 46

A consultant is asked to create a dashboard for sales to see the forecasted sales per product family. After gathering the requirements, the consultant decides to leverage the timeseries SAQL statement to predict sales.

Which two actions must be performed when writing the SAQL query?

Choose 2 answers

- A. Include the fill SAQL statement to fill any missing dates.
- B. Determine if the timeseries required parameter, prediction interval, should be 80 or 95.
- C. Validate that there is enough data in the dataset to make a good prediction.
- D. Investigate which prediction model is best for the data available.

**Answer: (SHOW ANSWER)**

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### NEW QUESTION: 47

An Einstein Analytics consultant has been asked to refactor a dashboard so that it loads more quickly. After some analysis, the consultant found that most of the dashboard steps run in less than five seconds; however, the Opportunities Table takes 30 seconds to run.

How can the consultant improve the performance of this dashboard?

- A. Create a second page on the dashboard and move the table to this new page.
- B. Create a link to download the list of opportunities as an Excel file.
- C. Create a Visualforce page and display a list view of the opportunities on this new page.
- D. Create a second dashboard and move the table to this new dashboard.

**Answer: A (LEAVE A REPLY)**

[https://help.salesforce.com/articleView?id=bi\\_dashboard\\_pages.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboard_pages.htm&type=5)

#### NEW QUESTION: 48

Max story creations per org per day:

- A. 40 per org
- B. 40 per org per clay

C. 20 per org per clay

D. 20 per org

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 49**

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

A. Do nothing; they appear to be similar, but there might be differences from the business perspective.

B. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.

C. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.

D. Cancel this story and redefine the dataset.

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 50**

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension Dataset B: contains a list of users with a "userID" dimension The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.

B. Use a combination of dataflow transformations: "augment" and "filter."

C. Use an external ETL tool to extract both datasets and delete records.

**Answer: (SHOW ANSWER)**

D, Use the recipe operation "delete" and set "userID" as the deletion ID.

#### **NEW QUESTION: 51**

Upper and lower limits on columns (vars) in discovery:

A. 10 column minimum, 200 maximum

B. 20 column minimum, 50 maximum

C. 2 column minimum, 50 maximum

D. 2 column minimum, 25 maximum

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 52**

An Einstein Consultant is implementing encryption for a customer.

Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.

B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.

C. The customer's org must have a Shield Platform Encryption tenant secret.

D. Bring Your Own Key is not supported.

**Answer: A,C** ([LEAVE A REPLY](#))

[https://help.salesforce.com/articleView?id=bi\\_analytics\\_encryption.htm&type=5](https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5)

**NEW QUESTION: 53**

A company uses role hierarchy to implement data security in Salesforce. They want the same role-hierarchy-based security model to apply in Einstein Analytics, but want the users in a role to see data owned by other users in the same role.

Using the "flatten" transformation, which attribute setting achieves this requirement?

- A. Set the attribute "selfield" to true.
- B. Set the attribute "selfield" to false.
- C. Set the attribute "include\_self\_id" to true.
- D. Set the attribute "include\_self\_id" to false.

**Answer:** ([SHOW ANSWER](#))

Reference:

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_flatten\\_transformation\\_operation.htm&type=5](https://help.salesforce.com/articleView?id=bi_integrate_flatten_transformation_operation.htm&type=5)

**NEW QUESTION: 54**

Which set of statements generates monthly amount on a cumulative basis annually?

- A)
- B)
- C)
- D)
- A. Option C
- B. Option B
- C. Option D
- D. Option A

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 55**

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

**Answer:** ([SHOW ANSWER](#))

Reference:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: "rowLevelSecurityFilter": "AccountOwner' == \"\\${User.Name}\""

**NEW QUESTION: 56**

Upper and lower limits on rows in discovery.

- A. 500 row minimum, 25,000,000 max
- B. 3000 row minimum, 20,000,000 max

- C. 00 row minimum, 20,000,000 max
- D. 1000 row minimum, 15,000,000 max

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 57**

Refer to the exhibit.

Universal Containers reports that nay selection in the List widget is not affecting the pie chart in one of their tableau CRM dashboard. They query options associated with the List widget and Pie chart are shown in the graphic Which change can a Tableau CRM Consultant implement to solve this issues, given that the queries are using the same dataset?

- A. Use result binding/interaction in the filters section of the query "Step\_pie\_1."
- B. Set faceting to all instead of None in the query "Region\_1."
- C. Use selection binding/interaction in the filters section of the query "Region\_1."
- D. Set faceting to All instead of None in the query "Step\_pie\_1."

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 58**

What are predictive insights good for?

- A. Exploring your existing data to see what already happened
- B. Predicting outcomes that you don't actually have the right data for
- C. Drilling down into the underlying reasons behind a prediction
- D. Choosing between all possible outcomes for a single variable

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 59**

Which of the following are included in the template object?

- A. ui.json
- B. app.json
- C. variables.json
- D. A,B and C
- E. A,C

**Answer: E ([LEAVE A REPLY](#))**

\* template-info.json manages all elements of your template, including metadata information about the template, the Analytics objects that define dashboards and lenses, and the other files that are part of the template. \* ui.json manages the configuration wizard that drives app creation. It defines the number of wizard pages, the order of wizard questions, and any messages you want the user to see. \* variables.json contains all template variables, including text for wizard questions and specifications for the answers. Variables also define conditional questions. For example, you may want some questions to appear in the wizard only if an org contains certain data. Or you might want to add more specific questions based on the answers to more general wizard questions. \* template-to-app-rules.json defines the rules the template follows. For example, you could define a rule that specifies that if an org doesn't use certain Salesforce objects, the app won't refer to them in dashboards or include them in the dataflow. Rules also define how variables are handled. For example, if the wizard asks which fields to include in filters for accounts, template-to-app-rules.json determines how that choice is reflected in dashboards.

### NEW QUESTION: 60

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.

Which two changes can an Einstein Consultant implement to solve this issue, given that the steps are using the same dataset? Choose 2 answers

- A. Enable the option "Apply filters from faceting" in the step "Region\_1."
- B. Use selection binding in the filters section of the step "Step\_pie\_1."
- C. Use selection binding in the filters section of the step "Region\_1."
- D. Enable the option "Apply filters from faceting" in the step "Step\_pie\_1."

Answer: B,D ([LEAVE A REPLY](#))

### NEW QUESTION: 61

What happens if you first disable Analytics, and then you re-enable Analytics later? Select 2

- A. User permissions are removed from each defined permission set if Analytics is disabled. (Missed)
- B. User permissions are not removed from each defined permission set if Analytics is disabled.
- C. You must define the permission sets again if Analytics is re-enabled. (Missed)
- D. You must not define the permission sets again if Analytics is re-enabled.

Answer: A,C ([LEAVE A REPLY](#))

[https://blog.bessereau.eu/assets/pdfs/bi\\_admin\\_guide\\_setup.pdf](https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf)

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

### NEW QUESTION: 62

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 50 files Per dataset
- B. 300 files per dataset
- C. 500 files per dataset
- D. 100 files per dataset

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 63

The Tableau CRM team at a company has created three dataflows.

myDataflowOne: this dataflow tasks 2 hours to run.

myDataflowOne: this dataflow tasks 1 hours and 30 minutes to run

myDataflowOne: this dataflow tasks 1 minute and 30 seconds to run.

If all three dataflows run, how many count towards the limit?

- A. 0

- B. 2
- C. 1
- D. 3

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 64**

How do you analyze data from a CSV file using Einstein Discovery?

- A. You can't import data from a CSV file
- B. Import the CSV file into the most similar Salesforce object, then run reports on that object.
- C. Import the CSV file into an Einstein Analytics dataset, then create a story.
- D. Import the CSV file into Einstein Discovery.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 65**

The Universal Containers company built three Einstein Discovery stories that they want to use in Salesforce to predict and maximize their revenue per customer. The stories are for every region where they have business: EMEA, AMER, and APAC.

How can a consultant help them deploy the three Einstein models to Salesforce?

- A. Segment the account data per region and deploy the same model to all segments.
- B. Deploy the same model to all accounts and set the region field as an actionable variable.
- C. Deploy the same model to all accounts and use an Apex trigger to call the appropriate prediction.
- D. Segment the account data per region and deploy the appropriate model for each segment.

**Answer: D ([LEAVE A REPLY](#))**

Reference:

[https://help.salesforce.com/articleView?id=bi\\_edd\\_model\\_deploy\\_filter.htm&type=5](https://help.salesforce.com/articleView?id=bi_edd_model_deploy_filter.htm&type=5)

**NEW QUESTION: 66**

In Einstein Analytics, which node is used in a dataflow to extract data from a registered dataset?

- A. export
- B. sfdcDigest
- C. edgemart
- D. digest

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 67**

A Tableau CRM consultant develops a dashboard called

SalesPerformance\_1 in a sardbox environment. To deploy the recipe the consultant creates a package in workbench What is the correct meta data reference in the xml file?

- A. SalesPerformance\_1 waveDashboard
- B. SalesPerformance\_1 EdgeOashboard
- C. SalesPerformance\_1 EADashboard
- D. SalesPeformance\_1

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 68**

In the context of Analytics, what is faceting?

- A. Something only programmers can access
- B. Measuring the number of significant digits of precision for a particular metric
- C. Representing the number of widgets on a dashboard
- D. Choosing the color of the background in a graph
- E. Filtering all related widgets in a dashboard by your selection

**Answer:** E ([LEAVE A REPLY](#))

**NEW QUESTION: 69**

An Einstein Analytics team reports that when they start their dataflow it runs successfully with no errors or warnings, but one of the fields does not return values when it is queried.

What can be the origin of this issue?

- A. The field does not contain any data in Salesforce.
- B. The user who runs the dataflow does not have access to the field.
- C. The "Integration User Profile" does not have access to the field.
- D. The "Security User Profile" does not have access to the field.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 70**

Which three things can be done with the Einstein Analytics Dashboard Inspector? Choose 3 answers

- A. See the final query for each step along with query results.
- B. Automatically remove bottlenecks to make queries run faster.
- C. Get a list of recommendations on how to improve the performance of the dashboard.
- D. View all queries and the time it took to run each one.
- E. View the total time required to run all queries.

**Answer:** A,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 71**

What is the order of filter, limit, order and offset functions in SAQL?

- A. Filter and order can be interchanged. Offset must be after filter/order and limit must come after offset.

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 72**

Why is it important to select the right root object when you use the dataset builder?

- A. The root object determines who can see the dataset.
- B. Only data from the root object can be included in the dataset.
- C. The root object determines what app the dataset is saved in.
- D. The root object determines what related objects you can add to the dataset.

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 73**

An Einstein Consultant receives a new project from a client that wants to implement Einstein Analytics. They do not currently have Einstein Analytics, but want guidance around how to ensure that their users have correct access.

They have 1000 users with a small team of three people who will build datasets and dashboards. An additional 15 people should be able to create dashboards. The remaining users should only be able to view dashboards.

Which recommendation should the consultant give the client?

- A. Assign "Einstein Analytics Explorer" licenses to users that should only view the dashboard, and assign "Einstein Analytics Developer" licenses to users that should be able to create datasets and dashboards.
- B. Create and assign three new Salesforce profiles according to the three types of roles defined.
- C. Assign the app permissions "viewer/" "editor," and "manager" to the three types of roles defined.
- D. Create and assign Salesforce permission sets according to the three types of roles defined.

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 74**

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- A. Manager
- B. Viewer
- C. Editor
- D. Designer

**Answer: ([SHOW ANSWER](#))**

Save changes to existing dashboards, lenses, and datasets in the app (saving dashboards requires the appropriate permission set license and permission) available in Editor and Manager\*##\*\*##\*

**NEW QUESTION: 75**

Maximum concurrent API Analytics calls per org

- A. 500
- B. 100
- C. 200
- D. 50

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 76**

Can you share data from a widget?

- A. No, you can't share data from a widget.
- B. Only with the proper Einstein Analytics Platform license.
- C. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.
- D. Select the step of the widget and share data.

**Answer: C ([LEAVE A REPLY](#))**

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 77**

A story created has an AUC of .62.

What two things could be done to possibly improve this AUC score?

Choose 2 answers

- A. Run detect sentiment on the dataflow before creating the story.
- B. Segment the training set.
- C. Change the order of the story insights to descending.
- D. Add more rows of relevant data.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 78**

The client asks an Einstein Consultant to build a dashboard with a chart that shows revenue and quantity of units sold. Which type of Combo Chart can the consultant use?

- A. Line over Bar
- B. Line over Scatter Plot
- C. Grid over Bar
- D. Line over Stacked Bar

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 79**

A data architect wants to use a dataflow transformation to implement row-level security that is based on role hierarchy in Salesforce. Which transformation should be used to level the dataset hierarchy?

- A. digest transformation
- B. sfdcDigest transformation
- C. delta transformation
- D. flatten transformation

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 80**

What is another name for the type of insight that examines how one variable explains variation of the outcome variable?

- A. Second-order analysis
- B. Spectrum analysis
- C. Third-order analysis

- D. First-order analysis
- E. Object-oriented analysis

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 81**

Max number of dataflow definitions (with data sync enabled)

- A. 35
- B. 25
- C. 15
- D. 55

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 82**

A customer has a dataset consisting of over 300 unique product names. They request a prediction model with the product names included. Which action should the Einstein Consultant take?

- A. Run the model using the default variables in the Product object
- B. Use SKU numbers rather than product names to increase clarity.
- C. Adjust the model to eliminate extreme values in the outcome variable.
- D. Split the analysis into multiple models will each having fewer products

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 83**

A company wants to allow users who belong to an account team to see all the Opportunities associated with that Account in Einstein Analytics. Which two actions accomplish this requirement? Choose 2 answers

- A. Apply sharing inheritance.
- B. In the dataflow, extract the OpportunityTeamMember object and augment it with the Opportunity object using 'OpportunityId' as the join field and apply the following security predicate: 'OpportunityTeamMember.UserId' == "\$User.Id".
- C. In the dataflow, extract the AccountTeamMember object and augment it with the Opportunity object using 'AccountId' as the join field and apply following security predicate: 'AccountTeamMember.UserId' == "\$User.Id".
- D. Create a master-detail relationship between the Salesforce Account and Opportunity objects.

**Answer: A,C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 84**

A customer displays a lot of data and wants a way to dynamically emphasize certain values on a bar chart in order to properly grab the user's attention.

What can an Einstein Consultant use to accomplish this task?

- A. Customize tooltip
- B. Chart Markers
- C. XMD
- D. Compare Table

**Answer: B** ([LEAVE A REPLY](#))

Reference:

[https://help.salesforce.com/articleView?id=bi\\_chart\\_add\\_tooltips\\_markers\\_to\\_data\\_points.htm&type=5](https://help.salesforce.com/articleView?id=bi_chart_add_tooltips_markers_to_data_points.htm&type=5)

#### **NEW QUESTION: 85**

A consultant built a very useful Einstein Analytics app for Sales Operations, and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

Given the code statement above, which endpoint should it be posted to?

- A. /services/data/v . /wave/apps
- B. /services/data/v . /analytics/wizard
- C. /services/data/v . /wave/templates
- D. /services/data/v . /analytics/projects

**Answer:** ([SHOW ANSWER](#))

[https://developer.salesforce.com/docs/atlas.en-us.bi\\_dev\\_guide\\_rest.meta/bi\\_dev\\_guide\\_rest/bi\\_resources\\_templates.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_rest.meta/bi_dev_guide_rest/bi_resources_templates.htm)

#### **NEW QUESTION: 86**

An Einstein Analytics consultant is notified of a performance issue with data sync (replication). The consultant researches the issue and determines that unnecessary data is being synced.

Which solution should the consultant implement to help improve data sync (replication) performance?

- A. Start over again with new dataflows that exclude unused fields with a filter to extract relevant data.
- B. Modify dataflows to exclude unused fields and include a filter to extract relevant data.
- C. Scale down the number of datasets to help improve data sync (replication) performance.
- D. Update the existing data sync (replication) process by removing unused fields with a filter to extract relevant data.

**Answer:** D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 87**

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

- A. computeExpression Transformation with SAQL Expression to calculate the duration
- B. flatten Transformation with Offset Expressions to calculate the duration
- C. computeRelative Transformation with offset parameter to calculate the duration
- D. computeRelative Transformation with SAQL Expression to calculate the duration

**Answer:** D ([LEAVE A REPLY](#))

Reference:

[https://help.salesforce.com/articleView?id=bi\\_integrate\\_computeRelative\\_transformation\\_operation.htm](https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm)

#### **NEW QUESTION: 88**

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

A set of JSON files will be generated after a template is created from the Sales Operations app. What is the name of the JSON file that manages template metadata and all other template elements'

- A. template-to-app-rules.json
- B. template-info.json
- C. ui.json
- D. aster- info.j son

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 89

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- B. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- C. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.
- D. Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

Answer: D ([LEAVE A REPLY](#))

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

#### NEW QUESTION: 90

Exhibit:

Which two statements can be determined based on the Why it Happened graphic above' Choose 2 answers

- A. Germany performs lower than average but better when the product is Call Center.
- B. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.
- C. Germany sells more Call Center product and that helps them increase their win rate.
- D. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 91

What's the magic of faceting?

- A. It shifts the time period of the chart you're viewing.
- B. It binds charts together so that selecting something in one chart filters other charts by that choice.
- C. It turns the dataflow on and off.
- D. It creates a chart that shows all the faces of your data in a diamond chart.

Answer: ([SHOW ANSWER](#))

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 92**

A client has a dataset comprised of Opportunity data and Opportunity Line level data. The client wants to use this dataset with Einstein Discovery to understand the Opportunity win rate.

What must be done to the dataset to achieve this goal?

- A. Click Create Story and Einstein will take care of the rest.
- B. Filter to only look at isWon = True records to avoid skewing the results.
- C. Select the isWon = True outcome variable and generate the story.
- D. Change the grain by removing the line level detail as it will skew the win rate.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 93**

Exhibit:

A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- B. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled
- C. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled
- D. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 94**

A small Business Intelligence team is overwhelmed with multiple requests to create new dashboards. An option is to use layout templates to help with dashboard development.

What are two advantages of using layout templates? Choose 2 answers

- A. Layout templates offer a universal layout thus reducing the hours spent on design
- B. Layout templates are equipped with design best practice, such as optimally positioned KPIs and filters
- C. Layout templates are fast to create because they are fixed and read-only
- D. Layout templates offer a consistent end user experience

**Answer: A,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 95**

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Use the Analytics External Data API.
- B. Load the data as a CSV file.
- C. Use the Salesforce SOAP interface.
- D. Use Oracle database connector.

**Answer: A,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 96**

Which of the following are included in the template object?

- A. ui.json
- B. app.json
- C. variables.json
- D. A,B and C
- E. A,C

**Answer: E** ([LEAVE A REPLY](#))

Reference:

\* template-info.json manages all elements of your template, including metadata information about the template, the Analytics objects that define dashboards and lenses, and the other files that are part of the template. \* ui.json manages the configuration wizard that drives app creation. It defines the number of wizard pages, the order of wizard questions, and any messages you want the user to see. \* variables.json contains all template variables, including text for wizard questions and specifications for the answers. Variables also define conditional questions. For example, you may want some questions to appear in the wizard only if an org contains certain data. Or you might want to add more specific questions based on the answers to more general wizard questions. \* template-to-app-rules.json defines the rules the template follows. For example, you could define a rule that specifies that if an org doesn't use certain Salesforce objects, the app won't refer to them in dashboards or include them in the dataflow. Rules also define how variables are handled. For example, if the wizard asks which fields to include in filters for accounts, template-to-app-rules.json determines how that choice is reflected in dashboards.

**NEW QUESTION: 97**

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL).

In order to achieve this, which compute option should be used?

- A. computeExpression
- B. computeValue
- C. computeField
- D. computeData

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 98**

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

- A. Cancel this story and redefine the dataset.
- B. Do nothing; they appear to be similar, but there might be differences from the business perspective.
- C. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.
- D. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 99**

An Einstein Analytics team plans to enable data sync (replication).

Which two limits are specific to data sync (replication) and should be considered before enabling the feature because they might impact existing jobs?

Choose 2 answers

- A. Maximum number of dataflow definitions
- B. Maximum number of dataflow transformations
- C. Maximum number of objects that can be enabled for data sync (replication)
- D. Timeout for ELT (Extract Load Transform) jobs that are scheduled but not yet executed

**Answer: A,C (LEAVE A REPLY)**

Reference:

[https://help.salesforce.com/articleView?id=bi\\_limits.htm&type=5](https://help.salesforce.com/articleView?id=bi_limits.htm&type=5)

### NEW QUESTION: 100

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors.

Which timeseries statement will fix the query'

- A. q = timeseries q generate 'sum\_Sales' as Torecasted\_Sales' with (dateCols=('Date\_Year', Date\_Quarter', "Y-Q"), partition='Region', seasonality=4);
- B. q = timeseries q generate 'sum\_Sales' as Torecasted\_Sales' with (dateCols=('Date\_Year', Date\_Quarter', "Y-Q"), partition='Region');
- C. q = timeseries q generate 'sum\_Sales' as Forecasted\_Sales' with (length = 12, dateCols=('Date\_Year', 'Date\_Month'. "Y-M"), partition='Region');
- D. q = timeseries q generate 'sum\_Sales' as Forecasted\_Sales' with (dateCols=('Date\_Year, Date\_Quarter', "Y-Q"), partition=Region', ignoreLast=true);

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 101

Salesforce Analytics is...

- A. An application built on top of Salesforce
- B. A tool for analyzing surf reports and forecasts
- C. A CRM alternative to Salesforce
- D. An online repository of infographics

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 102

What do you have to assign to users before they can access Analytics?

- A. Username and password
- B. A and B
- C. Permission set with at least one Analytics user permission
- D. B and C
- E. Analytics permission set license (PSL)

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 103**

A company created a dataset called myExternalDataset. It contains a dimension, called UserRegion, that is populated by the standard User object's picklist: Region.

The company has security requirements for this dataset:

1. Only a subset of users should be able to access the dataset.
2. Users who can access the dataset should see only data that belongs to their region.

In which two ways can an Einstein Analytics consultant help them implement these requirements? Choose 2 answers

- A. Use a security predicate in the dataset so users can see only rows belonging to their respective regions.
- B. Save the dataset under "My Private App" so only a subset of selected users can access the dataset.
- C. Create a sharing rule in Salesforce based on the Region field in the user object and set the dataset to inherit sharing from Salesforce.
- D. Save the dataset under a new application and give "viewer" access to a public group containing the list of users allowed to see the dataset.

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 104**

Exhibit:

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated?

- A. Create a computeExpression field in the Dataflow to calculate the summary.
- B. Use a SAQL query since the summary is not available in standard interface.
- C. Use the Show Summary option in the compare table.
- D. Add a formula field to calculate the summary.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 105**

A company wants to build a webpage that displays KPIs that can be derived from values in datasets stored in Einstein Analytics. How can an Einstein Analytics consultant derive those KPIs from those datasets?

- A. Export the dataset as an XLS file and use the Einstein Analytics Connector for Excel.
- B. Use the Analytics REST API and leverage the "-query" resource.
- C. Use the Analytics External Data API and leverage the "query" resource.
- D. Export the dataset as a CSV file and load it to an external database.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 106**

A Salesforce administrator wants to create a new dashboard that uses custom geoJSON to display data; however, the administrator is unable to upload the file via the UI.

What should be done?

- A. Add the system permission "Manage Analytics Custom Maps" to the permission set used.
- B. Enable "Custom maps with geoJSON" in the analytics settings.
- C. Upload the geoJSON via the API because it is not a function in the UI.

D. Contact Salesforce support and request to get custom maps and geoJSON enabled for the org.

**Answer: A (LEAVE A REPLY)**

Reference:

[https://help.salesforce.com/articleView?id=bi\\_chart\\_intro\\_custom\\_map.htm&type=5](https://help.salesforce.com/articleView?id=bi_chart_intro_custom_map.htm&type=5)

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**Valid ANC-301 Dumps** shared by Actual4test.com for Helping Passing ANC-301 Exam! Actual4test.com now offer the **newest ANC-301 exam dumps**, the Actual4test.com ANC-301 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com ANC-301 dumps with Test Engine here: [https://www.actual4test.com/ANC-301\\_examcollection.html](https://www.actual4test.com/ANC-301_examcollection.html) (117 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)