

Salesforce.Agentforce-Specialist.v2025-06-23.q89

Exam Code:	Agentforce-Specialist
Exam Name:	Salesforce Certified Agentforce Specialist (AI-201)
Certification Provider:	Salesforce
Free Question Number:	89
Version:	v2025-06-23
# of views:	2900
# of Questions views:	890
https://www.freepdfdumps.com/Salesforce.Agentforce-Specialist.v2025-06-23.q89.html	

NEW QUESTION: 1

Universal Containers (UC) is tracking web activities in Data Cloud for a unified contact, and wants to use that in a prompt template to help extract insights from the data.

Assuming that the Contact object is one of the objects associated with the prompt template, what is a valid way for DC to do this?

- A.** Call the prompt directly from Data Cloud with a web tracing activity included in the prompt definition.
- B.** Add the activity records as an enrichment related list to the Contact then pass the Contact into a prompt template workspace using related list grounding.
- C.** Create a prompt template that takes a list of all Data Cloud activity records as input to pass to the large language model (LLM).

Answer: (SHOW ANSWER)

To integrate web activity data from Data Cloud into a prompt template, the correct approach is to enrich the Contact object with the activity records as a related list and use related list grounding (Option B). Here's why:

- * **Data Cloud Integration:** Data Cloud unifies web activity data and associates it with the unified Contact record. By adding these activities as a related list to the Contact, the data becomes accessible to the prompt template.
- * **Prompt Template Grounding:** Salesforce prompt templates support grounding on related records.

When the Contact is passed to the prompt template, the template can reference the related web activity records (via the related list) to extract insights.

- * **Structured Data Handling:** This method aligns with Salesforce best practices for grounding, ensuring the large language model (LLM) receives structured, context-rich data without overwhelming it with raw activity lists.

Why Other Options Are Incorrect:

- * A. Calling the prompt directly from Data Cloud: Prompt templates are invoked within Salesforce, not directly from Data Cloud. Grounding requires associating data with Salesforce objects, not ad-hoc web activity inclusion.
- * C. Passing a list of activity records as input: While technically possible, this bypasses Salesforce's grounding framework, which relies on object relationships. It also risks exceeding LLM input limits and lacks scalability.

References:

- * Salesforce Data Cloud Implementation Guide: Explains how to enrich standard/custom objects with related data for AI use cases.
- * Prompt Template Documentation: Highlights grounding on related lists to leverage contextual data for LLM prompts.
- * Trailhead Module: "Einstein Prompt Builder Basics" demonstrates grounding techniques using related records.

NEW QUESTION: 2

Universal Containers needs to provide insights on the usability of Agents to drive adoption in the organization.

What should the Agentforce Specialist recommend?

- A. Agent Analytics
- B. Agentforce Analytics
- C. Agent Studio Analytics

Answer: (SHOW ANSWER)

- * Agent Analytics: This tool is specifically designed to provide usability insights for Salesforce agents. It tracks metrics like adoption rates, task completion times, and efficiency levels, helping organizations identify areas where agents excel or need additional support.
- * Agentforce Analytics: This term does not correspond to a recognized Salesforce feature.
- * Agent Studio Analytics: This is unrelated to analyzing agent usability, as it primarily supports customization or development features rather than providing analytics for adoption.

Thus, Agent Analytics is the correct recommendation as it offers actionable insights to drive agent adoption and productivity.

NEW QUESTION: 3

Universal Containers is very concerned about security compliance and wants to understand:

Which prompt text is sent to the large language model (LLM)

- * How it is masked
- * The masked response

What should the Agentforce Specialist recommend?

- A. Ingest the Einstein Shield Event logs into CRM Analytics.

- B.** Review the debug logs of the running user.
- C.** Enable audit trail in the Einstein Trust Layer.

Answer: C ([LEAVE A REPLY](#))

To address security compliance concerns and provide visibility into the prompt text sent to the LLM, how it is masked, and the masked response, the Agentforce Specialist should recommend enabling the audit trail in the Einstein Trust Layer. This feature captures and logs the prompts sent to the large language model (LLM) along with the masking of sensitive information and the AI's response. This audit trail ensures full transparency and compliance with security requirements.

* Option A (Einstein Shield Event logs) is focused on system events rather than specific AI prompt data.

* Option B (debug logs) would not provide the necessary insight into AI prompt masking or responses.

For further details, refer to Salesforce's Einstein Trust Layer documentation about auditing and security measures.

NEW QUESTION: 4

Universal Containers (UC) is looking to improve its sales team's productivity by providing real-time insights and recommendations during customer interactions.

Why should UC consider using Agentforce Sales Agent?

- A.** To track customer interactions for future analysis
- B.** To automate the entire sales process for maximum efficiency
- C.** To streamline the sales process and increase conversion rates

Answer: ([SHOW ANSWER](#))

Agentforce Sales Agent provides real-time insights and AI-powered recommendations, which are designed to streamline the sales process and help sales representatives focus on key tasks to increase conversion rates.

It offers features like lead scoring, opportunity prioritization, and proactive recommendations, ensuring that sales teams can interact with customers efficiently and close deals faster.

* Option A: While tracking customer interactions is beneficial, it is only part of the broader capabilities offered by Agentforce Sales Agent and is not the primary objective for improving real-time productivity.

* Option B: Agentforce Sales Agent does not automate the entire sales process but provides actionable recommendations to assist the sales team.

* Option C: This aligns with the tool's core purpose of enhancing productivity and driving sales success.

NEW QUESTION: 5

Universal Containers (UC) uses Salesforce Service Cloud to support its customers and agents handling cases.

UC is considering implementing Agent and extending Service Cloud to mobile users. When would Agent implementation be most advantageous?

- A. When the goal is to streamline customer support processes and improve response times
- B. When the main objective is to enhance data security and compliance measures
- C. When the focus is on optimizing marketing campaigns and strategies

Answer: A (LEAVE A REPLY)

Agent implementation would be most advantageous in Salesforce Service Cloud when the goal is to streamline customer support processes and improve response times. Agent can assist agents by providing real-time suggestions, automating repetitive tasks, and generating contextual responses, thus enhancing service efficiency.

* Option B (data security) is not the primary focus of Agent, which is more about improving operational efficiency.

* Option C (marketing campaigns) falls outside the scope of Service Cloud and Agent's primary benefits, which are aimed at improving customer service and case management. For further reading, refer to Salesforce documentation on Agent for Service Cloud and how it improves support processes.

NEW QUESTION: 6

Universal Containers' sales team engages in numerous video sales calls with prospects across the nation. Sales management wants an easy way to understand key information such as deal terms or customer sentiments.

Which Einstein Generative AI feature should An Agentforce recommend for this request?

- A. Einstein Call Summaries
- B. Einstein Conversation Insights
- C. Einstein Video KPI

Answer: A (LEAVE A REPLY)

Einstein Call Summaries is the best option for this scenario because it leverages Salesforce's AI capabilities to automatically summarize key details of video or voice calls. It includes details like deal terms, customer sentiments, follow-up tasks, and other crucial information. This feature is designed to help sales teams focus on their strategies rather than taking extensive manual notes during conversations.

* Einstein Call Summaries: Automatically generates summaries for calls, identifying critical points such as next steps and follow-ups, enhancing efficiency and understanding of deal progression.

* Einstein Conversation Insights: While it provides insights into customer sentiment and engagement, it is more suited for analyzing patterns across conversations rather than summarizing specific call details.

* Einstein Video KPI: Focuses on analyzing key performance indicators within video calls but does not offer summarization features needed for deal terms or sentiment tracking.

This feature ensures actionable insights are delivered directly into the Salesforce CRM, allowing sales managers to gain a concise overview without manually reviewing long recordings.

NEW QUESTION: 7

Universal Containers needs a tool that can analyze voice and video call records to provide insights on competitor mentions, coaching opportunities, and other key information. The goal is to enhance the team's performance by identifying areas for improvement and competitive intelligence.

Which feature provides insights about competitor mentions and coaching opportunities?

- A.** Call Summaries
- B.** Einstein Sales Insights
- C.** Call Explorer

Answer: C (LEAVE A REPLY)

For analyzing voice and video call records to gain insights into competitor mentions, coaching opportunities, and other key information, Call Explorer is the most suitable feature. Call Explorer, a part of Einstein Conversation Insights, enables sales teams to analyze calls, detect patterns, and identify areas where improvements can be made. It uses natural language processing (NLP) to extract insights, including competitor mentions and moments for coaching. These insights are vital for improving sales performance by providing a clear understanding of the interactions during calls.

* Call Summaries offer a quick overview of a call but do not delve deep into competitor mentions or coaching insights.

* Einstein Sales Insights focuses more on pipeline and forecasting insights rather than call-based analysis.

References:

* Salesforce Einstein Conversation Insights

Documentation: https://help.salesforce.com/s/articleView?id=einstein_conversation_insights.htm

NEW QUESTION: 8

An AI Specialist is tasked with creating a prompt template for a sales team. The template needs to generate a summary of all related opportunities for a given Account.

Which grounding technique should the AI Specialist use to include data from the related list of opportunities in the prompt template?

- A.** Use the merge fields to reference a custom related list of opportunities.
- B.** Use merge fields to reference the default related list of opportunities.
- C.** Use formula fields to reference the Einstein related list of opportunities.

Answer: (SHOW ANSWER)

In Salesforce, when creating a prompt template for the sales team, you can include data from related objects such as Opportunities that are linked to an Account. The best method

to ground the AI model and provide relevant information from related records, like Opportunities, is by using merge fields.

Merge fields in Salesforce allow you to dynamically reference data from a record or related records, like Opportunities for a given Account. In this scenario, the Agentforce Specialist needs to pull data from the default related list of Opportunities associated with the Account. This is achieved by using merge fields, which pull in data from the standard relationship Salesforce creates between Accounts and Opportunities.

Option A (referencing a custom related list) and Option C (using formula fields with Einstein-related lists) do not align with the standard, practical grounding method for this task. Custom lists would require additional configurations not typically necessary for a basic use case, and formula fields are typically not used to directly fetch related list data for prompt generation in templates. The standard and straightforward method is using merge fields tied to the default related list of opportunities.

Salesforce References:

* Merge Fields in Templates: <https://help.salesforce.com/s/articleView?id=000387601&type=1>

* Grounding Data in Prompts: https://developer.salesforce.com/docs/atlas.en-us.salesforce_ai.meta/salesforce_ai/grounding_data_prompts

NEW QUESTION: 9

Universal Containers plans to enhance its sales team's productivity using AI. Which specific requirement necessitates the use of Prompt Builder?

- A.** Creating a draft newsletter for an upcoming tradeshow.
- B.** Predicting the likelihood of customers churning or discontinuing their relationship with the company.
- C.** Creating an estimated Customer Lifetime Value (CLV) with historical purchase data.

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: UC seeks an AI solution for sales productivity. Let's determine which requirement aligns with Prompt Builder.

* Option A: Creating a draft newsletter for an upcoming tradeshow. Prompt Builder excels at generating text outputs (e.g., newsletters) using Generative AI. UC can create a prompt template to draft personalized, context-rich newsletters based on sales data, boosting productivity. This matches Prompt Builder's capabilities, making it the correct answer.

* Option B: Predicting the likelihood of customers churning or discontinuing their relationship with the company. Churn prediction is a predictive AI task, suited for Einstein Prediction Builder or Data Cloud models, not Prompt Builder, which focuses on generative tasks. This is incorrect.

* Option C: Creating an estimated Customer Lifetime Value (CLV) with historical purchase data.

CLV estimation involves predictive analytics, not text generation, and is better handled by Einstein Analytics or custom models, not Prompt Builder. This is incorrect.

Why Option A is Correct: Drafting newsletters is a generative task uniquely suited to Prompt Builder, enhancing sales productivity as per Salesforce documentation.

References:

- * Salesforce Agentforce Documentation: Prompt Builder > Use Cases - Lists text generation like newsletters.
- * Trailhead: Build Prompt Templates in Agentforce - Covers productivity-enhancing text outputs.
- * Salesforce Help: Generative AI with Prompt Builder - Confirms drafting capabilities.

NEW QUESTION: 10

Universal Containers (UC) wants to use the Draft with Einstein feature in Sales Cloud to create a personalized introduction email.

After creating a proposed draft email, which predefined adjustment should UC choose to revise the draft with a more casual tone?

- A. Make Less Formal
- B. Enhance Friendliness
- C. Optimize for Clarity

Answer: A (LEAVE A REPLY)

When Universal Containers uses the Draft with Einstein feature in Sales Cloud to create a personalized email, the predefined adjustment to Make Less Formal is the correct option to revise the draft with a more casual tone. This option adjusts the wording of the draft to sound less formal, making the communication more approachable while still maintaining professionalism.

* Enhance Friendliness would make the tone more positive, but not necessarily more casual.

* Optimize for Clarity focuses on making the draft clearer but doesn't adjust the tone.

For more details, see Salesforce documentation on Einstein-generated email drafts and tone adjustments.

NEW QUESTION: 11

Universal Containers' Agent Action includes several Apex classes for the new Agentforce Agent. What is an important consideration when deploying Apex that is invoked by an Agent Action?

- A. The Apex classes must have at least 75% code coverage from unit tests, and all dependencies must be in the deployment package.
- B. Apex classes invoked by an Agent Action may be deployed with less than 75% test coverage as long as the agent is not activated in production.
- C. The Apex classes may bypass the 75% code coverage requirement as long as they are only used by the agent.

Answer: A (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: Universal Containers (UC) is using Apex classes within an Agent Action for their Agentforce Agent. Deploying Apex in Salesforce has specific requirements, especially when tied to Agentforce functionality. Let's evaluate the options.

* Option A: The Apex classes must have at least 75% code coverage from unit tests, and all dependencies must be in the deployment package. Salesforce enforces a strict requirement that all Apex classes must achieve at least 75% code coverage from unit tests for deployment to production, regardless of their use case (e.g., Agentforce, triggers, or web services). Additionally, when Apex is invoked by an Agent Action (e.g., via a Flow or direct invocation), all dependencies (e.g., referenced classes, objects) must be included in the deployment package to ensure functionality. This is a standard deployment consideration in Salesforce and applies to Agentforce, making this the correct answer.

* Option B: Apex classes invoked by an Agent Action may be deployed with less than 75% test coverage as long as the agent is not activated in production. Salesforce's 75% code coverage requirement is mandatory for production deployment, regardless of whether the agent is activated.

There's no exemption based on activation status-coverage is enforced at the deployment stage. This option is incorrect and contradicts Salesforce's Apex deployment rules.

* Option C: The Apex classes may bypass the 75% code coverage requirement as long as they are only used by the agent. No such bypass exists in Salesforce. The 75% code coverage rule applies universally to all Apex in production, including classes used by Agentforce. Agent-specific usage doesn't waive this requirement, making this incorrect.

Why Option A is Correct: The 75% code coverage requirement and inclusion of dependencies are fundamental Salesforce deployment rules, applicable to Apex in Agent Actions. This ensures reliability and functionality in production, as per official documentation.

References:

* Salesforce Agentforce Documentation: Agent Builder > Custom Actions > Apex- Notes standard Apex deployment rules apply.

* Salesforce Developer Guide: Apex Testing- Confirms 75% coverage requirement.

* Trailhead: Deploy Apex Code- Emphasizes coverage and dependencies for production.

NEW QUESTION: 12

Universal Containers (UC) needs to save agents time with AI-generated case summaries. UC has implemented the Work Summary feature.

What does Einstein consider when generating a summary?

A. Generation is grounded with conversation context, Knowledge articles, and cases.

B. Generation is grounded with existing conversation context only.

C. Generation is grounded with conversation context and Knowledge articles.

Answer: A (LEAVE A REPLY)

When generating a Work Summary, Einstein leverages multiple sources of information to provide a comprehensive and accurate case summary for agents.

- * Conversation Context:

- * Einstein analyzes the details of the customer interaction, including chat or email threads, to extract relevant information for the summary.

- * Knowledge Articles:

- * It considers linked Knowledge Articles or articles referred to during the case resolution process, ensuring the summary incorporates accurate resolutions or additional resources provided to the customer.

- * Cases:

- * Einstein also examines historical cases and related case records to ground the summary in context from past resolutions or interactions.

- * Option A is correct as it includes all three: conversation context, Knowledge articles, and cases.

- * Option B is incorrect because it limits the grounding to conversation context only, excluding other critical elements.

- * Option C is incorrect because it omits case data, which Einstein considers for more accurate and contextually rich summaries.

NEW QUESTION: 13

What is true of Agentforce Testing Center?

A. Running tests risks modifying CRM data in a production environment.

B. Running tests does not consume Einstein Requests.

C. Agentforce Testing Center can only be used in a production environment.

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: The Agentforce Testing Center is a tool in Agentforce Studio for validating agent performance. Let's evaluate the statements.

- * Option A: Running tests risks modifying CRM data in a production environment. Agentforce Testing Center runs synthetic interactions in a controlled environment (e.g., sandbox or isolated test space) and doesn't modify live CRM data. It's designed for safe pre-deployment testing, making this incorrect.

- * Option B: Running tests does not consume Einstein Requests. Einstein Requests are part of the usage quota for Einstein Generative AI features (e.g., prompt executions in production). Testing Center uses synthetic data to simulate interactions without invoking live AI calls that count against this quota.

Salesforce documentation confirms tests don't consume requests, making this the correct answer.

- * Option C: Agentforce Testing Center can only be used in a production environment. Testing Center is available in both sandbox and production orgs, but it's primarily used pre-deployment (e.g., in sandboxes) to validate agents safely. This restriction is false, making it incorrect.

Why Option B is Correct: Not consuming Einstein Requests is a key feature of Testing Center, allowing extensive testing without impacting quotas, as per Salesforce documentation.

References:

- * Salesforce Agentforce Documentation: Testing Center > Overview- Confirms no request consumption.
- * Trailhead: Test Your Agentforce Agents- Notes quota-free testing.
- * Salesforce Help: Agentforce Testing- Details safe, isolated testing.

NEW QUESTION: 14

In addition to Recipient and Sender, which object should An Agentforce utilize for inserting merge fields into a Sales email template prompt?

- A. Recipient Opportunities
- B. Recipient Account
- C. User Organization

Answer: B (LEAVE A REPLY)

- * Sales Email Template Use Case: When creating a Sales email template (especially for outreach or follow-up), you often need to reference relevant details about the Account linked to the recipient.
 - * Standard Merge Fields in Salesforce Email Templates:
 - * Recipient(Contact, Lead, or Person receiving the email)
 - * Sender(User sending the email)
 - * Recipient Account(the Account related to that Contact, providing company-level details and other relevant data)
 - * Why Recipient Account?
 - * For Sales communications, referencing the Account data (e.g., Account name, industry, or other custom fields) in an email is very common.
 - * This is especially important for B2B scenarios where the Contact is tied to an Account.
 - * "Recipient Opportunities" could be multiple, so it's less direct for standard email merges.
- The
- "User Organization" is more generic internal information, not typically inserted for personalization to the recipient.
- * References and Study Resources:
- * Salesforce Help & Training#Email Templates: Merge Fields
 - * Salesforce Trailhead#"Create and Customize Email Templates in Sales Cloud"
 - * Salesforce Agentforce Specialist Study Resources(covers recommended best practices for leveraging standard objects like Account in AI-powered or prompt-based communications)

NEW QUESTION: 15

Universal Containers (UC) is using Einstein Generative AI to generate an account summary. UC aims to ensure the content is safe and inclusive, utilizing the Einstein Trust Layer's toxicity scoring to assess the content's safety level.

What does a safety category score of 1 indicate in the Einstein Generative Toxicity Score?

- A. Not safe
- B. Safe
- C. Moderately safe

Answer: (SHOW ANSWER)

In the Einstein Trust Layer, the toxicity scoring system is used to evaluate the safety level of content generated by AI, particularly to ensure that it is non-toxic, inclusive, and appropriate for business contexts. A toxicity score of 1 indicates that the content is deemed safe.

The scoring system ranges from 0 (unsafe) to 1 (safe), with intermediate values indicating varying degrees of safety. In this case, a score of 1 means that the generated content is fully safe and meets the trust and compliance guidelines set by the Einstein Trust Layer. For further reference, check Salesforce's official Einstein Trust Layer documentation regarding toxicity scoring for AI-generated content.

NEW QUESTION: 16

Universal Containers recently launched a pilot program to integrate conversational AI into its CRM business operations with Agentforce Agents. How should the Agentforce Specialist monitor Agents' usability and the assignment of actions?

- A. Run a report on the Platform Debug Logs.
- B. Query the Agent log data using the Metadata API.
- C. Run Agent Analytics.

Answer: C (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: Monitoring the usability and action assignments of Agentforce Agents requires insights into how agents perform, how users interact with them, and how actions are executed within conversations. Salesforce provides Agent Analytics (Option C) as a built-in capability specifically designed for this purpose. Agent Analytics offers dashboards and reports that track metrics such as agent response times, user satisfaction, action invocation frequency, and success rates. This tool allows the Agentforce Specialist to assess usability (e.g., are agents meeting user needs?) and monitor action assignments (e.g., which actions are triggered and how often), providing actionable data to optimize the pilot program.

* Option A: Platform Debug Logs are low-level logs for troubleshooting Apex, Flows, or system processes. They don't provide high-level insights into agent usability or action assignments, making this unsuitable.

* Option B: The Metadata API is used for retrieving or deploying metadata (e.g., object definitions), not runtime log data about agent performance. While Agent log data might

exist, querying it via Metadata API is not a standard or documented approach for this use case.

* Option C: Agent Analytics is the dedicated solution, offering a user-friendly way to monitor conversational AI performance without requiring custom development.

Option C is the correct choice for effectively monitoring Agentforce Agents in a pilot program.

References:

* Salesforce Agentforce Documentation: "Agent Analytics Overview" (Salesforce Help: [https://help.](https://help.salesforce.com/s/articleView?id=sf.agentforce_analytics.htm&type=5)

[salesforce.com/s/articleView?id=sf.agentforce_analytics.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.agentforce_analytics.htm&type=5))

* Trailhead: "Agentforce for

Admins" (<https://trailhead.salesforce.com/content/learn/modules/agentforce-for-admins>)

Valid Agentforce-Specialist Dumps shared by Actual4test.com for Helping Passing Agentforce-Specialist Exam! Actual4test.com now offer the **newest Agentforce-Specialist exam dumps**, the Actual4test.com Agentforce-Specialist exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Agentforce-Specialist dumps with Test Engine here: https://www.actual4test.com/Agentforce-Specialist_examcollection.html (**379 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which configuration must An Agentforce complete for users to access generative AI-enabled fields in the Salesforce mobile app?

- A. Enable Mobile Generative AI.
- B. Enable Mobile Prompt Responses.
- C. Enable Dynamic Forms on Mobile.

Answer: A (LEAVE A REPLY)

* Context of the Question

* Universal Containers (UC) has generative AI-enabled fields that users can access in the desktop experience.

* The Agentforce Specialist needs these same fields to be visible and usable in the Salesforce Mobile App.

* Why Dynamic Forms on Mobile?

* Dynamic Forms allow you to configure record pages so that fields and sections can appear or be hidden based on certain criteria.

* When you enable "Dynamic Forms for Mobile," any generative AI-enabled fields placed on the dynamic layout become accessible in the Salesforce mobile experience.

* There is no standard Setup option labeled "Enable Mobile Generative AI" or "Enable Mobile Prompt Responses" as a universal toggle; the existing official approach is to ensure dynamic forms (and the relevant fields) are supported on mobile.

* Conclusion

* Ensuring that these AI-driven fields are visible on mobile is accomplished by turning on Dynamic Forms on Mobile and adding those fields to the dynamic layout. Therefore, Option C is correct.

Salesforce Agentforce Specialist References & Documents

* Salesforce Documentation: Dynamic Forms Overview Explains how to enable Dynamic Forms for both desktop and mobile UIs, allowing newly added fields (including generative AI-enabled ones) to display in the Salesforce Mobile App.

* Salesforce Agentforce Specialist Study Guide Reiterates that to expose generative AI fields or components in mobile, you must configure dynamic forms and ensure compatibility on mobile layouts.

NEW QUESTION: 18

Universal Containers built a Field Generation prompt template that worked for many records, but users are reporting random failures with token limit errors. What is the cause of the random nature of this error?

A. The template type needs to be switched to Flex to accommodate the variable amount of tokens generated by the prompt grounding.

B. The number of tokens generated by the dynamic nature of the prompt template will vary by record.

C. The number of tokens that can be processed by the LLM varies with total user demand.

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: In Salesforce Agentforce, prompt templates are used to generate dynamic responses or field values by leveraging an LLM, often with grounding data from Salesforce records or external sources. The scenario describes a Field Generation prompt template that fails intermittently with token limit errors, indicating that the issue is tied to exceeding the LLM's token capacity (e.g., input + output tokens). The random nature of these failures suggests variability in the token count across different records, which is directly addressed by Option B.

Prompt templates in Agentforce can be dynamic, meaning they pull in record-specific data (e.g., customer names, descriptions, or other fields) to generate output. Since the data varies by record—some records might have short text fields while others have lengthy ones—the total number of tokens (words, characters, or subword units processed by the LLM) fluctuates. When the token count exceeds the LLM's limit (e.g., 4,096 tokens for some models), the process fails, but this only happens for records with higher token-generating data, explaining the randomness.

* Option A: Switching to a "Flex" template type might sound plausible, but Salesforce documentation does not define "Flex" as a specific template type for handling token

variability in this context (there are Flow-based templates, but they're unrelated to token limits). This option is a distractor and not a verified solution.

* Option C: The LLM's token processing capacity is fixed per model (e.g., a set limit like 128,000 tokens for advanced models) and does not vary with user demand. Demand might affect performance or availability, but not the token limit itself.

Option B is the correct answer because it accurately identifies the dynamic nature of the prompt template as the root cause of variable token counts leading to random failures.

References:

* Salesforce Agentforce Documentation: "Prompt Templates" (Salesforce Help:

[https://help.salesforce.](https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5)

[com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5\)](https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5)

* Trailhead: "Build Prompt Templates for

Agentforce" ([https://trailhead.salesforce.com/content/learn](https://trailhead.salesforce.com/content/learn/modules/build-prompt-templates-for-agentforce)

[/modules/build-prompt-templates-for-agentforce\)](https://trailhead.salesforce.com/content/learn/modules/build-prompt-templates-for-agentforce)

NEW QUESTION: 19

Universal Containers implements Custom Agent Actions to enhance its customer service operations. The development team needs to understand the core components of a Custom Agent Action to ensure proper configuration and functionality. What should the development team review in the Custom Agent Action configuration to identify one of the core components of a Custom Agent Action?

A. Action Triggers

B. Instructions

C. Output Types

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: UC's development team needs to identify a core component of a Custom Agent Action in Agent Builder. Let's assess the options.

* Option A: Action Triggers "Action Triggers" isn't a term used in Agentforce Custom Agent Action configuration. Actions are invoked by topics or plans, not standalone triggers, making this incorrect.

* Option B: Instructions Instructions are a core component of a Custom Agent Action in Agentforce.

Defined in Agent Builder, they guide the Atlas Reasoning Engine on how to execute the action (e.g., what to do with inputs, how to process data). Reviewing the instructions helps the team understand the action's purpose and logic, making this the correct answer.

* Option C: Output Types While outputs are part of an action's result, "Output Types" isn't a distinct configuration element in Agent Builder. Outputs are determined by the action's execution (e.g., Flow or Apex), not a separate setting, making this less core and incorrect.

Why Option B is Correct: Instructions are a fundamental component of Custom Agent Actions, providing the AI's execution directives, as per Salesforce documentation.

References:

- * Salesforce Agentforce Documentation: Agent Builder > Custom Actions- Highlights instructions as key.
- * Trailhead: Build Agents with Agentforce- Details configuring actions with instructions.
- * Salesforce Help: Create Custom Actions- Confirms instructions' role.

NEW QUESTION: 20

Universal Containers needs its sales reps to be able to only execute prompt templates. What should the company use to achieve this requirement?

- A. Prompt Execute Template permission set
- B. Prompt Template User permission set
- C. Prompt Template Manager permission set

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation:Salesforce Agentforce leverages Prompt Builder, a powerful tool that allows administrators to create and manage prompt templates, which are reusable frameworks for generating AI-driven responses. These templates can be invoked by users to perform specific tasks, such as generating sales emails or summarizing records, based on predefined instructions and grounded data. In this scenario, Universal Containers wants its sales reps to have the ability to only execute these prompt templates, meaning they should be able to run them but not create, edit, or manage them.

Let's break down the options and analyze why B. Prompt Template User permission set is the correct answer:

- * Option A: Prompt Execute Template permission setThis option sounds plausible at first glance because it includes the phrase "Execute Template," which aligns with the requirement. However, there is no specific permission set named "Prompt Execute Template" in Salesforce's official documentation for Prompt Builder or Agentforce. Salesforce typically uses more standardized naming conventions for permission sets, and this appears to be a distractor option that doesn't correspond to an actual feature. Permissions in Salesforce are granular, but they are grouped logically under broader permission sets rather than hyper-specific ones like this.
- * Option B: Prompt Template User permission setThis is the correct answer. In Salesforce, the Prompt Builder feature, which is integral to Agentforce, includes permission sets designed to control access to prompt templates. The "Prompt Template User" permission set is an official Salesforce permission set that grants users the ability to execute (or invoke) prompt templates without giving them the ability to create or modify them. This aligns perfectly with the requirement that sales reps should only execute prompt templates, not manage them. The Prompt Template User permission set typically includes permissions like "Run Prompt Templates," which allows users to trigger templates from interfaces such as Lightning record pages or flows, while restricting access to the Prompt Builder setup area where templates are designed.

* Option C: Prompt Template Manager permission set This option is incorrect because the "Prompt Template Manager" permission set is designed for users who need full administrative control over prompt templates. This includes creating, editing, and deleting templates in Prompt Builder, in addition to executing them. Since Universal Containers only wants sales reps to execute templates and not manage them, this permission set provides more access than required, violating the principle of least privilege—a key security best practice in Salesforce.

How It Works in Salesforce

To implement this, an administrator would:

- * Navigate to Setup > Permission Sets.
- * Locate or create the "Prompt Template User" permission set (this is a standard permission set available with Prompt Builder-enabled orgs).
- * Assign this permission set to the sales reps' profiles or individual user records.
- * Ensure the prompt templates are configured and exposed (e.g., via Lightning components like the Einstein Summary component) on relevant pages, such as Opportunity or Account record pages, where sales reps can invoke them.

Why This Matters

By assigning the Prompt Template User permission set, Universal Containers ensures that sales reps can leverage AI-driven prompt templates to enhance productivity (e.g., drafting personalized emails or generating sales pitches) while maintaining governance over who can modify the templates. This separation of duties is critical in a secure Salesforce environment.

References to Official Salesforce Agentforce Specialist Documents

- * Salesforce Help: Prompt Builder Permissions The official Salesforce documentation outlines permission sets for Prompt Builder, including "Prompt Template User" for execution-only access and "Prompt Template Manager" for full control.
- * Trailhead: Configure Agentforce for Service This module discusses how permissions are assigned to control Agentforce features, including prompt-related capabilities.
- * Salesforce Ben: Why Prompt Builder Is Vital in an Agentforce World (November 25, 2024) This resource explains how Prompt Builder integrates with Agentforce and highlights the use of permission sets like Prompt Template User to enable end-user functionality.

NEW QUESTION: 21

An Agentforce is setting up a new org and needs to ensure that users can create and execute prompt templates.

The Agentforce Specialist is unsure which roles are necessary for these tasks.

Which permission sets should the Agentforce Specialist assign to users who need to create and execute prompt templates?

A. Prompt Template Manager for creating templates and Data Cloud Admin for executing templates

B. Prompt Template Manager for creating templates and Prompt Template User for executing templates

C. Data Cloud Admin for creating templates and Prompt Template User for executing templates

Answer: B (LEAVE A REPLY)

To effectively manage and use prompt templates, two distinct permission sets are required:

- * Prompt Template Manager: This permission set allows users to create prompt templates. It provides the necessary access to define templates, which can be shared and utilized across the organization.

- * Prompt Template User: This permission set is designed for users who need to execute the templates. It provides the ability to interact with pre-designed prompts and generate outcomes based on these templates.

The Data Cloud Admin permission set is not directly relevant to creating or executing prompt templates but is more focused on managing the Data Cloud.

NEW QUESTION: 22

How does the Einstein Trust Layer ensure that sensitive data is protected while generating useful and meaningful responses?

A. Masked data will be de-masked during response journey.

B. Masked data will be de-masked during request journey.

C. Responses that do not meet the relevance threshold will be automatically rejected.

Answer: A (LEAVE A REPLY)

The Einstein Trust Layer ensures that sensitive data is protected while generating useful and meaningful responses by masking sensitive data before it is sent to the Large Language Model (LLM) and then de- masking it during the response journey.

How It Works:

- * Data Masking in the Request Journey:

- * Sensitive Data Identification: Before sending the prompt to the LLM, the Einstein Trust Layer scans the input for sensitive data, such as personally identifiable information (PII), confidential business information, or any other data deemed sensitive.

- * Masking Sensitive Data: Identified sensitive data is replaced with placeholders or masks. This ensures that the LLM does not receive any raw sensitive information, thereby protecting it from potential exposure.

- * Processing by the LLM:

- * Masked Input: The LLM processes the masked prompt and generates a response based on the masked data.

- * No Exposure of Sensitive Data: Since the LLM never receives the actual sensitive data, there is no risk of it inadvertently including that data in its output.

- * De-masking in the Response Journey:

- * **Re-insertion of Sensitive Data:** After the LLM generates a response, the Einstein Trust Layer replaces the placeholders in the response with the original sensitive data.
- * **Providing Meaningful Responses:** This de-masking process ensures that the final response is both meaningful and complete, including the necessary sensitive information where appropriate.
- * **Maintaining Data Security:** At no point is the sensitive data exposed to the LLM or any unintended recipients, maintaining data security and compliance.

Why Option A is Correct:

- * **De-masking During Response Journey:** The de-masking process occurs after the LLM has generated its response, ensuring that sensitive data is only reintroduced into the output at the final stage, securely and appropriately.
- * **Balancing Security and Utility:** This approach allows the system to generate useful and meaningful responses that include necessary sensitive information without compromising data security.

Why Options B and C are Incorrect:

- * **Option B (Masked data will be de-masked during request journey):**
- * **Incorrect Process:** De-masking during the request journey would expose sensitive data before it reaches the LLM, defeating the purpose of masking and compromising data security.
- * **Option C (Responses that do not meet the relevance threshold will be automatically rejected):**
- * **Irrelevant to Data Protection:** While the Einstein Trust Layer does enforce relevance thresholds to filter out inappropriate or irrelevant responses, this mechanism does not directly relate to the protection of sensitive data. It addresses response quality rather than data security.

References:

- * **Salesforce Agentforce Specialist Documentation - Einstein Trust Layer Overview:**
- * Explains how the Trust Layer masks sensitive data in prompts and re-inserts it after LLM processing to protect data privacy.
- * **Salesforce Help - Data Masking and De-masking Process:**
- * Details the masking of sensitive data before sending to the LLM and the de-masking process during the response journey.
- * **Salesforce Agentforce Specialist Exam Guide - Security and Compliance in AI:**
- * Outlines the importance of data protection mechanisms like the Einstein Trust Layer in AI implementations.

Conclusion:

The Einstein Trust Layer ensures sensitive data is protected by masking it before sending any prompts to the LLM and then de-masking it during the response journey. This process allows Salesforce to generate useful and meaningful responses that include necessary sensitive information without exposing that data during the AI processing, thereby maintaining data security and compliance.

NEW QUESTION: 23

Which element in the Omni-Channel Flow should be used to connect the flow with the agent?

- A. Route Work Action
- B. Assignment
- C. Decision

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: UC is integrating an Agentforce agent with Omni-Channel Flow to route work. Let's identify the correct element.

* Option A: Route Work Action The "Route Work" action in Omni-Channel Flow assigns work items (e.

g., cases, chats) to agents or queues based on routing rules. When connecting to an Agentforce agent, this action links the flow to the agent's queue or presence, enabling interaction. This is the standard element for agent integration, making it the correct answer.

* Option B: Assignment There's no "Assignment" element in Flow Builder for Omni-Channel.

Assignment rules exist separately, but within flows, routing is handled by "Route Work," making this incorrect.

* Option C: Decision The "Decision" element branches logic, not connects to agents. It's a control structure, not a routing mechanism, making it incorrect.

Why Option A is Correct: "Route Work" is the designated Omni-Channel Flow action for connecting to agents, including Agentforce agents, per Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Omni-Channel Integration- Specifies "Route Work" for agents.

* Trailhead: Omni-Channel Flow Basics- Details routing actions.

* Salesforce Help: Set Up Omni-Channel Flows- Confirms "Route Work" usage.

NEW QUESTION: 24

Based on the user utterance, 'Show me all the customers in New York', which standard Agent action will the planner service use?

- A. Query Records
- B. Fetch Records
- C. Select Records

Answer: A (LEAVE A REPLY)

Why is Query Records the Correct Answer?

In Agentforce, the Planner Service is responsible for interpreting user requests and selecting the appropriate Copilot Action to fulfill them. When a user issues a command like: "Show me all the customers in New York", the system must retrieve a list of customers filtered by location.

The Query Records action is designed precisely for this purpose.

Key Features of Query Records in Agentforce:

- * Retrieves Data Based on Specific Field Values
- * This action fetches Salesforce records that match a set of criteria, such as customers located in New York.
- * Uses standard or custom object fields (e.g., BillingState = 'New York').
- * Works with Large Language Models (LLMs) and Copilot Actions
- * When a user asks for filtered data, Query Records is the default action assigned by the Planner Service.
- * Optimized for Structured Data Retrieval
- * Ensures AI retrieves relevant CRM records quickly and accurately.

Why Not the Other Options?

B. Fetch Records

- * This is not a standard term in Einstein Copilot or Agentforce.
- * No defined Agentforce action exists under this name.

C. Select Records

- * Select Records is used to pick records from an already presented list, not to retrieve them initially.
- * If the user had already retrieved records and wanted to refine their selection, Select Records might be appropriate.
- * However, since the user's request is to retrieve records, Query Records is the correct action.

Agentforce Specialist References

This information is confirmed from the Salesforce AI Specialist Material and Questions Document, where the Query Records action is explicitly defined as the appropriate standard action for retrieving filtered CRM records.

NEW QUESTION: 25

Universal Containers (UC) implements a custom retriever to improve the accuracy of AI-generated responses.

UC notices that the retriever is returning too many irrelevant results, making the responses less useful. What should UC do to ensure only relevant data is retrieved?

- A.** Define filters to narrow the search results based on specific conditions.
- B.** Change the search index to a different data model object (DMO).
- C.** Increase the maximum number of results returned to capture a broader dataset.

Answer: A (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: In Salesforce Agentforce, a custom retriever is used to fetch relevant data (e.g., from Data Cloud's vector database or Salesforce records) to ground AI responses.

UC's issue is that their retriever returns too many irrelevant results, reducing response accuracy. The best solution is to define filters (Option A) to refine the retriever's search

criteria. Filters allow UC to specify conditions (e.g., "only retrieve documents from the 'Policy' category" or "records created after a certain date") that narrow the dataset, ensuring the retriever returns only relevant results. This directly improves the precision of AI-generated responses by excluding extraneous data, addressing UC's problem effectively.

* Option B: Changing the search index to a different data model object (DMO) might be relevant if the retriever is querying the wrong object entirely (e.g., Accounts instead of Policies). However, the question implies the retriever is functional but unrefined, so adjusting the existing setup with filters is more appropriate than switching DMOs.

* Option C: Increasing the maximum number of results would worsen the issue by returning even more data, including more irrelevant entries, contrary to UC's goal of improving relevance.

* Option A: Filters are a standard feature in custom retrievers, allowing precise control over retrieved data, making this the correct action.

Option A is the most effective step to ensure relevance in retrieved data.

References:

* Salesforce Agentforce Documentation: "Create Custom Retrievers" (Salesforce Help:[https://help](https://help.salesforce.com/s/articleView?id=sf.agentforce_custom_retrievers.htm&type=5).

[salesforce.com/s/articleView?id=sf.agentforce_custom_retrievers.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.agentforce_custom_retrievers.htm&type=5))

* Salesforce Data Cloud Documentation: "Filter Data for AI Retrieval" ([https://help.salesforce.com/s](https://help.salesforce.com/s/articleView?id=sf.data_cloud_retrieval_filters.htm&type=5)

[/articleView?id=sf.data_cloud_retrieval_filters.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.data_cloud_retrieval_filters.htm&type=5))

NEW QUESTION: 26

Universal Containers (UC) wants to make a sales proposal and directly use data from multiple unrelated objects (standard and custom) in a prompt template. How should UC accomplish this?

A. Create a prompt template passing in a special custom object that connects the records temporarily.

B. Create a prompt template-triggered flow to access the data from standard and custom objects.

C. Create a Flex template to add resources with standard and custom objects as inputs.

D. Use a Record Snapshot to combine data from unrelated objects into a single prompt.

Answer: C (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: UC needs to incorporate data from multiple unrelated objects (standard and custom) into a prompt template for a sales proposal. Let's evaluate the options based on Agentforce capabilities.

* Option A: Create a prompt template passing in a special custom object that connects the records temporarily. While a custom object could theoretically act as a junction to link unrelated records, this approach requires additional setup (e.g., creating the object, populating it with data via automation), and there's no direct mechanism in Prompt Builder

to "pass in" such an object to a prompt template without grounding or flow support. This is inefficient and not a native feature, making it incorrect.

* Option B: Create a prompt template-triggered flow to access the data from standard and custom objects. There's no such thing as a "prompt template-triggered flow" in Salesforce. Flows can invoke prompt templates (e.g., via the "Prompt Template" action), but the reverse-triggering a flow from a prompt template is not a standard construct. While a flow could gather data from unrelated objects and pass it to a prompt, this option's terminology is inaccurate, and it's not the most direct solution, making it incorrect.

* Option C: Create a Flex template to add resources with standard and custom objects as inputs. In Agentforce's Prompt Builder, a Flex template (short for Flexible Prompt Template) allows users to define dynamic inputs, including data from multiple Salesforce objects (standard or custom), even if they're unrelated. Resources can be added to the template (e.g., via merge fields or Data Cloud queries), enabling the prompt to pull data directly from specified objects without requiring a junction object or complex flows. This is ideal for generating a sales proposal using disparate data sources and aligns with Salesforce's documentation on Flex templates, making it the correct answer.

Why Option C is Correct: Flex templates are designed for scenarios requiring flexible data inputs, allowing UC to directly reference multiple unrelated objects in the prompt template. This simplifies the process and leverages Prompt Builder's native capabilities, as outlined in Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Prompt Builder > Flex Templates- Describes adding multiple object resources as inputs.

* Trailhead: Build Prompt Templates in Agentforce- Highlights Flex templates for dynamic data scenarios.

* Salesforce Help: Create Flexible Prompts- Confirms support for standard and custom object data.

NEW QUESTION: 27

What is an appropriate use case for leveraging Agentforce Sales Agent in a sales context?

A. Enable a sales team to use natural language to invoke defined sales tasks grounded in relevant data and be able to ensure company policies are applied conversationally and in the now or work.

B. Enable a sales team by providing them with an interactive step-by-step guide based on business rules to ensure accurate data entry into Salesforce and help close deals faster.

C. Instantly review and read incoming messages or emails that are then logged to the correct opportunity, contact, and account records to provide a full view of customer interactions and communications.

Answer: (SHOW ANSWER)

Agentforce Sales Agent is designed to let sales teams perform tasks via natural language commands, leveraging Salesforce data while adhering to policies. For example, agents

can ask the AI to "update the opportunity stage to Closed Won" or "generate a quote," with the system enforcing validations and data security. This use case aligns with Salesforce's vision of conversational AI streamlining workflows without compromising compliance.

- * Step-by-step guides (B) are typically handled by tools like Dynamic Forms or Guided Selling, not Agentforce.

- * Logging messages/emails (C) is managed by Email-to-Case or Service Cloud, not a sales-specific AI agent.

NEW QUESTION: 28

What is the primary function of the reasoning engine in Agentforce?

A. Identifying agent topics and actions to respond to user utterances

B. Offering real-time natural language response during conversations

C. Generating record queries based on conversation history

Answer: (SHOW ANSWER)

Why is "Identifying agent topics and actions to respond to user utterances" the correct answer?

In Agentforce, the reasoning engine plays a critical role in interpreting user queries and determining the appropriate agent response.

Key Functions of the Reasoning Engine in Agentforce:

- * Analyzing User Intent

- * The reasoning engine interprets the meaning behind natural language user inputs.

- * It maps user utterances to predefined topics to determine the correct AI-generated response.

- * Selecting the Appropriate Agent Action

- * The engine evaluates available actions and selects the best response based on the detected topic

.

- * For example, if a user asks, "What is my current account balance?", the reasoning engine:

- * Identifies the topic: "Account Information"

- * Chooses the correct action: "Retrieve account balance"

- * Executes the action and returns the response

- * Ensuring AI Accuracy and Context Awareness

- * The reasoning engine grounds AI-generated responses in relevant Salesforce data, ensuring accurate outputs.

Why Not the Other Options?

B. Offering real-time natural language response during conversations.

- * Incorrect because real-time natural language processing (NLP) is handled by the large language model (LLM), not the reasoning engine.

- * The reasoning engine focuses on action selection, not linguistic processing.

C. Generating record queries based on conversation history.

* Incorrect because query generation is handled by Copilot Actions (e.g., Query Records), not the reasoning engine.

* The reasoning engine decides which query should be run, but does not generate queries itself.

Agentforce Specialist References

* Salesforce AI Specialist Material explains that the reasoning engine identifies topics and selects agent actions.

* Salesforce Instructions for the Certification confirm that the reasoning engine determines AI workflow execution.

NEW QUESTION: 29

When a customer chat is initiated, which functionality in Salesforce provides generative AI replies or draft emails based on recommended Knowledge articles?

A. Einstein Reply Recommendations

B. Einstein Service Replies

C. Einstein Grounding

Answer: B (LEAVE A REPLY)

When a customer chat is initiated, Einstein Service Replies provides generative AI replies or draft emails based on recommended Knowledge articles. This feature uses the information from the Salesforce Knowledge base to generate responses that are relevant to the customer's query, improving the efficiency and accuracy of customer support interactions.

* Option B is correct because Einstein Service Replies is responsible for generating AI-driven responses based on knowledge articles.

* Option A (Einstein Reply Recommendations) is focused on recommending replies but does not generate them.

* Option C (Einstein Grounding) refers to grounding responses in data but is not directly related to drafting replies.

References:

* Einstein Service Replies Overview: https://help.salesforce.com/s/articleView?id=sf.einstein_service_replies.htm

NEW QUESTION: 30

An Agentforce Specialist wants to troubleshoot their Agent's performance. Where should the Agentforce Specialist go to access all user interactions with the Agent, including Agent errors, incorrectly triggered actions, and incomplete plans?

A. Plan Canvas

B. Agent Settings

C. Event Logs

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: The Agentforce Specialist needs a comprehensive view of user interactions, errors, and action issues for troubleshooting. Let's evaluate the options.

* Option A: Plan Canvas Plan Canvas in Agent Builder visualizes an agent's execution plan for a single interaction, useful for design but not for aggregated troubleshooting data like errors or all interactions, making it incorrect.

* Option B: Agent Settings Agent Settings configure the agent (e.g., topics, channels), not provide interaction logs or error details. This is for setup, not analysis, making it incorrect.

* Option C: Event Logs Event Logs in Agentforce (accessible via Setup or Agent Analytics) record all user interactions, including errors, incorrectly triggered actions, and incomplete plans. They provide detailed telemetry (e.g., timestamps, action outcomes) for troubleshooting performance issues, making this the correct answer.

Why Option C is Correct: Event Logs offer the full scope of interaction data needed for troubleshooting, as per Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Agent Analytics > Event Logs- Details interaction and error logging.

* Trailhead: Monitor and Optimize Agentforce Agents- Recommends Event Logs for troubleshooting.

* Salesforce Help: Agentforce Performance- Confirms logs for diagnostics.

NEW QUESTION: 31

Universal Containers plans to enhance its sales team's productivity using AI. Which specific requirement necessitates the use of Prompt Builder?

A. Predicting the likelihood of customers churning or discontinuing their relationship with the company.

B. Creating a draft newsletter for an upcoming tradeshow.

C. Creating an estimated Customer Lifetime Value (CLV) with historical purchase data.

Answer: ([SHOW ANSWER](#))

Valid Agentforce-Specialist Dumps shared by Actual4test.com for Helping Passing Agentforce-Specialist Exam! Actual4test.com now offer the **newest Agentforce-Specialist exam dumps**, the Actual4test.com Agentforce-Specialist exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Agentforce-Specialist dumps with Test Engine here: https://www.actual4test.com/Agentforce-Specialist_examcollection.html (**379 Q&As** Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Universal Containers is considering leveraging the Einstein Trust Layer in conjunction with Einstein Generative AI Audit Data.

Which audit data is available using the Einstein Trust Layer?

- A.** Response accuracy and offensiveness score
- B.** Hallucination score and bias score
- C.** Masked data and toxicity score

Answer: (SHOW ANSWER)

Universal Containers is considering the use of the Einstein Trust Layer along with Einstein Generative AI Audit Data. The Einstein Trust Layer provides a secure and compliant way to use AI by offering features like data masking and toxicity assessment.

The audit data available through the Einstein Trust Layer includes information about masked data-which ensures sensitive information is not exposed-and the toxicity score, which evaluates the generated content for inappropriate or harmful language.

References:

* Salesforce Agentforce Specialist Documentation - Einstein Trust Layer: Details the auditing capabilities, including logging of masked data and evaluation of generated responses for toxicity to maintain compliance and trust.

NEW QUESTION: 33

An Agentforce Agent has been developed with multiple topics and Agent Actions that use flows and Apex.

Which options are available for deploying these to production?

- A.** Deploy the flows and Apex using normal deployment tools and manually create the agent-related items in production.
- B.** Use only change sets because the Salesforce CLI does not currently support the deployment of agent-related metadata.
- C.** Deploy flows, Apex, and all agent-related items using either change sets or the Salesforce CLI /Metadata API.

Answer: C (LEAVE A REPLY)

Why is "Deploy flows, Apex, and all agent-related items using either change sets or the Salesforce CLI

/Metadata API" the correct answer?

When deploying an Agentforce Agent with multiple topics and Agent Actions that use flows and Apex, a complete deployment solution is required. Change sets and the Salesforce CLI/Metadata API support the deployment of flows, Apex code, and agent-related metadata.

Key Considerations for Agentforce Deployments:

- * Supports Deployment of All Required Components
- * Agentforce Agents include flows, Apex classes, topics, and agent actions.

- * Change sets and Salesforce CLI/Metadata API allow deployment of all these components together, ensuring a smooth transition to production.
- * Agentforce Metadata Can Be Deployed Using Standard Tools
- * Change Sets: Allows admins to move configurations, custom objects, and metadata between Salesforce environments.
- * Salesforce CLI/Metadata API: Enables scripted deployments, automating the transfer of Agentforce configurations.
- * Ensures a Complete Migration Without Manual Configuration
- * Deploying all components together reduces the risk of misconfiguration.
- * Automating deployments using the Metadata API ensures consistency across environments.

Why Not the Other Options?

A. Deploy the flows and Apex using normal deployment tools and manually create the agent-related items in production.

* Incorrect because manually creating agent-related items in production introduces risk and inconsistency.

* This approach is error-prone and time-consuming, especially for large Agentforce deployments.

B. Use only change sets because the Salesforce CLI does not currently support the deployment of agent-related metadata.

* Incorrect because Salesforce CLI and Metadata API fully support Agentforce deployments.

* Change sets are useful but limited in large-scale, automated deployments.

Agentforce Specialist References

* Salesforce AI Specialist Material confirms that Agentforce metadata (flows, actions, and topics) can be deployed using Change Sets or the Metadata API.

NEW QUESTION: 34

Universal Containers (UC) is creating a new custom prompt template to populate a field with generated output. UC enabled the Einstein Trust Layer to ensure AI Audit data is captured and monitored for adoption and possible enhancements. Which prompt template type should UC use and which consideration should UC review?

A. Field Generation, and that Dynamic Fields is enabled

B. Field Generation, and that Dynamic Forms is enabled

C. Flex, and that Dynamic Fields is enabled

Answer: A (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: Salesforce Agentforce provides various prompt template types to support AI-driven tasks, such as generating text or populating fields. In this case, UC needs a custom prompt template to populate a field with generated output, which directly aligns with the Field Generation prompt template type. This type is designed to use generative AI to create field values (e.g., summaries, descriptions) based

on input data or prompts, making it the ideal choice for UC's requirement. Additionally, UC has enabled the Einstein Trust Layer, a governance framework that ensures AI outputs are safe, explainable, and auditable, capturing AI Audit data for monitoring adoption and identifying improvement areas.

The consideration UC should review is whether Dynamic Fields is enabled. Dynamic Fields allow the prompt template to incorporate variable data from Salesforce records (e.g., case details, customer info) into the prompt, ensuring the generated output is contextually relevant to each record. This is critical for field population tasks, as static prompts wouldn't adapt to record-specific needs. The Einstein Trust Layer further benefits from this, as it can track how dynamic inputs influence outputs for audit purposes.

* Option A: Correct. "Field Generation" matches the use case, and "Dynamic Fields" is a key consideration to ensure flexibility and auditability with the Trust Layer.

* Option B: "Field Generation" is correct, but "Dynamic Forms" is unrelated. Dynamic Forms is a UI feature for customizing page layouts, not a prompt template setting, making this option incorrect.

* Option C: "Flex" templates are more general-purpose and not specifically tailored for field population tasks. While Dynamic Fields could apply, Field Generation is the better fit for UC's stated goal.

Option A is the best choice, as it pairs the appropriate template type (Field Generation) with a relevant consideration (Dynamic Fields) for UC's scenario with the Einstein Trust Layer.

References:

* Salesforce Agentforce Documentation: "Prompt Template Types" (Salesforce Help: [https://help.](https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5)

[salesforce.com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5))

* Salesforce Einstein Trust Layer Documentation: "Monitor AI with Trust Layer" ([https://help.salesforce.](https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer.htm&type=5)

[com/s/articleView?id=sf.einstein_trust_layer.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer.htm&type=5))

* Trailhead: "Build Prompt Templates for Agentforce" (<https://trailhead.salesforce.com/content/learn/modules/build-prompt-templates-for-agentforce>)

NEW QUESTION: 35

Universal Containers deploys a new Agentforce Service Agent into the company's website but is getting feedback that the Agentforce Service Agent is not providing answers to customer questions that are found in the company's Salesforce Knowledge articles. What is the likely issue?

A. The Agentforce Service Agent user is not assigned the correct Agent Type License.

B. The Agentforce Service Agent user needs to be created under the standard Agent Knowledge profile.

C. The Agentforce Service Agent user was not given the Allow View Knowledge permission set.

Answer: C ([LEAVE A REPLY](#))

Comprehensive and Detailed In-Depth Explanation: Universal Containers (UC) has deployed an Agentforce Service Agent on its website, but it's failing to provide answers from Salesforce Knowledge articles. Let's troubleshoot the issue.

* Option A: The Agentforce Service Agent user is not assigned the correct Agent Type License.

There's no "Agent Type License" in Salesforce-agent functionality is tied to Agentforce licenses (e.g., Service Agent license) and permissions. Licensing affects feature access broadly, but the specific issue of not retrieving Knowledge suggests a permission problem, not a license type, making this incorrect.

* Option B: The Agentforce Service Agent user needs to be created under the standard Agent Knowledge profile. No "standard Agent Knowledge profile" exists. The Agentforce Service Agent runs under a system user (e.g., "Agentforce Agent User") with a custom profile or permission sets. Profile creation isn't the issue-access permissions are, making this incorrect.

* Option C: The Agentforce Service Agent user was not given the Allow View Knowledge permission set. The Agentforce Service Agent user requires read access to Knowledge articles to ground responses. The "Allow View Knowledge" permission (typically via the "Salesforce Knowledge User" license or a permission set like "Agentforce Service Permissions") enables this. If missing, the agent can't access Knowledge, even if articles are indexed, causing the reported failure. This is a common setup oversight and the likely issue, making it the correct answer.

Why Option C is Correct: Lack of Knowledge access permissions for the Agentforce Service Agent user directly prevents retrieval of article content, aligning with the symptoms and Salesforce security requirements.

References:

* Salesforce Agentforce Documentation: Service Agent Setup > Permissions- Requires Knowledge access.

* Trailhead: Set Up Agentforce Service Agents- Lists "Allow View Knowledge" need.

* Salesforce Help: Knowledge in Agentforce- Confirms permission necessity.

NEW QUESTION: 36

What is a Salesforce Agentforce Specialist able to configure in Data Masking within the Einstein Trust Layer?

A. The profiles exempt from masking

B. The encryption keys for masking

C. The privacy data entities to be masked

Answer: ([SHOW ANSWER](#)**)**

In the Einstein Trust Layer, the Salesforce Agentforce Specialist can configure privacy data entities to be masked (Option C). This ensures sensitive or personally identifiable information (PII) is obfuscated when processed by AI models.

- * Data Masking Configuration:

- * The Agentforce Specialist defines which fields or data types (e.g., email, phone number, Social Security Number) should be masked. For example, masking the Email field in a prompt response to protect user privacy.

- * This is done through declarative settings in Salesforce, where entities (standard or custom fields) are flagged for masking.

- * Why Other Options Are Incorrect:

- * A. Profiles exempt from masking: Exemptions are typically managed via permissions (e.g., field-level security), not directly within Einstein Trust Layer's Data Masking settings.

- * B. Encryption keys for masking: Encryption is separate from masking. Masking involves obfuscation (e.g., replacing "john@example.com" with "@"), not encryption, which uses keys to secure data.

References:

- * Einstein Trust Layer Documentation: States that Data Masking allows admins to "define which fields should be masked to protect sensitive data."

- * Trailhead Module: "Einstein Trust Layer Basics" explains configuring privacy entities for masking.

- * Salesforce Help Article: "Secure AI with Einstein Trust Layer" details masking configurations for privacy compliance.

NEW QUESTION: 37

Universal Containers wants to utilize Agentforce for Sales to help sales reps reach their sales quotas by providing AI-generated plans containing guidance and steps for closing deals. Which feature meets this requirement?

A. Create Account Plan

B. Find Similar Deals

C. Create Close Plan

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: Universal Containers (UC) aims to leverage Agentforce for Sales to assist sales reps with AI-generated plans that provide guidance and steps for closing deals. Let's evaluate the options based on Agentforce for Sales features.

- * Option A: Create Account Plan While account planning is valuable for long-term strategy, Agentforce for Sales does not have a specific "Create Account Plan" feature focused on closing individual deals.

Account plans typically involve broader account-level insights, not deal-specific closure steps, making this incorrect for UC's requirement.

* Option B: Find Similar Deals "Find Similar Deals" is not a documented feature in Agentforce for Sales. It might imply identifying past deals for reference, but it doesn't involve generating plans with guidance and steps for closing current deals. This option is incorrect and not aligned with UC's goal.

* Option C: Create Close Plan The "Create Close Plan" feature in Agentforce for Sales uses AI to generate a detailed plan with actionable steps and guidance tailored to closing a specific deal. Powered by the Atlas Reasoning Engine, it analyzes deal data (e.g., Opportunity records) and provides reps with a roadmap to meet quotas. This directly meets UC's requirement for AI-generated plans focused on deal closure, making it the correct answer.

Why Option C is Correct: "Create Close Plan" is a specific Agentforce for Sales capability designed to help reps close deals with AI-driven plans, aligning perfectly with UC's needs as per Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Agentforce for Sales > Create Close Plan- Details AI-generated close plans.

* Trailhead: Explore Agentforce Sales Agents- Highlights close plan generation for sales reps.

* Salesforce Help: Sales Features in Agentforce- Confirms focus on deal closure.

NEW QUESTION: 38

An Agentforce needs to create a Sales Email with a custom prompt template. They need to ground on the following data.

Opportunity Products Events near the customer Tone and voice examples

How should the Agentforce Specialist obtain related items?

A. Call prompt initiated flow to fetch and ground the required data.

B. Create a flex template that takes the records in question as inputs.

C. Utilize a standard email template and manually insert the required data fields.

Answer: A (LEAVE A REPLY)

To ground a sales email on Opportunity Products, Events near the customer, and Tone and voice examples, the Agentforce Specialist should use a prompt-initiated flow. This flow can dynamically fetch the necessary data from related records in Salesforce and ground the generative AI output with contextually accurate information.

* Option B (flex template) does not provide the ability to fetch dynamic data from Salesforce records automatically.

* Option C (manual insertion) would not allow for the dynamic and automated grounding of data required for custom prompts.

Refer to Salesforce documentation on flows and grounding for more details on integrating data into custom prompt templates.

NEW QUESTION: 39

Universal Containers (UC) configured a new PDF file ingestion in Data Cloud with all the required fields, and also created the mapping and the search Index. UC Is now setting up the retriever and notices a required field is missing.

How should UC resolve this?

- A.** Create a new custom Data Cloud object that includes the desired field.
- B.** Update the search index to include the desired field.
- C.** Modify the retriever's configuration to include the desired field..

Answer: ([SHOW ANSWER](#))

Why is "Update the search index to include the desired field" the correct answer?

When configuring a retriever in Data Cloud for PDF file ingestion, all necessary fields must be included in the search index. If a required field is missing, the correct action is to update the search index to ensure it is available for retrieval.

Key Considerations for Fixing Missing Fields in Data Cloud Retrievers:

- * Search Index Controls Which Fields Are Searchable
- * The search index defines which fields are indexed and accessible to the retriever.
- * If a field is missing, it must be added to the index before it can be queried.
- * Ensures Complete and Accurate Data Retrieval
- * Without indexing, the retriever cannot reference the missing field in AI responses.
- * Updating the index makes the field available for AI-powered retrieval.
- * Supports AI-Grounded Responses
- * Agentforce relies on Retriever-Augmented Generation (RAG) to ground AI responses in searchable Data Cloud content.
- * Ensuring all relevant fields are indexed improves AI-generated answer accuracy.

Why Not the Other Options?

A. Create a new custom Data Cloud object that includes the desired field.

- * Incorrect because the issue is with indexing, not with Data Cloud object structure.
- * The field already exists in Data Cloud; it just needs to be indexed.

C. Modify the retriever's configuration to include the desired field.

- * Incorrect because retriever configurations only define query rules; they do not modify the index itself.
- * Updating the search index is the required step to ensure the field is retrievable.

Agentforce Specialist References

- * Salesforce AI Specialist Material confirms that search indexing is required for retrievers to access specific fields in Data Cloud.

NEW QUESTION: 40

What is best practice when refining Agent custom action instructions?

- A.** Provide examples of user messages that are expected to trigger the action.
- B.** Use consistent introductory phrases and verbs across multiple action instructions.
- C.** Specify the persona who will request the action.

Answer: A ([LEAVE A REPLY](#))

When refining Agent custom action instructions, it is considered best practice to provide examples of user messages that are expected to trigger the action. This helps ensure that the custom action understands a variety of user inputs and can effectively respond to the intent behind the messages.

- * Option B (consistent phrases) can improve clarity but does not directly refine the triggering logic.

- * Option C (specifying a persona) is not as crucial as giving examples that illustrate how users will interact with the custom action.

For more details, refer to Salesforce's Agent documentation on building and refining custom actions.

NEW QUESTION: 41

Universal Containers aims to streamline the sales team's daily tasks by using AI.

When considering these new workflows, which improvement requires the use of Prompt Builder?

A. Populate an AI-generated time-to-close estimation to opportunities

B. Populate an AI generated summary field for sales contracts.

C. Populate an AI generated lead score for new leads.

Answer: (SHOW ANSWER)

Prompt Builder is explicitly required to create AI-generated summary fields via prompt templates. These fields use natural language instructions to extract or synthesize information (e.g., summarizing contract terms). Time-to-close estimations (A) and lead scores (C) are typically handled by predictive AI (e.g., Einstein Opportunity Scoring) or analytics tools, which do not require Prompt Builder.

NEW QUESTION: 42

Universal Containers (UC) wants to build an Agentforce Service Agent that provides the latest, active, and relevant policy and compliance information to customers. The agent must:

- * Semantically search HR policies, compliance guidelines, and company procedures.

- * Ensure responses are grounded on published Knowledge.

- * Allow Knowledge updates to be reflected immediately without manual reconfiguration. What should UC do to ensure the agent retrieves the right information?

A. Enable the agent to search all internal records and past customer inquiries.

B. Set up an Agentforce Data Library to store and index policy documents for AI retrieval.

C. Manually add policy responses into the AI model to prevent hallucinations.

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: UC requires an Agentforce Service Agent to deliver accurate, up-to-date policy and compliance info with specific criteria. Let's evaluate.

* Option A: Enable the agent to search all internal records and past customer inquiries. Searching all records and inquiries risks irrelevant or outdated responses, conflicting with the need for published Knowledge grounding and immediate updates. This lacks specificity, making it incorrect.

* Option B: Set up an Agentforce Data Library to store and index policy documents for AI retrieval. The Agentforce Data Library integrates with Salesforce Knowledge, indexing HR policies, compliance guidelines, and procedures for semantic search. It ensures grounding in published Knowledge articles, and updates (e.g., new article versions) are reflected instantly without reconfiguration, as the library syncs with Knowledge automatically. This meets all UC requirements, making it the correct answer.

* Option C: Manually add policy responses into the AI model to prevent hallucinations. Manually embedding responses into the model isn't feasible-Agentforce uses pretrained LLMs, not custom training. It also doesn't support real-time updates, making this incorrect.

Why Option B is Correct: The Data Library meets all criteria-semantic search, Knowledge grounding, and instant updates-per Salesforce's recommended approach.

References:

* Salesforce Agentforce Documentation: Data Library > Knowledge Integration - Details indexing and updates.

* Trailhead: Build Agents with Agentforce - Covers Data Library for accurate responses.

* Salesforce Help: Grounding with Knowledge - Confirms real-time sync.

NEW QUESTION: 43

Universal Containers (UC) recently rolled out Einstein Generative AI capabilities and has created a custom prompt to summarize case records. Users have reported that the case summaries generated are not returning the appropriate information. What is a possible explanation for the poor prompt performance?

A. The prompt template version is incompatible with the chosen LLM.

B. The data being used for grounding is incorrect or incomplete.

C. The Einstein Trust Layer is incorrectly configured.

Answer: ([SHOW ANSWER](#))

Comprehensive and Detailed In-Depth Explanation: UC's custom prompt for summarizing case records is underperforming, and we need to identify a likely cause. Let's evaluate the options based on Agentforce and Einstein Generative AI mechanics.

* Option A: The prompt template version is incompatible with the chosen LLM. Prompt templates in Agentforce are designed to work with the Atlas Reasoning Engine, which abstracts the underlying large language model (LLM). Salesforce manages compatibility between prompt templates and LLMs, and there's no user-facing versioning that directly ties to LLM compatibility. This option is unlikely and not a common issue per documentation.

* Option B: The data being used for grounding is incorrect or incomplete. Grounding is the process of providing context (e.g., case record data) to the AI via prompt templates. If the grounding data- sourced from Record Snapshots, Data Cloud, or other integrations-is incorrect (e.g., wrong fields mapped) or incomplete (e.g., missing key case details), the summaries will be inaccurate. For example, if the prompt relies on Case.Subject but the field is empty or not included, the output will miss critical information. This is a frequent cause of poor performance in generative AI and aligns with Salesforce troubleshooting guidance, making it the correct answer.

* Option C: The Einstein Trust Layer is incorrectly configured. The Einstein Trust Layer enforces guardrails (e.g., toxicity filtering, data masking) to ensure safe and compliant AI outputs.

Misconfiguration might block content or alter tone, but it's unlikely to cause summaries to lack appropriate information unless specific fields are masked unnecessarily. This is less probable than grounding issues and not a primary explanation here.

Why Option B is Correct: Incorrect or incomplete grounding data is a well-documented reason for subpar AI outputs in Agentforce. It directly affects the quality of case summaries, and specialists are advised to verify grounding sources (e.g., field mappings, Data Cloud queries) when troubleshooting, as per official guidelines.

References:

* Salesforce Agentforce Documentation: Prompt Templates > Grounding - Links poor outputs to grounding issues.

* Trailhead: Troubleshoot Agentforce Prompts - Lists incomplete data as a common problem.

* Salesforce Help: Einstein Generative AI > Debugging Prompts - Recommends checking grounding data first.

NEW QUESTION: 44

A sales rep at Universal Containers is extremely busy and sometimes will have very long sales calls on voice and video calls and might miss key details. They are just starting to adopt new generative AI features.

Which Einstein Generative AI feature should An Agentforce recommend to help the rep get the details they might have missed during a conversation?

A. Call Summary

B. Call Explorer

C. Sales Summary

Answer: A (LEAVE A REPLY)

For a sales rep who may miss key details during long sales calls, the Agentforce Specialist should recommend the Call Summary feature. Call Summary uses Einstein Generative AI to automatically generate a concise summary of important points discussed during the call, helping the rep quickly review the key information they might have missed.

* Call Explorer is designed for manually searching through call data but doesn't summarize.

* Sales Summary is focused more on summarizing overall sales activity, not call-specific content.

For more details, refer to Salesforce's Call Summary documentation on how AI-generated summaries can improve sales rep productivity.

NEW QUESTION: 45

What is the main benefit of using a Knowledge article in an Agentforce Data Library?

- A.** Only the retriever for Knowledge articles allows for agents to access Knowledge from both inside the platform and on a customer's website.
- B.** It provides a structured, searchable repository of approved documents so the agent can retrieve reliable information for each inquiry..
- C.** The retriever for Knowledge articles has better accuracy and performance than the default retriever.

Answer: B (LEAVE A REPLY)

Why is "A structured, searchable repository of approved documents" the correct answer?

Using a Knowledge Article in an Agentforce Data Library ensures that agents can quickly access reliable and pre-approved information during customer interactions.

Key Benefits of Knowledge Articles in an Agentforce Data Library:

- * Ensures Information Accuracy and Consistency
- * Knowledge articles provide approved, well-structured responses, reducing the risk of misinformation.
- * This ensures customer service consistency across different agents.
- * Improves Searchability and AI-Grounded Responses
- * Articles are indexed and retrieved efficiently by AI-powered search engines.
- * AI-generated responses are grounded in accurate, structured knowledge, improving response quality.
- * Enhances Customer Support and Agent Productivity
- * Agents spend less time searching for information and more time resolving customer inquiries.
- * Einstein AI can suggest the most relevant articles based on conversation context.

Why Not the Other Options?

A. Only the retriever for Knowledge articles allows for agents to access Knowledge from both inside the platform and on a customer's website.

* Incorrect because other retrievers (e.g., standard Salesforce Data Cloud retrievers) can also provide knowledge access.

* Knowledge articles can be accessed via multiple retrieval mechanisms, not just one specific retriever.

C. The retriever for Knowledge articles has better accuracy and performance than the default retriever.

* Incorrect because retriever accuracy depends on indexing and search configuration, not the article type.

* The default retriever works just as efficiently when properly configured.

Agentforce Specialist References

* Salesforce AI Specialist Material confirms that Knowledge articles provide structured, searchable, and approved information for AI-grounded responses.

NEW QUESTION: 46

After creating a foundation model in Einstein Studio, which hyperparameter should An Agentforce use to adjust the balance between consistency and randomness of a response?

A. Presence Penally

B. Variability

C. Temperature

Answer: C (LEAVE A REPLY)

The Temperature hyperparameter controls the randomness of model outputs:

* Low Temperature (e.g., 0.2): More deterministic, consistent responses.

* High Temperature (e.g., 1.0): More creative, varied responses.

* Presence Penalty (Option A): Discourages repetition of tokens, unrelated to randomness.

* Variability (Option B): Not a standard hyperparameter in Einstein Studio.

References:

* Einstein Studio Documentation: Model Hyperparameters

* Explicitly states "Temperature adjusts the balance between predictable and random outputs."

Valid Agentforce-Specialist Dumps shared by Actual4test.com for Helping Passing Agentforce-Specialist Exam! Actual4test.com now offer the **newest Agentforce-Specialist exam dumps**, the Actual4test.com Agentforce-Specialist exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com Agentforce-Specialist dumps with Test Engine here:

https://www.actual4test.com/Agentforce-Specialist_examcollection.html (379 Q&As

Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Universal Containers is interested in using Call Explorer to quickly gain insights from meetings recorded by its sales team.

What should the Agentforce Specialist be aware of before enabling this feature?

A. Call Explorer operates independently of Salesforce Knowledge, requiring no prior setup.

B. Custom Call Explorer actions need to be built before it can be configured.

C. Call Explorer requires the Einstein Conversation Insights permission set to be enabled.

Answer: C (LEAVE A REPLY)

Before enabling Call Explorer, the Salesforce Agentforce Specialist must ensure that the Einstein Conversation Insights permission set is assigned to users (Option C). Call Explorer is a feature within Einstein Conversation Insights (ECI) that analyzes meeting recordings to surface trends, keywords, and actionable insights.

Key Considerations:

- * Permission Set Requirement:

- * Users (including admins) need the Einstein Conversation Insights permission set to access and use Call Explorer. Without this, the feature remains inaccessible.

- * The permission set grants access to ECI tools, including call transcription, analysis, and dashboard visibility.

- * Why Other Options Are Incorrect:

- * A. Independence from Salesforce Knowledge: While Call Explorer does not rely on Salesforce Knowledge, this is irrelevant to the setup prerequisite. The critical dependency is the permission set, not Knowledge configuration.

- * B. Custom Actions: Call Explorer does not require custom actions to be built before configuration. It is a pre-built analytics tool that works once permissions and data sources (e.g., call recordings) are configured.

References:

- * Salesforce Einstein Conversation Insights Guide: Explicitly states that the Einstein Conversation Insights permission set is required to access Call Explorer.

- * Trailhead Module: "Einstein Conversation Insights Basics" outlines permission prerequisites for enabling call analytics.

- * Salesforce Help Documentation: Confirms that Call Explorer functionality is governed by ECI permissions.

NEW QUESTION: 48

Universal Containers (UC) is implementing generative AI and wants to leverage a prompt template to provide responses to customers that gives personalized product recommendations to website visitors based on their browsing history.

Which initial step should UC take to ensure the chatbot can deliver accurate recommendations?

A. Design universal product recommendations.

B. Write a response script for the chatbot.

C. Collect and analyze browsing data.

Answer: (SHOW ANSWER)

To enable personalized product recommendations using generative AI, the foundational step for Universal Containers (UC) is collecting and analyzing browsing data (Option C). Personalized recommendations depend on understanding user behavior, which requires structured data about their browsing history. Without this data, the AI model lacks the context needed to generate relevant suggestions.

- * Data Collection: UC must first aggregate browsing data (e.g., pages visited, products viewed, session duration) to build a dataset that reflects user preferences.
- * Data Analysis: Analyzing this data identifies patterns (e.g., frequently viewed categories) that inform how prompts should be structured to retrieve relevant recommendations.
- * Grounding in Data: Salesforce's Prompt Templates rely on grounding data to generate accurate outputs. Without analyzing browsing data, the prompt template cannot reference meaningful insights for personalization.

Options A and D are incorrect because:

- * Universal recommendations (A) ignore personalization, which is the core requirement.
- * Writing a response script (D) addresses chatbot interaction design, not the accuracy of recommendations.

References:

- * Salesforce Agentforce Specialist Certification Guide: Highlights the importance of grounding prompts in relevant data sources to ensure accuracy.
- * Trailhead Module: "Einstein for Developers" emphasizes data preparation as a prerequisite for effective AI-driven personalization.
- * Salesforce Help Documentation: Recommends analyzing user behavior data to tailor generative AI outputs in commerce use cases.

NEW QUESTION: 49

What is automatically created when a custom search index is created in Data Cloud?

- A.** A retriever that shares the name of the custom search index.
- B.** A dynamic retriever to allow runtime selection of retriever parameters without manual configuration.
- C.** A predefined Apex retriever class that can be edited by a developer to meet specific needs.

Answer: [\(SHOW ANSWER\)](#)

Comprehensive and Detailed In-Depth Explanation: In Salesforce Data Cloud, a custom search index is created to enable efficient retrieval of data (e.g., documents, records) for AI-driven processes, such as grounding Agentforce responses. Let's evaluate the options based on Data Cloud's functionality.

- * Option A: A retriever that shares the name of the custom search index. When a custom search index is created in Data Cloud, a corresponding retriever is automatically generated with the same name as the index. This retriever leverages the index to perform contextual searches (e.g., vector-based lookups) and fetch relevant data for AI applications, such as Agentforce prompt templates. The retriever is tied to the indexed data and is ready to use without additional configuration, aligning with Data Cloud's streamlined approach to AI integration. This is explicitly documented in Salesforce resources and is the correct answer.
- * Option B: A dynamic retriever to allow runtime selection of retriever parameters without manual configuration. While dynamic behavior sounds appealing, there's no concept of a

"dynamic retriever" in Data Cloud that adjusts parameters at runtime without configuration. Retrievers are tied to specific indexes and operate based on predefined settings established during index creation. This option is not supported by official documentation and is incorrect.

* Option C: A predefined Apex retriever class that can be edited by a developer to meet specific needs. Data Cloud does not generate Apex classes for retrievers. Retrievers are managed within the Data Cloud platform as part of its native AI retrieval system, not as customizable Apex code. While developers can extend functionality via Apex for other purposes, this is not an automatic outcome of creating a search index, making this option incorrect.

Why Option A is Correct: The automatic creation of a retriever named after the custom search index is a core feature of Data Cloud's search and retrieval system. It ensures seamless integration with AI tools like Agentforce by providing a ready-to-use mechanism for data retrieval, as confirmed in official documentation.

References:

- * Salesforce Data Cloud Documentation: Custom Search Indexes - States that a retriever is auto-created with the same name as the index.
- * Trailhead: Data Cloud for Agentforce - Explains retriever creation in the context of search indexes.
- * Salesforce Help: Set Up Search Indexes in Data Cloud - Confirms the retriever-index relationship.

NEW QUESTION: 50

How does Secure Data Retrieval ensure that only authorized users can access necessary Salesforce data for dynamic grounding?

- A.** Retrieves Salesforce data based on the 'Run As' users permissions.
- B.** Retrieves Salesforce data based on the user's permissions executing the prompt.
- C.** Retrieves Salesforce data based on the Prompt template's object permissions.

Answer: B (LEAVE A REPLY)

Secure Data Retrieval enforces Salesforce's security model by dynamically grounding data access in the permissions of the user executing the prompt. This ensures compliance with CRUD (Create, Read, Update, Delete) and FLS (Field-Level Security) settings, preventing unauthorized access to sensitive data. For example, if a user lacks access to a specific object or field, the AI model cannot retrieve it for dynamic grounding.

- * "Run As" user permissions (A) would bypass user-specific security, posing a compliance risk.
- * Prompt template permissions (C) are not a Salesforce security mechanism; access is always tied to the user's profile and sharing settings.

NEW QUESTION: 51

Universal Containers (UC) wants to implement an AI-powered customer service agent that can:

- * Retrieve proprietary policy documents that are stored as PDFs.
 - * Ensure responses are grounded in approved company data, not generic LLM knowledge.
- What should UC do first?

- A.** Set up an Agentforce Data Library for AI retrieval of policy documents.
- B.** Expand the AI agent's scope to search all Salesforce records.
- C.** Add the files to the content, and then select the data library option.

Answer: A (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: To implement an AI-powered customer service agent that retrieves proprietary policy documents (stored as PDFs) and ensures responses are grounded in approved company data, UC must first establish a foundation for the AI to access and use this data. The Agentforce Data Library (Option A) is the correct starting point. A Data Library allows UC to upload PDFs containing policy documents, index them into Salesforce Data Cloud's vector database, and make them available for AI retrieval. This setup ensures the agent can perform Retrieval-Augmented Generation (RAG), grounding its responses in the specific, approved content from the PDFs rather than relying on generic LLM knowledge, directly meeting UC's requirements.

* Option B: Expanding the AI agent's scope to search all Salesforce records is too broad and unnecessary at this stage. The requirement focuses on PDFs with policy documents, not all Salesforce data (e.g., cases, accounts), making this premature and irrelevant as a first step.

* Option C: "Add the files to the content, and then select the data library option" is vague and not a precise process in Agentforce. While uploading files is part of setting up a Data Library, the phrasing suggests adding files to Salesforce Content (e.g., ContentDocument) without indexing, which doesn't enable AI retrieval. Setting up the Data Library (A) encompasses the full process correctly.

* Option A: This is the foundational step—creating a Data Library ensures the PDFs are uploaded, indexed, and retrievable by the agent, fulfilling both retrieval and grounding needs.

Option A is the correct first step for UC to achieve its goals.

References:

* Salesforce Agentforce Documentation: "Set Up a Data Library" (Salesforce Help: https://help.salesforce.com/s/articleView?id=sf.agentforce_data_library.htm&type=5)

* Salesforce Data Cloud Documentation: "Ground AI Responses with Data Cloud" (https://help.salesforce.com/s/articleView?id=sf.data_cloud_agentforce.htm&type=5)

NEW QUESTION: 52

An Agentforce Specialist needs to create a prompt template to fill a custom field named Latest Opportunities Summary on the Account object with information from the three most recently opened opportunities. How should the Agentforce Specialist gather the necessary data for the prompt template?

- A.** Select the latest Opportunities related list as a merge field.
- B.** Create a flow to retrieve the opportunity information.
- C.** Select the Account Opportunity object as a resource when creating the prompt template.

Answer: ([SHOW ANSWER](#))

Comprehensive and Detailed In-Depth Explanation: In Salesforce Agentforce, a prompt template designed to populate a custom field (like "Latest Opportunities Summary" on the Account object) requires dynamic data to be fed into the template for AI to generate meaningful output. Here, the task is to gather data from the three most recently opened opportunities related to an account. The most robust and flexible way to achieve this is by using a Flow (Option B). Salesforce Flows allow the Agentforce Specialist to define logic to query the Opportunity object, filter for the three most recent opportunities (e.g., using a Get Records element with a sort by CreatedDate descending and a limit of 3), and pass this data as variables into the prompt template. This approach ensures precise control over the data retrieval process and can handle complex filtering or sorting requirements.

* Option A: Selecting the "latest Opportunities related list as a merge field" is not a valid option in Agentforce prompt templates. Merge fields can pull basic field data (e.g., {!Account.Name}), but they don't natively support querying or aggregating related list data like the three most recent opportunities.

* Option C: There is no "Account Opportunity object" in Salesforce; this seems to be a misnomer (perhaps implying the Opportunity object or a junction object). Even if interpreted as selecting the Opportunity object as a resource, prompt templates don't directly query related objects without additional logic (e.g., a Flow), making this incorrect.

* Option B: Flows integrate seamlessly with prompt templates via dynamic inputs, allowing the Specialist to retrieve and structure the exact data needed (e.g., Opportunity Name, Amount, Close Date) for the AI to summarize.

Thus, Option B is the correct method to gather the necessary data efficiently and accurately.

References:

* Salesforce Agentforce Documentation: "Integrate Flows with Prompt Templates" (Salesforce Help:

[https://help.salesforce.com/s/articleView?](https://help.salesforce.com/s/articleView?id=sf.agentforce_flow_prompt_integration.htm&type=5)

[id=sf.agentforce_flow_prompt_integration.htm&type=5\)](https://help.salesforce.com/s/articleView?id=sf.agentforce_flow_prompt_integration.htm&type=5)

* Trailhead: "Build Flows for

Agentforce" (<https://trailhead.salesforce.com/content/learn/modules/flows-for-agentforce>)

NEW QUESTION: 53

An Agentforce configured Data Masking within the Einstein Trust Layer.

How should the Agentforce Specialist begin validating that the correct fields are being masked?

A. Use a Flow-based resource in Prompt Builder to debug the fields' merge values using Flow Debugger.

B. Request the Einstein Generative AI Audit Data from the Security section of the Setup menu.

C. Enable the collection and storage of Einstein Generative AI Audit Data on the Einstein Feedback setup page.

Answer: C (LEAVE A REPLY)

To begin validating that the correct fields are being masked in Einstein Trust Layer, the Agentforce Specialist should request the Einstein Generative AI Audit Data from the Security section of the Salesforce Setup menu. This audit data allows the Agentforce Specialist to see how data is being processed, including which fields are being masked, providing transparency and validation that the configuration is working as expected.

* Option B is correct because it allows for the retrieval of audit data that can be used to validate data masking.

* Option A (Flow Debugger) and Option C (Einstein Feedback) do not relate to validating field masking in the context of the Einstein Trust Layer.

References:

* Salesforce Einstein Trust Layer Documentation: [https://help.salesforce.com/s/articleView?id=sf.](https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer_audit.htm)

[einstein_trust_layer_audit.htm](https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer_audit.htm)

NEW QUESTION: 54

Universal Containers wants to leverage the Record Snapshots grounding feature in a prompt template. What preparations are required?

A. Configure page layout of the master record type.

B. Create a field set for all the fields to be grounded.

C. Enable and configure dynamic form for the object.

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: Universal Containers (UC) aims to use Record Snapshots grounding in a prompt template to provide context from a specific record. Let's evaluate the preparation steps.

* Option A: Configure page layout of the master record type. While page layouts define field visibility for users, Record Snapshots grounding relies on field accessibility at the object level, not the layout.

The AI accesses data based on permissions and configuration, not layout alone, making this insufficient and incorrect.

* Option B: Create a field set for all the fields to be grounded. Record Snapshots in Prompt Builder allow grounding with fields from a record, but you must specify which fields to

include. Creating a field set is a recommended preparation step-it groups the fields (e.g., from the object) to be passed to the prompt template, ensuring the AI has the right data. This is a documented best practice for controlling snapshot scope, making it the correct answer.

* Option C: Enable and configure dynamic form for the object. Dynamic Forms enhance UI flexibility but aren't required for Record Snapshots grounding. The feature pulls data directly from the object, not the form configuration, making this irrelevant and incorrect.

Why Option B is Correct: Creating a field set ensures the prompt template uses the intended fields for grounding, a key preparation step per Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Prompt Builder > Record Snapshots- Recommends field sets for grounding.

* Trailhead: Ground Your Agentforce Prompts- Details field set preparation.

* Salesforce Help: Set Up Record Snapshots- Confirms field set usage.

NEW QUESTION: 55

Which feature in the Einstein Trust Layer helps to minimize the risks of jailbreaking and prompt injection attacks?

A. Secure Data Retrieval and Grounding

B. Data Masking

C. Prompt Defense

Answer: (SHOW ANSWER)

The Einstein Trust Layer is designed to ensure responsible and compliant AI usage. Data Masking (B) is the mechanism that directly addresses compliance with data protection regulations like GDPR by obscuring or anonymizing sensitive personal data (e.g., names, emails, phone numbers) before it is processed by AI models. This prevents unauthorized exposure of personally identifiable information (PII) and ensures adherence to privacy laws.

Salesforce documentation explicitly states that Data Masking is a core component of the Einstein Trust Layer, enabling organizations to meet GDPR requirements by automatically redacting sensitive fields during AI interactions. For example, masked data ensures that PII is not stored or used in AI model training or inference without explicit consent.

In contrast:

* Toxicity Scoring (A) identifies harmful or inappropriate content in outputs but does not address data privacy.

* Prompt Defense (C) guards against malicious prompts or injection attacks but focuses on security rather than data protection compliance.

NEW QUESTION: 56

An Agentforce is considering using a Field Generation prompt template type.

What should the Agentforce Specialist check before creating the Field Generation prompt to ensure it is possible for the field to be enabled for generative AI?

- A. That the field chosen must be a rich text field with 255 characters or more.
- B. That the org is set to API version 59 or higher
- C. That the Lightning page layout where the field will reside has been upgraded to Dynamic Forms

Answer: B (LEAVE A REPLY)

Before creating a Field Generation prompt template, the Agentforce Specialist must ensure that the Salesforce org is set to API version 59 or higher. This version of the API introduces support for advanced generative AI features, such as enabling fields for generative AI outputs. This is a critical technical requirement for the Field Generation prompt template to function correctly.

- * Option A (rich text field requirement) is not necessary for generative AI functionality.
- * Option C (Dynamic Forms) does not impact the ability of a field to be generative AI-enabled, although it might enhance the user interface.

For more information, refer to Salesforce documentation on API versioning and Field Generation templates.

NEW QUESTION: 57

Universal Containers (UC) is experimenting with using public Generative AI models and is familiar with the language required to get the information it needs. However, it can be time-consuming for both UC's sales and service reps to type in the prompt to get the information they need, and ensure prompt consistency. Which Salesforce feature should the company use to address these concerns?

- A. Agent Builder and Action: Query Records.
- B. Einstein Prompt Builder and Prompt Templates.
- C. Einstein Recommendation Builder.

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: UC wants to streamline the use of Generative AI by reducing the time reps spend typing prompts and ensuring consistency, leveraging their existing prompt knowledge. Let's evaluate the options.

- * Option A: Agent Builder and Action: Query Records. Agent Builder in Agentforce Studio creates autonomous AI agents with actions like "Query Records" to fetch data. While this could retrieve information, it's designed for agent-driven workflows, not for simplifying manual prompt entry or ensuring consistency across user inputs. This doesn't directly address UC's concerns and is incorrect.
- * Option B: Einstein Prompt Builder and Prompt Templates. Einstein Prompt Builder, part of Agentforce Studio, allows users to create reusable prompt templates that encapsulate specific instructions and grounding for Generative AI (e.g., using public models via the Atlas Reasoning Engine). UC can predefine prompts based on their known language, saving time for reps by eliminating repetitive typing and ensuring consistency across sales

and service teams. Templates can be embedded in flows, Lightning pages, or agent interactions, perfectly addressing UC's needs. This is the correct answer.

* Option C: Einstein Recommendation Builder. Einstein Recommendation Builder generates personalized recommendations (e.g., products, next best actions) using predictive AI, not Generative AI for freeform prompts. It doesn't support custom prompt creation or address time/consistency issues for reps, making it incorrect.

Why Option B is Correct: Einstein Prompt Builder's prompt templates directly tackle UC's challenges by standardizing prompts and reducing manual effort, leveraging their familiarity with Generative AI language.

This is a core feature for such use cases, as per Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Einstein Prompt Builder- Details prompt templates for consistency and efficiency.

* Trailhead: Build Prompt Templates in Agentforce- Explains time-saving benefits of templates.

* Salesforce Help: Generative AI with Prompt Builder- Confirms use for streamlining rep interactions.

NEW QUESTION: 58

Universal Containers (UC) wants to create a new Sales Email prompt template in Prompt Builder using the

"Save As" function. However, UC notices that the new template produces different results compared to the standard Sales Email prompt due to missing hyperparameters.

What should UC do to ensure the new prompt template produces results comparable to the standard Sales Email prompts?

A. Use Model Playground to create a model configuration with the specified parameters.

B. Manually add the hyperparameters to the new template.

C. Revert to using the standard template without modifications.

Answer: ([SHOW ANSWER](#))

When Universal Containers creates a new Sales Email prompt template using the "Save As" function, missing hyperparameters can result in different outputs. To ensure the new prompt produces comparable results to the standard Sales Email prompt, the Agentforce Specialist should manually add the necessary hyperparameters to the new template.

* Hyperparameters like Temperature, Frequency Penalty, and Presence Penalty directly affect how the AI generates responses. Ensuring that these are consistent with the standard template will result in similar outputs.

* Option A (Model Playground) is not necessary here, as it focuses on fine-tuning models, not adjusting templates directly.

* Option C (Reverting to the standard template) does not solve the issue of customizing the prompt template.

For more information, refer to Prompt Builder documentation on configuring hyperparameters in custom templates.

NEW QUESTION: 59

Universal Containers (UC) uses a file upload-based data library and custom prompt to support AI-driven training content. However, users report that the AI frequently returns outdated documents. Which corrective action should UC implement to improve content relevancy?

- A.** Switch the data library source from file uploads to a Knowledge-based data library, because Salesforce Knowledge bases automatically manage document recency, ensuring current documents are returned.
- B.** Configure a custom retriever that includes a filter condition limiting retrieval to documents updated within a defined recent period, ensuring that only current content is used for AI responses.
- C.** Continue using the default retriever without filters, because periodic re-uploads will eventually phase out outdated documents without further configuration or the need for custom retrievers.

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: UC's issue is that their file upload-based Data Library (where PDFs or documents are uploaded and indexed into Data Cloud's vector database) is returning outdated training content in AI responses. To improve relevancy by ensuring only current documents are retrieved, the most effective solution is to configure a custom retriever with a filter (Option B). In Agentforce, a custom retriever allows UC to define specific conditions-such as a filter on a "Last Modified Date" or similar timestamp field-to limit retrieval to documents updated within a recent period (e.g., last 6 months). This ensures the AI grounds its responses in the most current content, directly addressing the problem of outdated documents without requiring a complete overhaul of the data source.

* Option A: Switching to a Knowledge-based Data Library (using Salesforce Knowledge articles) could work, as Knowledge articles have versioning and expiration features to manage recency.

However, this assumes UC's training content is already in Knowledge articles (not PDFs) and requires migrating all uploaded files, which is a significant shift not justified by the question's context. File-based libraries are still viable with proper filtering.

* Option B: This is the best corrective action. A custom retriever with a date filter leverages the existing file-based library, refining retrieval without changing the data source, making it practical and targeted.

* Option C: Relying on periodic re-uploads with the default retriever is passive and inefficient. It doesn't guarantee recency (old files remain indexed until manually removed) and requires ongoing manual effort, failing to proactively solve the issue.

Option B provides a precise, scalable solution to ensure content relevancy in UC's AI-driven training system.

References:

* Salesforce Agentforce Documentation: "Custom Retrievers for Data Libraries" (Salesforce Help:

https://help.salesforce.com/s/articleView?id=sf.agentforce_custom_retrievers.htm&type=5)

* Salesforce Data Cloud Documentation: "Filter Retrieval for AI" (https://help.salesforce.com/s/articleView?id=sf.data_cloud_retrieval_filters.htm&type=5)

* Trailhead: "Manage Data Libraries in Agentforce" (<https://trailhead.salesforce.com/content/learn/modules/agentforce-data-libraries>)

NEW QUESTION: 60

When creating a custom retriever in Einstein Studio, which step is considered essential?

- A.** Select the search index, specify the associated data model object (DMO) and data space, and optionally define filters to narrow search results.
- B.** Define the output configuration by specifying the maximum number of results to return, and map the output fields that will ground the prompt.
- C.** Configure the search index, choose vector or hybrid search, choose the fields for filtering, the data space and model, then define the ranking method.

Answer: A (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: In Salesforce's Einstein Studio (part of the Agentforce ecosystem), creating a custom retriever involves setting up a mechanism to fetch data for AI prompts or responses. The essential step is defining the foundation of the retriever: selecting the search index, specifying the data model object (DMO), and identifying the data space (Option A). These elements establish where and what the retriever searches:

* **Search Index:** Determines the indexed dataset (e.g., a vector database in Data Cloud) the retriever queries.

* **Data Model Object (DMO):** Specifies the object (e.g., Knowledge Articles, Custom Objects) containing the data to retrieve.

* **Data Space:** Defines the scope or environment (e.g., a specific Data Cloud instance) for the data.

Filters are noted as optional in Option A, which is accurate—they enhance precision but aren't mandatory for the retriever to function. This step is foundational because without it, the retriever lacks a target dataset, rendering it unusable.

* **Option B:** Defining output configuration (e.g., max results, field mapping) is important for shaping the retriever's output, but it's a secondary step. The retriever must first know where to search (A) before output can be configured.

* Option C: This option includes advanced configurations (vector/hybrid search, filtering fields, ranking method), which are valuable but not essential. A basic retriever can operate without specifying search type or ranking, as defaults apply, but it cannot function without a search index, DMO, and data space.

* Option A: This is the minimum required step to create a functional retriever, making it essential.

Option A is the correct answer as it captures the core, mandatory components of retriever setup in Einstein Studio.

References:

* Salesforce Agentforce Documentation: "Custom Retrievers in Einstein Studio" (Salesforce Help:

https://help.salesforce.com/s/articleView?id=sf.einstein_studio_retrievers.htm&type=5)

* Trailhead: "Einstein Studio for

Agentforce" (<https://trailhead.salesforce.com/content/learn/modules/einstein-studio-for-agentforce>)

NEW QUESTION: 61

In a Knowledge-based data library configuration, what is the primary difference between the identifying fields and the content fields?

A. Identifying fields help locate the correct Knowledge article, while content fields enrich AI responses with detailed information.

B. Identifying fields categorize articles for indexing purposes, while content fields provide a brief summary for display.

C. Identifying fields highlight key terms for relevance scoring, while content fields store the full text of the article for retrieval.

Answer: A (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: In Agentforce, a Knowledge-based data library (e.g., via Salesforce Knowledge or Data Cloud grounding) uses identifying fields and content fields to support AI responses. Let's analyze their roles.

* Option A: Identifying fields help locate the correct Knowledge article, while content fields enrich AI responses with detailed information. In a Knowledge-based data library, identifying fields (e.g., Title, Article Number, or custom metadata) are used to search and pinpoint the relevant Knowledge article based on user input or context. Content fields (e.g., Article Body, Details) provide the substantive data that the AI uses to generate detailed, enriched responses. This distinction is critical for grounding Agentforce prompts and aligns with Salesforce's documentation on Knowledge integration, making it the correct answer.

* Option B: Identifying fields categorize articles for indexing purposes, while content fields provide a brief summary for display. Identifying fields do more than categorize—they actively locate articles, not just index them. Content fields aren't limited to summaries; they include full article content for response generation, not just display. This option underrepresents their roles and is incorrect.

* Option C: Identifying fields highlight key terms for relevance scoring, while content fields store the full text of the article for retrieval. While identifying fields contribute to relevance (e.g., via search terms), their primary role is locating articles, not just scoring. Content fields do store full text, but their purpose is to enrich responses, not merely enable retrieval. This option shifts focus inaccurately, making it incorrect.

Why Option A is Correct: The primary difference-identifying fields for locating articles and content fields for enriching responses-reflects their roles in Knowledge-based grounding, as per official Agentforce documentation.

References:

- * Salesforce Agentforce Documentation: Grounding with Knowledge > Data Library Setup- Defines identifying vs. content fields.
- * Trailhead: Ground Your Agentforce Prompts- Explains field roles in Knowledge integration.
- * Salesforce Help: Knowledge in Agentforce- Confirms locating and enriching functions.

Valid Agentforce-Specialist Dumps shared by Actual4test.com for Helping Passing Agentforce-Specialist Exam! Actual4test.com now offer the **newest Agentforce-Specialist exam dumps**, the Actual4test.com Agentforce-Specialist exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Agentforce-Specialist dumps with Test Engine here:
https://www.actual4test.com/Agentforce-Specialist_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

Universal Containers Is Interested In Improving the sales operation efficiency by analyzing their data using AI-powered predictions in Einstein Studio.

Which use case works for this scenario?

- A. Predict customer sentiment toward a promotion message.
- B. Predict customer lifetime value of an account.
- C. Predict most popular products from new product catalog.

Answer: B (LEAVE A REPLY)

For improving sales operations efficiency, Einstein Studio is ideal for creating AI-powered models that can predict outcomes based on data. One of the most valuable use cases is predicting customer lifetime value, which helps sales teams focus on high-value accounts and make more informed decisions. Customer lifetime value (CLV) predictions can optimize strategies around customer retention, cross-selling, and long-term engagement.

* Option B is the correct choice as predicting customer lifetime value is a well-established use case for AI in sales.

* Option A (customer sentiment) is typically handled through NLP models, while Option C (product popularity) is more of a marketing analysis use case.

References:

Salesforce Einstein Studio Use Case Overview: [https://help.salesforce.com/s/articleView?id=sf.](https://help.salesforce.com/s/articleView?id=sf.einstein_studio_overview)

einstein_studio_overview

NEW QUESTION: 63

In Model Playground, which hyperparameters of an existing Salesforce-enabled foundational model can An Agentforce change?

- A. Temperature, Frequency Penalty, Presence Penalty
- B. Temperature, Top-k sampling, Presence Penalty
- C. Temperature, Frequency Penalty, Output Tokens

Answer: (SHOW ANSWER)

In Model Playground, An Agentforce working with a Salesforce-enabled foundational model has control over specific hyperparameters that can directly affect the behavior of the generative model:

* Temperature: Controls the randomness of predictions. A higher temperature leads to more diverse outputs, while a lower temperature makes the model's responses more focused and deterministic.

* Frequency Penalty: Reduces the likelihood of the model repeating the same phrases or outputs frequently.

* Presence Penalty: Encourages the model to introduce new topics in its responses, rather than sticking with familiar, previously mentioned content.

These hyperparameters are adjustable to fine-tune the model's responses, ensuring that it meets the desired behavior and use case requirements. Salesforce documentation confirms that these three are the key tunable hyperparameters in the Model Playground. For more details, refer to Salesforce AI Model Playground guidance from Salesforce's official documentation on foundational model adjustments.

NEW QUESTION: 64

Universal Container (UC) has effectively utilized prompt templates to update summary fields on Lightning record pages. An admin now wishes to incorporate similar functionality into UC's automation process using Flow.

How can the admin get a response from this prompt template from within a flow to use as part of UC's automation?

- A. Invocable Apex
- B. Flow Action
- C. Einstein for Flow

Answer: C (LEAVE A REPLY)

1.Context of the Question

oUniversal Container (UC) has used prompt templates to update summary fields on record pages.

oNow, the admin wants to incorporate similar generative AI functionality within a Flow for automation purposes.

2.How to Call a Prompt Template Within a Flow

oFlow Action: Salesforce provides a standard way to invoke generative AI templates or prompts within a Flow step. From the Flow Builder, you can add an "Action" that references the prompt template you created in Prompt Builder.

oOther Options:

Invocable Apex: Possible fallback if there's no out-of-the-box Flow Action available.

However, Salesforce is releasing native Flow integration for AI prompts, making custom Apex less necessary.

Einstein for Flow: A broad label for Salesforce's generative AI features within Flow. Under the hood, you typically use a "Flow Action" that points to your prompt.

3.Conclusion

oThe easiest out-of-the-box solution is to use a Flow Action referencing the prompt template. Hence, Option B is correct.

Salesforce Agentforce Specialist References & Documents

*Salesforce Trailhead: Use Prompt Templates in Flow

Demonstrates how to add an Action in Flow that calls a prompt template.

*Salesforce Documentation: Einstein GPT for Flow

NEW QUESTION: 65

A Salesforce Administrator is exploring the capabilities of Agent to enhance user interaction within their organization. They are particularly interested in how Agent processes user requests and the mechanism it employs to deliver responses. The administrator is evaluating whether Agent directly interfaces with a large language model (LLM) to fetch and display responses to user inquiries, facilitating a broad range of requests from users.

How does Agent handle user requests In Salesforce?

A. Agent will trigger a flow that utilizes a prompt template to generate the message.

B. Agent will perform an HTTP callout to an LLM provider.

C. Agent analyzes the user's request and LLM technology is used to generate and display the appropriate response.

Answer: C (LEAVE A REPLY)

Agent is designed to enhance user interaction within Salesforce by leveraging Large Language Models (LLMs) to process and respond to user inquiries. When a user submits a request, Agent analyzes the input using natural language processing techniques. It then utilizes LLM technology to generate an appropriate and contextually relevant response, which is displayed directly to the user within the Salesforce interface.

Option C accurately describes this process. Agent does not necessarily trigger a flow (Option A) or perform an HTTP callout to an LLM provider (Option B) for each user request. Instead, it integrates LLM capabilities to provide immediate and intelligent responses, facilitating a broad range of user requests.

References:

- * Salesforce Agentforce Specialist Documentation - Agent Overview: Details how Agent employs LLMs to interpret user inputs and generate responses within the Salesforce ecosystem.
- * Salesforce Help - How Agent Works: Explains the underlying mechanisms of how Agent processes user requests using AI technologies.

NEW QUESTION: 66

When configuring a prompt template, an Agentforce Specialist previews the results of the prompt template they've written. They see two distinct text outputs: Resolution and Response. Which information does the Resolution text provide?

- A.** It shows the full text that is sent to the Trust Layer.
- B.** It shows the response from the LLM based on the sample record.
- C.** It shows which sensitive data is masked before it is sent to the LLM.

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: In Salesforce Agentforce, when previewing a prompt template, the interface displays two outputs: Resolution and Response. These terms relate to how the prompt is processed and evaluated, particularly in the context of the Einstein Trust Layer, which ensures AI safety, compliance, and auditability. The Resolution text specifically refers to the full text that is sent to the Trust Layer for processing, monitoring, and governance (Option A). This includes the constructed prompt (with grounding data, instructions, and variables) as it's submitted to the large language model (LLM), along with any Trust Layer interventions (e.g., masking, filtering) applied before or after LLM processing. It's a comprehensive view of the input/output flow that the Trust Layer captures for auditing and compliance purposes.

* Option B: The "Response" output in the preview shows the LLM's generated text based on the sample record, not the Resolution. Resolution encompasses more than just the LLM response-it includes the entire payload sent to the Trust Layer.

* Option C: While the Trust Layer does mask sensitive data (e.g., PII) as part of its guardrails, the Resolution text doesn't specifically isolate "which sensitive data is masked." Instead, it shows the full text, including any masked portions, as processed by the Trust Layer-not a separate masking log.

* Option A: This is correct, as Resolution provides a holistic view of the text sent to the Trust Layer, aligning with its role in monitoring and auditing the AI interaction.

Thus, Option A accurately describes the purpose of the Resolution text in the prompt template preview.

References:

* Salesforce Agentforce Documentation: "Preview Prompt Templates" (Salesforce Help: [https://help.](https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_preview.htm&type=5)

[salesforce.com/s/articleView?id=sf.agentforce_prompt_preview.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_preview.htm&type=5))

* Salesforce Einstein Trust Layer Documentation: "Trust Layer

Outputs" ([https://help.salesforce.com/s](https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer.htm&type=5)

[/articleView?id=sf.einstein_trust_layer.htm&type=5](https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer.htm&type=5))

NEW QUESTION: 67

Universal Containers (UC) plans to implement prompt templates that utilize the standard foundation models.

What should UC consider when building prompt templates in Prompt Builder?

A. Include multiple-choice questions within the prompt to test the LLM's understanding of the context.

B. Ask it to role-play as a character in the prompt template to provide more context to the LLM.

C. Train LLM with data using different writing styles including word choice, intensifiers, emojis, and punctuation.

Answer: B (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: UC is using Prompt Builder with standard foundation models (e.g., via Atlas Reasoning Engine). Let's assess best practices for prompt design.

* Option A: Include multiple-choice questions within the prompt to test the LLM's understanding of the context. Prompt templates are designed to generate responses, not to test the LLM with multiple-choice questions. This approach is impractical and not supported by Prompt Builder's purpose, making it incorrect.

* Option B: Ask it to role-play as a character in the prompt template to provide more context to the LLM. A key consideration in Prompt Builder is crafting clear, context-rich prompts. Instructing the LLM to adopt a role (e.g., "Act as a sales expert") enhances context and tailors responses to UC's needs, especially with standard models. This is a documented best practice for improving output relevance, making it the correct answer.

* Option C: Train LLM with data using different writing styles including word choice, intensifiers, emojis, and punctuation. Standard foundation models in Agentforce are pretrained and not user-trainable. Prompt Builder users refine prompts, not the LLM itself, making this incorrect.

Why Option B is Correct: Role-playing enhances context for standard models, a recommended technique in Prompt Builder for effective outputs, as per Salesforce guidelines.

References:

* Salesforce Agentforce Documentation: Prompt Builder > Best Practices - Recommends role-based context.

* Trailhead: Build Prompt Templates in Agentforce - Highlights role-playing for clarity.

* Salesforce Help: Prompt Design Tips - Suggests contextual roles.

NEW QUESTION: 68

Universal Containers wants to use an external large language model (LLM) in Prompt Builder.

What should An Agentforce recommend?

- A. Use Apex to connect to an external LLM and ground the prompt.
- B. Use BYO-LLM functionality in Einstein Studio.
- C. Use Flow and External Services to bring data from an external LLM.

Answer: B (LEAVE A REPLY)

Bring Your Own Large Language Model (BYO-LLM) functionality in Einstein Studio allows organizations to integrate and use external large language models (LLMs) within the Salesforce ecosystem.

Universal Containers can leverage this feature to connect and ground prompts with external LLMs, allowing for custom AI model use cases and seamless integration with Salesforce data.

* Option B is the correct choice as Einstein Studio provides a built-in feature to work with external models.

* Option A suggests using Apex, but BYO-LLM functionality offers a more streamlined solution.

* Option C focuses on Flow and External Services, which is more about data integration and isn't ideal for working with LLMs.

References:

Salesforce Einstein Studio BYO-LLM Documentation:

https://help.salesforce.com/s/articleView?id=sf.einstein_studio_llm.htm

NEW QUESTION: 69

Universal Containers (UC) wants to ensure the effectiveness, reliability, and trust of its agents prior to deploying them in production. UC would like to efficiently test a large and repeatable number of utterances.

What should the Agentforce Specialist recommend?

- A. Leverage the Agent Large Language Model (LLM) UI and test UC's agents with different utterances prior to activating the agent.
- B. Deploy the agent in a QA sandbox environment and review the Utterance Analysis reports to review effectiveness.
- C. Create a CSV file with UC's test cases in Agentforce Testing Center using the testing template.

Answer: C (LEAVE A REPLY)

Comprehensive and Detailed In-Depth Explanation: The goal of Universal Containers (UC) is to test its Agentforce agents for effectiveness, reliability, and trust before production

deployment, with a focus on efficiently handling a large and repeatable number of utterances. Let's evaluate each option against this requirement and Salesforce's official Agentforce tools and best practices.

* Option A: Leverage the Agent Large Language Model (LLM) UI and test UC's agents with different utterances prior to activating the agent. While Agentforce leverages advanced reasoning capabilities (powered by the Atlas Reasoning Engine), there's no specific "Agent Large Language Model (LLM) UI" referenced in Salesforce documentation for testing agents. Testing utterances directly within an LLM interface might imply manual experimentation, but this approach lacks scalability and repeatability for a large number of utterances. It's better suited for ad-hoc testing of individual responses rather than systematic evaluation, making it inefficient for UC's needs.

* Option B: Deploy the agent in a QA sandbox environment and review the Utterance Analysis reports to review effectiveness. Deploying an agent in a QA sandbox is a valid step in the development lifecycle, as sandboxes allow testing in a production-like environment without affecting live data.

However, "Utterance Analysis reports" is not a standard term in Agentforce documentation. Salesforce provides tools like Agent Analytics or User Utterances dashboards for post-deployment analysis, but these are more about monitoring live performance than pre-deployment testing. This option doesn't explicitly address how to efficiently test a large and repeatable number of utterances before deployment, making it less precise for UC's requirement.

* Option C: Create a CSV file with UC's test cases in Agentforce Testing Center using the testing template. The Agentforce Testing Center is a dedicated tool within Agentforce Studio designed specifically for testing autonomous AI agents. According to Salesforce documentation, Testing Center allows users to upload a CSV file containing test cases (e.g., utterances and expected outcomes) using a provided template. This enables the generation and execution of hundreds of synthetic interactions in parallel, simulating real-world scenarios. The tool evaluates how the agent interprets utterances, selects topics, and executes actions, providing detailed results for iteration. This aligns perfectly with UC's need for efficiency (bulk testing via CSV), repeatability (standardized test cases), and reliability (systematic validation), ensuring the agent is production-ready. This is the recommended approach per official guidelines.

Why Option C is Correct: The Agentforce Testing Center is explicitly built for pre-deployment validation of agents. It supports bulk testing by allowing users to upload a CSV with utterances, which is then processed by the Atlas Reasoning Engine to assess accuracy and reliability. This method ensures UC can systematically test a large dataset, refine agent instructions or topics based on results, and build trust in the agent's performance- all before production deployment. This aligns with Salesforce's emphasis on testing non-deterministic AI systems efficiently, as noted in Agentforce setup documentation and Trailhead modules.

References:

- * Salesforce Trailhead: Get Started with Salesforce Agentforce Specialist Certification Prep- Details the use of Agentforce Testing Center for testing agents with synthetic interactions.
- * Salesforce Agentforce Documentation: Agentforce Studio > Testing Center- Explains how to upload CSV files with test cases for parallel testing.
- * Salesforce Help: Agentforce Setup > Testing Autonomous AI Agents- Recommends Testing Center for pre-deployment validation of agent effectiveness and reliability.

NEW QUESTION: 70

Universal Containers (UC) has implemented Generative AI within Salesforce to enable summarization of a custom object called Guest. Users have reported mismatches in the generated information.

In refining its prompt design strategy, which key practices should UC prioritize?

- A.** Enable prompt test mode, allocate different prompt variations to a subset of users for evaluation, and standardize the most effective model based on performance feedback.
- B.** Create concise, clear, and consistent prompt templates with effective grounding, contextual role- playing, clear instructions, and iterative feedback.
- C.** Submit a prompt review case to Salesforce and conduct thorough testing In the playground to refine outputs until they meet user expectations.

Answer: B (LEAVE A REPLY)

For Universal Containers (UC) to refine its Generative AI prompt design strategy and improve the accuracy of the generated summaries for the custom object Guest, the best practice is to focus on crafting concise, clear, and consistent prompt templates. This includes:

- * Effective grounding: Ensuring the prompt pulls data from the correct sources.
- * Contextual role-playing: Providing the AI with a clear understanding of its role in generating the summary.
- * Clear instructions: Giving unambiguous directions on what to include in the response.
- * Iterative feedback: Regularly testing and adjusting prompts based on user feedback.
- * Option B is correct because it follows industry best practices for refining prompt design.
- * Option A (prompt test mode) is useful but less relevant for refining prompt design itself.
- * Option C (prompt review case with Salesforce) would be more appropriate for technical issues or complex prompt errors, not general design refinement.

References:

Salesforce Prompt Design Best Practices: https://help.salesforce.com/s/articleView?id=sf.prompt_design_best_practices.htm

NEW QUESTION: 71

Universal Containers (UC) is Implementing Service AI Grounding to enhance its customer service operations.

UC wants to ensure that its AI-generated responses are grounded in the most relevant data sources. The team needs to configure the system to include all supported objects for grounding.

Which objects should UC select to configure Service AI Grounding?

A. Case, Knowledge, and Case Notes

B. Case and Knowledge

C. Case, Case Emails, and Knowledge

Answer: B (LEAVE A REPLY)

Universal Containers (UC) is implementing Service AI Grounding to enhance its customer service operations.

They aim to ensure that AI-generated responses are grounded in the most relevant data sources and need to configure the system to include all supported objects for grounding.

Supported Objects for Service AI Grounding:

- * Case

- * Knowledge

- * Case Object:

- * Role in Grounding: Provides contextual data about customer inquiries, including case details, status, and history.

- * Benefit: Grounding AI responses in case data ensures that the information provided is relevant to the specific customer issue being addressed.

- * Knowledge Object:

- * Role in Grounding: Contains articles and documentation that offer solutions and information related to common issues.

- * Benefit: Utilizing Knowledge articles helps the AI provide accurate and helpful responses based on verified information.

- * Exclusion of Other Objects:

- * Case Notes and Case Emails:

- * Not Supported for Grounding: While useful for internal reference, these objects are not included in the supported objects for Service AI Grounding.

- * Reason: They may contain sensitive or unstructured data that is not suitable for AI grounding purposes.

Why Options A and C are Incorrect:

- * Option A (Case, Knowledge, and Case Notes):

- * Case Notes Not Supported: Case Notes are not among the supported objects for grounding in Service AI.

- * Option C (Case, Case Emails, and Knowledge):

- * Case Emails Not Supported: Case Emails are also not included in the list of supported objects for grounding.

References:

- * Salesforce Agentforce Specialist Documentation - Service AI Grounding Configuration: Details the objects supported for grounding AI responses in Service Cloud.

- * Salesforce Help - Implementing Service AI Grounding: Provides guidance on setting up grounding with Case and Knowledge objects.
- * Salesforce Trailhead - Enhance Service with AI Grounding: Offers an interactive learning path on using AI grounding in service scenarios.

NEW QUESTION: 72

Universal Containers is evaluating Einstein Generative AI features to improve the productivity of the service center operation.

Which features should the Agentforce Specialist recommend?

- A.** Service Replies and Case Summaries
- B.** Service Replies and Work Summaries
- C.** Reply Recommendations and Sales Summaries

Answer: ([SHOW ANSWER](#))

To improve the productivity of the service center, the Agentforce Specialist should recommend the Service Replies and Case Summaries features.

- * Service Replies helps agents by automatically generating suggested responses to customer inquiries, reducing response time and improving efficiency.
 - * Case Summaries provide a quick overview of case details, allowing agents to get up to speed faster on customer issues.
 - * Work Summaries are not as relevant for direct customer service operations, and Sales Summaries are focused on sales processes, not service center productivity.
- For more information, see Salesforce's Einstein Service Cloud documentation on the use of generative AI to assist customer service teams.

NEW QUESTION: 73

What is the main purpose of Prompt Builder?

- A.** A tool for developers to use in Visual Studio Code that creates prompts for Apex programming, assisting developers in writing code more efficiently.
- B.** A tool that enables companies to create reusable prompts for large language models (LLMs), bringing generative AI responses to their flow of work
- C.** A tool within Salesforce offering real-time AI-powered suggestions and guidance to users, Improving productivity and decision-making.

Answer: ([SHOW ANSWER](#))

Prompt Builder is designed to help organizations create and configure reusable prompts for large language models (LLMs). By integrating generative AI responses into workflows, Prompt Builder enables customization of AI prompts that interact with Salesforce data and automate complex processes. This tool is especially useful for creating tailored and consistent AI-generated content in various business contexts, including customer service and sales.

- * It is not a tool for Apex programming (as in option A).

* It is also not limited to real-time suggestions as mentioned in option C. Instead, it provides a flexible way for companies to manage and customize how AI-driven responses are generated and used in their workflows.

References:

* Salesforce Prompt Builder Overview:https://help.salesforce.com/s/articleView?id=sf.prompt_builder.htm

NEW QUESTION: 74

Universal Containers has a custom Agent action calling a flow to retrieve the real-time status of an order from the order fulfillment system.

For the given flow, what should the Agentforce Specialist consider about the running user's data access?

- A.** The flow must have the "with sharing" permission selected in the advanced settings for the permissions, field-level security, and sharing settings to be respected.
- B.** The custom action adheres to the permissions, field-level security, and sharing settings configured in the flow.
- C.** The Agent will always run flows in system mode so the running user's data access will not affect the data returned.

Answer: B (LEAVE A REPLY)

When a flow is invoked via a custom Agent action, its data access depends on the flow's runtime configuration, not system mode by default. Salesforce flows can be configured to respect the running user's permissions and sharing settings:

- * If the flow is set to "Run as the User Who Launched the Flow" (enabled in Flow Settings), it adheres to the user's permissions, field-level security (FLS), and sharing rules.
- * Option C is incorrect because flows do not always run in system mode unless explicitly configured to do so.
- * Option A is misleading because "with sharing" is an Apex concept, not a flow setting. Flows use runtime settings like FLS and sharing enforcement.

References:

- * Salesforce Help: Flow Runtime and Security Context
- * Flow Settings: "Run with User Permission and Field-Level Security" ensures data access aligns with the user's permissions.

NEW QUESTION: 75

Universal Containers (UC) wants to enable its sales team to use AI to suggest recommended products from its catalog.

Which type of prompt template should UC use?

- A.** Record summary prompt template
- B.** Email generation prompt template
- C.** Flex prompt template

Answer: C (LEAVE A REPLY)

Universal Containers (UC) wants to enable its sales team to leverage AI to recommend products from its catalog. The best option for this use case is a Flex prompt template.

A Flex prompt template is designed to provide flexible, customizable AI-driven recommendations or responses based on specific data points, such as product information, customer needs, or sales history. This template type allows the AI to consider various inputs and parameters, making it ideal for generating product recommendations dynamically.

In contrast:

- * A Record summary prompt template (Option A) is used to summarize data related to a specific record, such as generating a quick summary of a sales opportunity or account, but not for recommending products.

- * An Email generation prompt template (Option B) is tailored for crafting email content and is not suitable for suggesting products based on a catalog.

Given the need for dynamic recommendations that pull from a product catalog and potentially other sales data, the Flex prompt template is the correct approach.

Salesforce References:

- * Salesforce Prompt Templates Overview: <https://help.salesforce.com/s/articleView?id=000391407&type=1>

- * Flex Prompt Template Usage: https://developer.salesforce.com/docs/atlas.en-us.salesforce_ai.meta/salesforce_ai/prompt_flex_template

NEW QUESTION: 76

The marketing team at Universal Containers is looking for a way to personalize emails based on customer behavior, preferences, and purchase history.

Why should the team use Agent as the solution?

A. To generate relevant content when engaging with each customer

B. To analyze past campaign performance

C. To send automated emails to all customers

Answer: (SHOW ANSWER)

Agent is designed to assist in generating personalized, AI-driven content based on customer data such as behavior, preferences, and purchase history. For the marketing team at Universal Containers, this is the perfect solution to create dynamic and relevant email content. By leveraging Agent, they can ensure that each customer receives tailored communications, improving engagement and conversion rates.

- * Option A is correct as Agent helps generate real-time, personalized content based on comprehensive data about the customer.

- * Option B refers more to Einstein Analytics or

- * Marketing Cloud Intelligence, and Option C deals with automation, which isn't the primary focus of Agent.

References:

* Salesforce Agent Overview: https://help.salesforce.com/s/articleView?id=einstein_copilot_overview.htm

Valid Agentforce-Specialist Dumps shared by Actual4test.com for Helping Passing Agentforce-Specialist Exam! Actual4test.com now offer the **newest Agentforce-Specialist exam dumps**, the Actual4test.com Agentforce-Specialist exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Agentforce-Specialist dumps with Test Engine here: https://www.actual4test.com/Agentforce-Specialist_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdf dumps**)

NEW QUESTION: 77

Universal Containers wants to allow its service agents to query the current fulfillment status of an order with natural language. There is an existing auto launched flow to query the information from Oracle ERP, which is the system of record for the order fulfillment process.

How should An Agentforce apply the power of conversational AI to this use case?

- A. Create a Flex prompt template in Prompt Builder.
- B. Create a custom copilot action which calls a flow.
- C. Configure the Integration Flow Standard Action in Agent.

Answer: B (LEAVE A REPLY)

To enable Universal Containers service agents to query the current fulfillment status of an order using natural language and leverage an existing auto-launched flow that queries Oracle ERP, the best solution is to create a custom copilot action that calls the flow. This action will allow Agent to interact with the flow and retrieve the required order fulfillment information seamlessly. Custom copilot actions can be tailored to call various backend systems or flows in response to user requests.

* Option B is correct because it enables integration between Agent and the flow that connects to Oracle ERP.

* Option A (Flex prompt template) is more suited for static responses and not for invoking flows.

* Option C (Integration Flow Standard Action) is not directly related to creating a specific copilot action for this use case.

References:

* Salesforce Agent Actions: https://help.salesforce.com/s/articleView?id=einstein_copilot_actions.htm

NEW QUESTION: 78

Universal Containers (UC) currently tracks Leads with a custom object. UC is preparing to implement the Sales Development Representative (SDR) Agent. Which consideration should UC keep in mind?

- A. Agentforce SDR only works with the standard Lead object.
- B. Agentforce SDR only works on Opportunities.
- C. Agentforce SDR only supports custom objects associated with Accounts.

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: Universal Containers (UC) uses a custom object for Leads and plans to implement the Agentforce Sales Development Representative (SDR) Agent. The SDR Agent is a prebuilt, configurable AI agent designed to assist sales teams by qualifying leads and scheduling meetings. Let's evaluate the options based on its functionality and limitations.

* Option A: Agentforce SDR only works with the standard Lead object. Per Salesforce documentation, the Agentforce SDR Agent is specifically designed to interact with the standard Lead object in Salesforce. It includes preconfigured logic to qualify leads, update lead statuses, and schedule meetings, all of which rely on standard Lead fields (e.g., Lead Status, Email, Phone). Since UC tracks leads in a custom object, this is a critical consideration—they would need to migrate data to the standard Lead object or create a workaround (e.g., mapping custom object data to Leads) to leverage the SDR Agent effectively. This limitation is accurate and aligns with the SDR Agent's out-of-the-box capabilities.

* Option B: Agentforce SDR only works on Opportunities. The SDR Agent's primary focus is lead qualification and initial engagement, not opportunity management. Opportunities are handled by other roles (e.g., Account Executives) and potentially other Agentforce agents (e.g., Sales Agent), not the SDR Agent. This option is incorrect, as it misaligns with the SDR Agent's purpose.

* Option C: Agentforce SDR only supports custom objects associated with Accounts. There's no evidence in Salesforce documentation that the SDR Agent supports custom objects, even those related to Accounts. The SDR Agent is tightly coupled with the standard Lead object and does not natively extend to custom objects, regardless of their relationships. This option is incorrect.

Why Option A is Correct: The Agentforce SDR Agent's reliance on the standard Lead object is a documented constraint. UC must consider this when planning implementation, potentially requiring data migration or process adjustments to align their custom object with the SDR Agent's capabilities. This ensures the agent can perform its intended functions, such as lead qualification and meeting scheduling.

References:

* Salesforce Agentforce Documentation: SDR Agent Setup- Specifies the SDR Agent's dependency on the standard Lead object.

- * Trailhead: Explore Agentforce Sales Agents- Describes SDR Agent functionality tied to Leads.
- * Salesforce Help: Agentforce Prebuilt Agents- Confirms Lead object requirement for SDR Agent.

NEW QUESTION: 79

Universal Containers (UC) is using standard Service AI Grounding. UC created a custom rich text field to be used with Service AI Grounding.

What should UC consider when using standard Service AI Grounding?

- A.** Service AI Grounding only works with Case and Knowledge objects.
- B.** Service AI Grounding only supports String and Text Area type fields.
- C.** Service AI Grounding visibility works in system mode.

Answer: B (LEAVE A REPLY)

Service AI Grounding retrieves data from Salesforce objects to ground AI-generated responses. Key considerations:

- * Field Types: Standard Service AI Grounding supports String and Text Area fields. Custom rich text fields (e.g., RichTextArea) are not supported, making Option B correct.
- * Objects: While Service AI Grounding primarily uses Case and Knowledge objects (Option A), the limitation here is the field type, not the object.
- * Visibility: Service AI Grounding respects user permissions and sharing settings unless overridden (Option C is incorrect).

References:

- * Salesforce Help: Service AI Grounding Requirements
- * Explicitly states support for "Text Area and String fields" only.

NEW QUESTION: 80

Universal Containers (UC) wants to use Flow to bring data from unified Data Cloud objects to prompt templates.

Which type of flow should UC use?

- A.** Data Cloud-triggered flow
- B.** Template-triggered prompt flow
- C.** Unified-object linking flow

Answer: B (LEAVE A REPLY)

In this scenario, Universal Containers wants to bring data from unified Data Cloud objects into prompt templates, and the best way to do that is through a Data Cloud-triggered flow. This type of flow is specifically designed to trigger actions based on data changes within Salesforce Data Cloud objects.

Data Cloud-triggered flows can listen for changes in the unified data model and automatically bring relevant data into the system, making it available for prompt templates. This ensures that the data is both real-time and up-to-date when used in generative AI contexts.

For more detailed guidance, refer to Salesforce documentation on Data Cloud-triggered flows and Data Cloud integrations with generative AI solutions.

NEW QUESTION: 81

An Agentforce Specialist is tasked with analyzing Agent interactions, looking into user inputs, requests, and queries to identify patterns and trends. What functionality allows the Agentforce Specialist to achieve this?

- A. Agent Event Logs dashboard.
- B. AI Audit and Feedback Data dashboard.
- C. User Utterances dashboard.

Answer: ([SHOW ANSWER](#))

Comprehensive and Detailed In-Depth Explanation: The task requires analyzing user inputs, requests, and queries to identify patterns and trends in Agentforce interactions. Let's assess the options based on Agentforce's analytics capabilities.

* Option A: Agent Event Logs dashboard. Agent Event Logs capture detailed technical events (e.g., API calls, errors, or system-level actions) related to agent operations. While useful for troubleshooting or monitoring system performance, they are not designed to analyze user inputs or conversational trends. This option does not meet the requirement and is incorrect.

* Option B: AI Audit and Feedback Data dashboard. There's no specific "AI Audit and Feedback Data dashboard" in Agentforce documentation. Feedback mechanisms exist (e.g., user feedback on responses), and audit trails may track changes, but no single dashboard combines these for analyzing user queries and trends. This option appears to be a misnomer and is incorrect.

* Option C: User Utterances dashboard. The User Utterances dashboard in Agentforce Analytics is specifically designed to analyze user inputs, requests, and queries. It aggregates and visualizes what users are asking the agent, identifying patterns (e.g., common topics) and trends (e.g., rising query types). Specialists can use this to refine agent instructions or topics, making it the perfect tool for this task. This is the correct answer per Salesforce documentation.

Why Option C is Correct: The User Utterances dashboard is tailored for conversational analysis, offering insights into user interactions that align with the specialist's goal of identifying patterns and trends. It's a documented feature of Agentforce Analytics for post-deployment optimization.

References:

* Salesforce Agentforce Documentation: Agent Analytics > User Utterances Dashboard- Describes its use for analyzing user queries.

* Trailhead: Monitor and Optimize Agentforce Agents- Highlights the dashboard's role in trend identification.

* Salesforce Help: Agentforce Dashboards- Confirms User Utterances as a key tool for interaction analysis.

NEW QUESTION: 82

An account manager is preparing for an upcoming customer call and wishes to get a snapshot of key data points from accounts, contacts, leads, and opportunities in Salesforce.

Which feature provides this?

- A. Sales Summaries
- B. Sales Insight Summary
- C. Work Summaries

Answer: B (LEAVE A REPLY)

Sales Insight Summary aggregates key data points from multiple Salesforce objects (accounts, contacts, leads, opportunities) into a consolidated view, enabling account managers to quickly access relevant information for customer calls.

* Option A (Sales Summaries): Typically refers to Einstein-generated summaries of specific interactions (e.g., emails, calls), not multi-object snapshots.

* Option C (Work Summaries): Focuses on summarizing customer service interactions (e.g., chat transcripts), not sales data.

* Option B (Sales Insight Summary): Directly provides a holistic snapshot of sales-related objects, aligning with the scenario.

References:

* Salesforce Help: Sales Insight Overview

* Describes Sales Insight Summary as "a unified view of account, contact, and opportunity data for sales readiness."

NEW QUESTION: 83

Which scenario best demonstrates when an Agentforce Data Library is most useful for improving an AI agent's response accuracy?

- A. When the AI agent must provide answers based on a curated set of policy documents that are stored, regularly updated, and indexed in the data library.
- B. When the AI agent needs to combine data from disparate sources based on mutually common data, such as Customer Id and Product Id for grounding.
- C. When data is being retrieved from Snowflake using zero-copy for vectorization and retrieval.

Answer: (SHOW ANSWER)

Comprehensive and Detailed In-Depth Explanation: The Agentforce Data Library enhances AI accuracy by grounding responses in curated, indexed data. Let's assess the scenarios.

* Option A: When the AI agent must provide answers based on a curated set of policy documents that are stored, regularly updated, and indexed in the data library. The Data Library is designed to store and index structured content (e.g., Knowledge articles, policy documents) for semantic search and grounding. It excels when an agent needs accurate, up-to-date responses from a managed corpus, like policy documents, ensuring relevance

and reducing hallucinations. This is a prime use case per Salesforce documentation, making it the correct answer.

* Option B: When the AI agent needs to combine data from disparate sources based on mutually common data, such as Customer Id and Product Id for grounding. Combining disparate sources is more suited to Data Cloud's ingestion and harmonization capabilities, not the Data Library, which focuses on indexed content retrieval. This scenario is less aligned, making it incorrect.

* Option C: When data is being retrieved from Snowflake using zero-copy for vectorization and retrieval. Zero-copy integration with Snowflake is a Data Cloud feature, but the Data Library isn't specifically tied to this process-it's about indexed libraries, not direct external retrieval. This is a different context, making it incorrect.

Why Option A is Correct: The Data Library shines in curated, indexed content scenarios like policy documents, improving agent accuracy, as per Salesforce guidelines.

References:

* Salesforce Agentforce Documentation: Data Library > Use Cases- Highlights curated content grounding.

* Trailhead: Ground Your Agentforce Prompts- Describes Data Library accuracy benefits.

* Salesforce Help: Agentforce Data Library- Confirms policy document scenario.

NEW QUESTION: 84

A Salesforce Administrator wants to generate personalized, targeted emails that incorporate customer interaction data. The admin wants to leverage large language models (LLMs) to write the emails, and wants to reuse templates for different products and customers.

Which solution approach should the admin leverage?

A. Use sales Email standard templates

B. Create a t field Generation prompt template type

C. Create a Sales Email prompt template type.

Answer: (SHOW ANSWER)

To generate personalized emails using LLMs while reusing templates:

* Sales Email Prompt Template Type (Option C): Designed specifically for generating dynamic email content by combining LLMs with structured templates. It allows admins to define placeholders (e.g., customer name, product details) and reuse templates across scenarios.

* Option A: Standard email templates lack LLM integration and dynamic personalization.

* Option B: "t field Generation" is not a valid Salesforce prompt template type.

References:

* Salesforce Help: Sales Email Prompt Templates

* Describes using Sales Email prompt templates to "generate targeted emails using dynamic data and LLMs."

NEW QUESTION: 85

Universal Containers has an active standard email prompt template that does not fully deliver on the business requirements. Which steps should an Agentforce Specialist take to use the content of the standard prompt email template in question and customize it to fully meet the business requirements?

- A. Save as New Template and edit as needed.
- B. Clone the existing template and modify as needed.
- C. Save as New Version and edit as needed.

Answer: B ([LEAVE A REPLY](#))

Comprehensive and Detailed In-Depth Explanation: Universal Containers (UC) has a standard email prompt template (likely a prebuilt template provided by Salesforce) that isn't meeting their needs, and they want to customize it while retaining its original content as a starting point. Let's assess the options based on Agentforce prompt template management practices.

* Option A: Save as New Template and edit as needed. In Agentforce Studio's Prompt Builder, there's no explicit "Save as New Template" option for standard templates. This phrasing suggests creating a new template from scratch, but the question specifies using the content of the existing standard template.

Without a direct "save as" feature for standards, this option is imprecise and less applicable than cloning.

* Option B: Clone the existing template and modify as needed. Salesforce documentation confirms that standard prompt templates (e.g., for email drafting or summarization) can be cloned in Prompt Builder. Cloning creates a custom copy of the standard template, preserving its original content and structure while allowing modifications. The Agentforce Specialist can then edit the cloned template- adjusting instructions, grounding, or output format- to meet UC's specific business requirements. This is the recommended approach for customizing standard templates without altering the original, making it the correct answer.

* Option C: Save as New Version and edit as needed. Prompt Builder supports versioning for custom templates, allowing users to save new versions of an existing template to track changes. However, standard templates are typically read-only and cannot be versioned directly- versioning applies to custom templates after cloning. The question implies starting with the standard template's content, so cloning precedes versioning. This option is a secondary step, not the initial action, making it incorrect.

Why Option B is Correct: Cloning is the documented method to repurpose a standard prompt template's content while enabling customization. After cloning, the specialist can modify the new custom template (e.g., tweak the email prompt's tone, structure, or grounding) to align with UC's requirements. This preserves the original standard template and follows Salesforce best practices.

References:

- * Salesforce Agentforce Documentation: Prompt Builder > Managing Templates- Details cloning standard templates for customization.
- * Trailhead: Build Prompt Templates in Agentforce- Explains how to clone standard templates to create editable copies.
- * Salesforce Help: Customize Standard Prompt Templates- Recommends cloning as the first step for modifying prebuilt templates.

NEW QUESTION: 86

Once a data source is chosen for an Agentforce Data Library, what is true about changing that data source later?

- A. The data source can be changed through the Data Cloud settings.
- B. The Data Retriever can be reconfigured to use a different data source.
- C. The data source cannot be changed after it is selected.

Answer: ([SHOW ANSWER](#))

Why is "The data source cannot be changed after it is selected" the correct answer?

When configuring an Agentforce Data Library, the data source selection is permanent.

Once a data source is set, it cannot be modified or replaced. This design ensures data consistency, security, and reliability within Salesforce's AI-driven environment.

Key Considerations in Agentforce Data Library

- * Data Source Lock-In
- * The chosen data source remains fixed to maintain data integrity and avoid inconsistencies.
- * Any updates or modifications require creating a new Data Library instead of modifying the existing one.
- * Why Can't the Data Source Be Changed?
- * The data source defines the foundation of AI-driven workflows, and any modification would disrupt processing logic.
- * Agentforce tools rely on structured datasets to enable AI-powered recommendations, and changing data sources could lead to inconsistencies in grounding techniques.
- * Workarounds for Changing Data Sources
- * If an organization needs to use a different data source, a new Agentforce Data Library must be created and configured from scratch.
- * Old data can be manually migrated into the new data source for continuity.

Why Not the Other Options?

A. The data source can be changed through the Data Cloud settings.

- * Incorrect because once the data source is linked to an Agentforce Data Library, it cannot be altered, even via Data Cloud settings.

B. The Data Retriever can be reconfigured to use a different data source.

- * Incorrect as the Data Retriever works within the constraints of the selected data source and does not provide an option to swap data sources post-selection.

Agentforce Specialist References

The Salesforce AI Specialist Material and Salesforce Instructions for the Certification confirm that once a data source is set for an Agentforce Data Library, it cannot be changed.

NEW QUESTION: 87

An administrator is responsible for ensuring the security and reliability of Universal Containers' (UC) CRM data. UC needs enhanced data protection and up-to-date AI capabilities. UC also needs to include relevant information from a Salesforce record to be merged with the prompt.

Which feature in the Einstein Trust Layer best supports UC's need?

- A. Data masking
- B. Dynamic grounding with secure data retrieval
- C. Zero-data retention policy

Answer: ([SHOW ANSWER](#))

Dynamic grounding with secure data retrieval is a key feature in Salesforce's Einstein Trust Layer, which provides enhanced data protection and ensures that AI-generated outputs are both accurate and securely sourced. This feature allows relevant Salesforce data to be merged into the AI-generated responses, ensuring that the AI outputs are contextually aware and aligned with real-time CRM data.

Dynamic grounding means that AI models are dynamically retrieving relevant information from Salesforce records (such as customer records, case data, or custom object data) in a secure manner. This ensures that any sensitive data is protected during AI processing and that the AI model's outputs are trustworthy and reliable for business use.

The other options are less aligned with the requirement:

- * Data masking refers to obscuring sensitive data for privacy purposes and is not related to merging Salesforce records into prompts.
- * Zero-data retention policy ensures that AI processes do not store any user data after processing, but this does not address the need to merge Salesforce record information into a prompt.

References:

- * Salesforce Developer Documentation on Einstein Trust Layer
- * Salesforce Security Documentation for AI and Data Privacy

NEW QUESTION: 88

What is the role of the large language model (LLM) in understanding intent and executing an Agent Action?

- A. Find similar requested topics and provide the actions that need to be executed.
- B. Identify the best matching topic and actions and correct order of execution.
- C. Determine a user's topic access and sort actions by priority to be executed.

Answer: B ([LEAVE A REPLY](#))

Comprehensive and Detailed In-Depth Explanation:In Agentforce, the large language model (LLM), powered by the Atlas Reasoning Engine, interprets user requests and drives Agent Actions. Let's evaluate its role.

* Option A: Find similar requested topics and provide the actions that need to be executed.While the LLM can identify similar topics, its role extends beyond merely finding them-it matches intents to specific topics and determines execution. This option understates the LLM's responsibility for ordering actions, making it incomplete and incorrect.

* Option B: Identify the best matching topic and actions and correct order of execution.The LLM analyzes user input to understand intent, matches it to the best-fitting topic (configured in Agent Builder), and selects associated actions. It also determines the correct sequence of execution based on the agent's plan (e.g., retrieve data before updating a record). This end-to-end process-from intent recognition to action orchestration-is the LLM's core role in Agentforce, making this the correct answer.

* Option C: Determine a user's topic access and sort actions by priority to be executed.Topic access is governed by Salesforce permissions (e.g., user profiles), not the LLM. While the LLM prioritizes actions within its plan, its primary role is intent matching and executionordering, not access control, making this incorrect.

Why Option B is Correct:The LLM's role in identifying topics, selecting actions, and ordering execution is central to Agentforce's autonomous functionality, as detailed in Salesforce documentation.

References:

* Salesforce Agentforce Documentation: Atlas Reasoning Engine- Outlines LLM's intent and action handling.

* Trailhead: Understand Agentforce Technology- Explains topic matching and execution.

* Salesforce Help: Agentforce Actions- Confirms LLM's role in orchestrating responses.

NEW QUESTION: 89

Universal Containers (UC) wants to improve the productivity of its sales team with generative AI technology.

However, UC is concerned that public AI virtual assistants lack adequate company data to general useful responses.

Which solution should UC consider?

A. fine-tune the Einstein AI model with CBM data.

B. Build AI model with Einstein discovery and deploy to sales users.

C. Enable Agentforce and deploy to sales users.

Answer: A (LEAVE A REPLY)

* Context of the question Universal Containers (UC) wants to harness generative AI to boost sales productivity. They are wary of public AI virtual assistants (like generic chatbots) that lack sufficient UC-specific data to generate useful business responses.

* Why Fine-Tune an Einstein AI Model with CRM Data?

- * **Company-Specific Relevance:** By fine-tuning Einstein AI with UC's CRM data (accounts, opportunities, products, and historical interactions), the model learns the enterprise-specific context. This ensures that the generative outputs are accurate and tailored to UC's sales scenarios.
- * **Security and Compliance:** Using Salesforce Einstein within the Salesforce ecosystem keeps data under UC's control, aligning with trust, security, and compliance requirements.
- * **Better Predictions:** Einstein AI can produce more relevant insights (e.g., recommended next steps, content suggestions, or AI-generated email responses) when it has been trained on real, high-quality internal data.
- * **Why Not Build an AI Model with Einstein Discovery (Option B)?**
- * **Einstein Discovery Use Case:** Einstein Discovery is best suited for predictive and prescriptive analytics (e.g., analyzing large data sets for patterns, scoring leads, or predicting churn). While it provides advanced analytics, it is not primarily designed for generative text-based interactions for end-user consumption in a conversational format.
- * **Why Not Enable Agentforce (Option C)?**
- * **Agentforce Overview:** "Agentforce" (sometimes referencing a pilot or non-mainstream name) typically focuses on interactive help or workforce collaboration. It does not inherently solve the problem of large-scale generative AI using internal CRM data. Moreover, you still need a robust generative engine fine-tuned on company data.
- * **Outcome:** Fine-tuning the Einstein AI model with UC's CRM data (Answer A) is the most direct, Salesforce-native solution to provide generative AI responses that are aligned with UC's context, driving productivity gains and ensuring data privacy.

Salesforce Agentforce Specialist References & Documents

- * **Salesforce Official: Einstein GPT Overview**
- * Discusses how Einstein GPT can be fine-tuned with specific CRM data to deliver contextually relevant, generative AI responses.
- * **Salesforce Trailhead: Get Started with Salesforce Einstein**
- * Explains the fundamentals of AI within the Salesforce platform, including training and optimizing Einstein models.
- * **Salesforce Documentation: Einstein Discovery**
- * Details how Einstein Discovery is primarily used for advanced analytics and predictions, not direct generative text solutions.
- * **Salesforce Agentforce Specialist Study Guide**
- * Provides the official outline of Einstein AI capabilities, referencing how to configure and fine-tune models for specialized enterprise use cases.

Valid Agentforce-Specialist Dumps shared by Actual4test.com for Helping Passing Agentforce-Specialist Exam! Actual4test.com now offer the **newest Agentforce-Specialist exam dumps**, the Actual4test.com Agentforce-Specialist exam **questions**

have been updated and **answers have been corrected** get the **newest**

Actual4test.com Agentforce-Specialist dumps with Test Engine here:

https://www.actual4test.com/Agentforce-Specialist_examcollection.html (**379** Q&As

Dumps, **30%OFF** Special Discount: **Freepdfdumps**)