

Salesforce.B2C-Commerce-Architect.v2023-03-16.q20

Exam Code:	B2C-Commerce-Architect
Exam Name:	Salesforce Certified B2C Commerce Architect
Certification Provider:	Salesforce
Free Question Number:	20
Version:	v2023-03-16
# of views:	661
# of Questions views:	200
https://www.freepdfdumps.com/Salesforce.B2C-Commerce-Architect.v2023-03-16.q20.html	

NEW QUESTION: 1

Northern Trail Outfitters (NTO) Just went live after migrating its online shop to B2C Commerce from a custom eCommerce platform. NTO now needs to migrate its orders NTO cannot provide a B2C Commerce feed, but a custom export We from its current eCommerce site.

What are the correct steps to migrate these orders to B2C Commerce?

- A.** Receive the orders file and use a job to generate the orders in B2C Commerce schema. Ask the client to import them on production before the launch.
- B.** Receive the orders file and use a Job to place new orders in B2C Commerce with the order data received.
- C.** Create a B2C Commerce Support ticket and ask them to import the order files received from Northern Trail Outfitters.
- D.** Receive the orders file and use a Job to generate the orders in B2C Commerce schema. Create a B2C Commerce Support ticket to ask them to Import the orders.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

The Client plans to deploy a new payment provider and Order Management System on its existing B2C Commerce website. They have asked an Architect to advise which environment it should use to conduct load testing of its new integrations.

Which environment should be used as the ideal environment for this kind of load test?

- A.** The Development Instance of a rental Realm.
- B.** The Production instance of the existing Realm.
- C.** The Development Instance of the existing Realm.
- D.** The Production Instance of a rental Realm.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

A B2C Commerce Developer has just finished implementing a new promotion code form on checkout. During review, an Architect notes that the form is not using CSRF validation correctly.

```
<form action="{URLUtils.continueURL()}" method="GET">
  <!-- ... the form input elements ... -->
  <input type="hidden" value="{dw.web.CSRFProtection.getTokenName()}"
    value="{dw.web.CSRFProtection.generateToken()}" />
  <input type="submit" value="Apply Promotion Code" />
</form>

formResult = cartForm.handleAction({
  'addPromoCode': function (formgroup) {
    var CSRFProtection = require('/dw/web/CSRFProtection');

    var status;
    var result = {
      cart: cart,
      EnableCheckout: true,
      dontRedirect: true
    };

    status = cart.addCoupon(formgroup.couponCode.htmlValue);
    /* ... some error handling code, based on the returned status ... */
    return result;
  }
});
```

Which two options are best practice recommendations for dealing with CSRF validation? Choose 2 answers

- A. Only use GET methods over HTTPS.
- B. Automatically renew the CSRF Token if expired.
- C. Only use POST methods over HTTPS.
- D. Ensure the CSRF protection is validated on form submission.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

The development team is building a complex LINK cartridge for a hosted checkout solution. The provider's database is used as a single source of truth, but the information in the Basket on B2C Commerce side needs to be synchronized. This is implemented asynchronously the back end when the customers interact with the hosted checkout page and change their shipping/bidding details.

As an Architect you have to advise the development team with how to implement the logging to ensure that there will be a mechanism available to allow troubleshooting in the case something goes wrong on production.

Which solution should the Architect suggest?

- A. Get logger for cartridge-specific category. Report Info level message for the back-end asynchronous communication between both systems. Report all errors at error level message.
- B. Get logger for cartridge specific category. Report debug level message for the back end asynchronous communication between both systems. Report all errors at error level message.
- C. Report info level message for the back-end asynchronous communication between both systems Report all errors at error level message.
- D. Report debug level message for the back-end asynchronous communication between both systems.

Report al errors at error-level message.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 5

A Retailer has a single storefront site and a Product Management System (PIM). The Pin is Generating the master catalog and storefront categorization catalog every day and it uploading them to SFTP how should the Architect configure the import job flows following the best practices?

- A. 1st flow is assigned to the site to download the files from SFTP. 2nd flow is assigned to the site to Import the storefront catalog 3rd flow It global to Import the master catalog.
- B. 1st flow is assigned to the site to download the files from SFTP. 2nd flow is assigned to the site to Import the master catalog. 3rd flow K global to Import the storefront catalog.
- C. 1st flow is global to download the files horn SFTP. 2nd flow is global to import the master catalog. 3rd flow Is global to Import the storefront catalog.
- D. 1st flow is global to download the files from SFTP. 2nd flow is global to import the storefront catalog
3rd flow K global to Import the master catalog.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 6

During a load test the storefront shows steady but slow performance on all the paces being tested. The Architect opens Pipeline Profiler and sorts the data by "total time" column. The following come as the top Ave items:

Controller Name	Function Name	Hits	Total Time	Average Time	Minimum Time	Maximum Time
Product	Detail	38,880	23,605,680	607	39	2,311
salesforce	Show	32,400	15,120,360	464	107	1,143
Home	IncludeHeaderMenu	5,584	10,776,564	2,079	2,056	2,200
Product	HitTile	23,760	7,944,480	33	10	245
Product	ShowInCategory	38,880	2,663,280	69	33	100

Which controller should the Architect focus on to further investigate the performance issue?

- A. Home-IncludeHeaderMenu as It has highest average time.

- B. Search Show as this is one of the key controllers that the customer uses
- C. Product-Detail as it has the highest total time and highest maximum time.
- D. Product-HitTile as it has the highest hits during the load test.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

There is an issue with the site when the domain is opened from Google search results. After researching the problem, it turns out that the site returns a 404 page error when accessed with a parameter in the URL.

What should the Architect recommend to fix that issue?

- A. Add this snippet to the aliases configuration for the domain

```
{  
  "controller": "Home-Show",  
  "apply-to-host-only-request-with-params": "true"  
}
```

- B. Add dynamic redirect if the URL contains parameter to Home Show.

Add this snippet to the aliases configuration for the domain

- C. Add dynamic catch-all rule to redirect to home page.

- D. Add this snippet to the aliases configuration for the domain:

```
{  
  "pipeline": "Home-Show",  
  "apply-to-host-only-request-with-params": "true"  
}
```

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

An existing B2C Commerce site has the following aliases configuration:

```
"www.example.com": [  
  {  
    "locale": "en_US",  
  },  
  {  
    "locale": "de_DE",  
    "if-site-path": "de"  
  },  
  {  
    "locale": "en_US",  
    "if-site-path": "us"  
  },  
  {  
    "locale": "en_GB",  
    "if-site-path": "uk"  
  },  
],  
"www.example.de": [{  
  "host": "www.example.com",  
  "path": "de"  
}],  
"www.example.co.uk": [{  
  "host": "www.example.com",  
  "path": "uk"  
}]
```

Which statement related to this configuration is incorrect?

- A. Hostname www.example.com will redirect to www example com/us
- B. Hostname www example.co.uk will redirect to www.example.com/uk.
- C. Site supports multiple hostnames and locales.
- D. Hostname www.example.de will redirect to www.example.com/de.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

The Client is Crowing and decided to migrate its ecommerce website to B2C Commerce. The Client provided the Architect with the f metrics for its existing website over the past 12 months and forecasted into the next year:

Average visits per hour	500
Peak visits per hour	1000
Average page views per hour	10000
Peak page views per hour	20000
Average orders per hour	100
Peak orders per hour	250
Average items per order	2.1
Average order value	300 USD
Expected growth percentage	300

Noting these historical metrics and the forecasted growth of 300%, which load test targets meet best practices for testing the new B2C Commerce site?

- A. 150000 visits per hour, 3000000 page views per hour, and 37500 orders per hour
- B. 1500 visits per hour, 30000 page views per hour, and 375 orders per hour
- C. 15000 visits per hour, 300000 page views per hour, and 3750 orders per hour
- D. 3000 visits per hour, 60000 page views per hour, and 750 orders per hour

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

A company that is a shoe-producer is doing Salesforce B2C Commerce implementation. In their Enterprise Resource Warning (ERP) system, the products are marked as being one of three types: boots, sandals, and sneakers. The business requirements based on the type are:

- * The messaging on Product Detail page is different
- * Customers are able to filter their Product Search Results

The customer's operations team asks about the format in which to send this value in the catalog. Which data type should the Architect specify for this attribute In the Data Mapping document?

- A. A custom attribute of type string containing comma separated values.
- B. A custom attribute of type enum-of-string (multiselect able value).
- C. A custom attribute of type enum-of-string (single selectable value)
- D. A custom attribute type set-of-string containing multiple values.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 11

Northern Trail Outfitters uses an Order Management system (OMS), which creates an order tracking number for every order 24 hours after receiving it. The OMS provides only a web-service interface to get this tracking number. There is a job that updates this tracking number for exported orders, which were last modified yesterday.

Part of this jobs code looks like the following:

Based on the above description and code snippet, which coding best practice should the Architect enforce?

- A. Configure circuit breaker and timeout for the OMS web service call to prevent thread exhaustion.
- B. The transaction for updating of orders needs to be rewritten to avoid problems with transaction size.

- C. Post-processing of search results is a bad practice that needs to be corrected.
- D. Standard order import should be used instead of modifying multiple order objects with custom code.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

During a technical review, the Client raises a need to display product pricing on the Product Detail Page (PDP) with discounted values per promotion. The Client notes customers complained of bad user experiences in the past when they would add a product to the basket from the cached PDP and then see a higher price when they started checkout as the promotion had expired. What should the Architect suggest be implemented for this given that performance should be minimally impact?

- A. Modify the page to vary the cache by price and promotion.
- B. Remove caching of the product page during the promotion.
- C. Adjust the PDP to have a low caching period during the promotion.
- D. Create a separate template or view based on the promotion.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

While validating a LINK Cartridge for inclusion into the solution, an Architect notices that the UNK cartridge documentation requires the Architect to add a script node to a Pipeline in the storefront cartridge. The script is also a valid CommonJS module.

Which approach can the Architect use to Integrate this cartridge into a site that uses Controllers only?

- A. Add the script that is required via an `import$script` statement in the Controller, add the appropriate arguments, and execute the correct method.
- B. Copy and paste the script that is required directly into the Controller, add the appropriate arguments, then execute the correct method
- C. Add the script that is required via a `Module, exports` statement in the Controller add the appropriate arguments, and execute the correct method.
- D. Add the script that is required via a `require` statement in the Controller, add the appropriate arguments, and execute the correct method.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

A developer is remotely fetching the reviews for a product.

Assume that it's an HTTP GET request and caching needs to be implemented, what consideration should the developer keep in mind for building the caching strategy?

- A. Cached remote include with cache of the HTTP service
- B. Remote include with caching only the reviews
- C. Use custom cache

D. Cache the HTTP service request

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

A new dent is moving from their existing ecommerce platform to B2C Commerce. They have an existing service that connects to the Email Marketing System. The endpoint of the service can directly parse the data posted by the customer from the Storefront page for marketing materials subscriptions. it if required that the service implementation on the B2C Commerce site supports authentication and encoding.

What type should the Architect document this new service as?

- A. HTTP Form
- B. HTTP
- C. SOAP
- D. Generic

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

A business wants to migrate its customer service provider from provider A to provider B. Provider e offers a LINK cartridge to integrate with its commerce solution.

Which three artifacts need to be created by the Architect? Choose 3 answers

- A. Document how the customer online journey flown from landing on the page to placing of the order
- B. Document the design of implementing a new B2C Commerce cartridge following the Industry standard best practices
- C. Document the data objects, the interface, and data synchronization frequency between the systems.
- D. Document the data mapping between commerce and customer service provider.
- E. Document the customizations required on top of the LINK cartridge based on current commerce implementation and business needs.

Answer: C,D,E ([LEAVE A REPLY](#))

Valid B2C-Commerce-Architect Dumps shared by Actual4test.com for Helping Passing B2C-Commerce-Architect Exam! Actual4test.com now offer the **newest B2C-Commerce-Architect exam dumps**, the Actual4test.com B2C-Commerce-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com B2C-Commerce-Architect dumps with Test Engine here: https://www.actual4test.com/B2C-Commerce-Architect_examcollection.html (68 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

A developer wants to import the data on different instances.

Which two types of data should the developer consider importing?

Choose 2 answers

- A. Catalog
- B. Services
- C. Metadata
- D. Sites configurations
- E. Customers

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 18

An Order Management System (OMS) handles orders from multiple brand specific sites, as part of the processing, the OMS sends the processing detail to be added as notes to the orders in B2C Commerce. These processing details are captured temporarily in custom objects, and are later processed by a batch Job that:

- * Processes the custom object to extract the orderid and note data.
- * Tries to load the order.
- * If the order is not found, it deletes the custom object and moves on.
- * If the order is found, it updates notes in the Order, upon successful update of this order, it deletes the custom object.

There is an Issue reported that the job is constantly failing and custom objects are growing in number. On investigating the production log the message below is being logged on each failure:

```
Processing of custom object 1xoskncjdw687769 failed for order 500000001 and has an associated replacement order 100000001. Exception details:  
com.demandware.core.quota.QuotaLimitExceededException: Limit for quota 'object.OrderPO.relation.notes' exceeded. Limit is 1000, actual is 1001. at  
com.demandware.core.quota.QuotaExceededException.throwLimitExceed(QuotaExceededException.java:21) at  
com.demandware.core.quota.QuotaImpl.handleHardLimitViolation(QuotaImpl.java:333) at
```

What are three solutions The Architect can take to fix this issue without losing meaningful data?

Choose 3 answers

- A. Take the backup of the Order as XML and delete the Order to ensure on the next job run, the custom objects are getting processed.
- B. Take the backup of the custom object and delete the custom object to ensure on the next job run the custom objects are getting processed.
- C. Engage B2C Commerce Support Team to soften the quota limit for "object.OrderPO.relation.notes"
- D. Using BM site import/export, soften the `<quota id="object.orderPo.relation,notes"> <custom-action>warn<custom-action> </quots>` to make sure that neither order notes are lost and custom object is processed.
- E. Take the backup of the Order as XML and delete the notes from Order to ensure on the next job run the custom objects are getting processed.

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 19

During code review, the Architect found that there is a service call on every visit of the product detail page (PDP).

What best practices should the Architect ensure are followed for the service configuration?

Choose 2 answers

- A. Service logging is disabled.
- B. Circuit breaker is enabled.
- C. Service mock up call is configured.
- D. Service timeout is set.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

The client provided these business requirements:

- * The B2C Commerce platform will integrate with the Client's Order Management System (OMS).
- * The OMS supports Integration using REST services.
- * The OMS is hosted on the Client's infrastructure.

What configurations are needed for this integration with the OMS?

- A. A service configuration, a hostname alias configuration, and a user credential configuration.
- B. A service configuration, a service profile configuration, and a user credential configuration.
- C. A service configuration, a service profile configuration, and a service credential configuration.
- D. A service profile configuration, a WAF configuration, and a service credential configuration.

Answer: C ([LEAVE A REPLY](#))

Valid B2C-Commerce-Architect Dumps shared by Actual4test.com for Helping Passing B2C-Commerce-Architect Exam! Actual4test.com now offer the **newest B2C-Commerce-Architect exam dumps**, the Actual4test.com B2C-Commerce-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com B2C-Commerce-Architect dumps with Test Engine here: https://www.actual4test.com/B2C-Commerce-Architect_examcollection.html (68 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)