

Salesforce.DEX-450.v2023-05-08.q75

Exam Code:	DEX-450
Exam Name:	Programmatic Development using Apex and Visualforce in Lightning Experience
Certification Provider:	Salesforce
Free Question Number:	75
Version:	v2023-05-08
# of views:	1336
# of Questions views:	750
https://www.freepdfdumps.com/Salesforce.DEX-450.v2023-05-08.q75.html	

NEW QUESTION: 1

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService(public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } } The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- B. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. On the Paused Row Interviews component on the Home page
- B. In the system debug log by Altering on Paused Row Interview
- C. In the Paused Interviews section of the Apex Flex Queue

D. On the Paused Row Interviews related List for a given record

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a postalCodeToTimezone_c custom object. What should be built to implement this feature?

- A. Account custom trigger
- B. Account approval process
- C. Account assignment rule
- D. Account workflow rule

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. fire()
- B. registerEvent()
- C. fireEvent()
- D. emit()

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.

What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Create a junction object between OrderItem and Order.
- B. Change the master-detail relationship to an external lookup relationship.
- C. Add without sharing to the Apex class declaration.
- D. Select the Allow reparenting option on the master-detail relationship.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered.

What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field

- B. Apex trigger
- C. Quick action
- D. Formula field

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data: object :upsert
- B. Forced: data: tree: upsert
- C. Forced: data:bulk:upsert
- D. Forced: data:async:upsert

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 8

What are three considerations when using the @InvocableMethod annotation in Apex?

Choose 3 answers

- A. A method using the @InvocableMethod annotation can have multiple input parameters.
- B. A method using the @InvocableMethod annotation must be declared as static
- C. A method using the @InvocableMethod annotation can be declared as Public or Global.
- D. Only one method using the @InvocableMethod annotation can be defined per Apex class.
- E. A method using the @InvocableMethod annotation must define a return value.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To add unit test code coverage to an org
- C. To schedule an Apex class to run periodically
- D. To run a batch Apex class to update all Contacts

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which three code lines are required to create a Lightning component on a Visualforce page?

Choose 3 answers

- A. `$Lightning.createComponent`
- B. `<apex:includeLightning/>`
- C. `$Lightning.useComponent`
- D. `$Lightning.use`
- E. `<apex:slds/>`

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which Lightning code segment should be written to declare dependencies on a Lightning component, `c:accountList`, that is used in a Visualforce page?

A)

```
<aura:application access="GLOBAL" extends="ltng:outApp">
  <aura:dependency resource="c:accountList"/>
</aura:application>
```

B)

```
<aura:component access="GLOBAL" extends="ltng:outApp">
  <aura:dependency resource="c:accountList"/>
</aura:component>
```

C)

```
<aura:component access="GLOBAL">
  <aura:dependency resource="c:accountList"/>
</aura:component>
```

D)

```
<aura:application access="GLOBAL">
  <aura:dependency resource="c:accountList"/>
</aura:application>
```

- A. Option B
- B. Option D
- C. Option A
- D. Option C

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 13

A Lightning component has a wired property, `searchResults`, that stores a list of Opportunities. Which definition of the Apex method, to which the `searchResults` property is wired, should be used?

A. `@AuraEnabled(cacheable=true)`

```
public static List<Opportunity> search(String term) { /* implementation*/ }
```

B. `@AuraEnabled(cacheable=false)` `public static List<Opportunity> search(String term)`
`{ /*implementation*/ }`


- C. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term)
{ /*implementation*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term)
{ /*implementation*/ }

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

The following code snippet is executed by a Lightning web component in an environment with more than 2,000 lead records:

```
@AuraEnabled
public void static updateLeads() {
    for(Lead thisLead : [SELECT Origin__c FROM Lead]){
        thisLead.LeadSource = thisLead.Origin;
        update thisLead;
    }
}
```



Which governor limit will likely be exceeded within the Apex transaction?

- A. Total number of records processed as a result of DML statements
- B. Total number of records retrieved by SOQL queries
- C. Total number of SOQL queries issued
- D. Total number of DML statement issued

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

When importing and exporting data into Salesforce, which two statements are true?

Choose 2 answers

- A. Developer and Developer Pro sandboxes have different storage limits.
- B. Data import wizard is a client application provided by Salesforce.
- C. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- D. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 16

A develop completed modification to a customized feature that is comprised of two elements:

Apex trigger

Trigger handler Apex class

What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. At least one line of code must be executed for the Apex trigger.
- B. Apex classes must have at least 75% code coverage org-wide.
- C. All methods in the test classes must use @isTest.
- D. Test methods must be declared with the testMethod keyword.

Answer: A,B ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by Actual4test.com for Helping Passing DEX-450 Exam! Actual4test.com now offer the **newest DEX-450 exam dumps**, the Actual4test.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DEX-450 dumps with Test Engine here:

https://www.actual4test.com/DEX-450_examcollection.html (202 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

An Apex method, getAccounts, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the getAccounts method?

- A.

```
@wire(getAccounts, '$searchTerm')  
accountList;
```
- B.

```
@wire(getAccounts, { searchTerm: '$searchTerm' })  
accountList;
```
- C.

```
@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })  
accountList:  
@AuraEnabled(getAccounts, '$searchTerm')
```
- D.

```
accountList;
```

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component

- C. Lightning page
- D. Lightning flow

Answer: B (LEAVE A REPLY)

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

NEW QUESTION: 19

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a postalCodeToTimezone_c custom object. What should be built to implement this feature?

- A. Account assignment rule
- B. Account approval process
- C. Account workflow rule
- D. Account custom trigger

Answer: D (LEAVE A REPLY)

NEW QUESTION: 20

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship.

How can this be achieved?

- A. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- B. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- C. Write a Process Builder that links the custom object to the Opportunity.
- D. Use the Streaming API to create real-time roll-up summaries.

Answer: (SHOW ANSWER)

NEW QUESTION: 21

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

Answer: B (LEAVE A REPLY)

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing. Reference: https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm

NEW QUESTION: 22

Einstein Next Best Action is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep in mind when implementing the Apex method?

Choose 3 answers

- A. The method must use the `@Future` annotation.
- B. The method must be defined as static.
- C. The method must be defined as public.
- D. The method must use the `@InvocableMethod` annotation.
- E. The method must use the `@AuraEnabled` annotation.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 23

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Remove the failing test methods from the test class.
- B. Create a test class and methods to cover the Apex trigger
- C. Run the tests using the 'Run All Tests' method.
- D. Increase the test class coverage on the helper class

Answer: A (LEAVE A REPLY)

NEW QUESTION: 24

Which three Salesforce resources can be accessed from a Lightning web component?

Choose 3 answers

- A. SVG resources
- B. Content asset files
- C. Static resources

- D. All external libraries
- E. Third-party web components

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Refer to the following code snippet for an environment has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 150]){
    if(thisAccount.Industry == 'Technology'){
        thisAccount.Is_Tech__c = true;
    }
    update thisAccount;
}
```

When the code execution, which two events occur as a result of the Apex transaction?

When the code executes, which two events occur as a result of the Apex transaction?

Choose 2 answers

- A. If executed in an asynchronous context, the apex transaction is likely to fail by exceeding the DML governor limit
- B. The Apex transaction fails with the following message. "SOQL without querying the requested field Account.Is.Tech__c".
- C. The Apex transaction succeeds regardless of any uncaught exception and all processed accounts are updated.
- D. If executed In a synchronous context, the apex transaction is likely to fail by exceeding the DHL governor limit.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

An org tracks customer orders on an Order object and the items of an Order on the Line Item object. The Line Item object has a MasterDetail relationship to the order object. A developer has a requirement to calculate the order amount on an Order and the line amount on each Line item based on quantity and price.

What is the correct implementation?

- A. Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- B. Implement the Line amount as a currency field and the order amount as a SUM formula field.
- C. Write a process on the Line item that calculates the item amount and order amount and updates the filed on the Line Item and the order.
- D. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. SalesforceDX
- B. Bulk API
- C. Setup Menu
- D. Metadata APT
- E. Tooling API

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

What are three ways for a developer to execute tests in an org? Choose 3.

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. Salesforce DX
- E. Metadata API.

Answer: ([SHOW ANSWER](#))

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_testing.htm

[https://developer.salesforce.com/docs/atlas.en-](https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuite.htm)

[us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuite.htm](https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuite.htm)

NEW QUESTION: 29

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a 'Contact and store the created Contact's 1D on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Create Records element.
- B. Add a new Get Records element.
- C. Add a new Roll back Records element
- D. Add a new Update Records element.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Universal Containers has large number of custom applications that were built using a third-party JavaScript framework and exposed using Visualforce pages. The Company wants to update these applications to apply styling that resembles the look and feel of Lightning Experience. What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. Set the attribute enableLightning to true in the definition.
- B. Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.
- C. Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.
- D. Rewrite all Visualforce pages as Lightning components.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL?

Choose 2 answers

- A. SOSL is able to return more records.
- B. SOSL is faster for text searches.
- C. SOQL is faster for text searches.
- D. SOQL is able to return more records.

Answer: ([SHOW ANSWER](#))

Valid DEX-450 Dumps shared by Actual4test.com for Helping Passing DEX-450 Exam! Actual4test.com now offer the **newest DEX-450 exam dumps**, the Actual4test.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DEX-450 dumps with Test Engine here:

https://www.actual4test.com/DEX-450_examcollection.html (202 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 32

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. `@isTest(SeeAllData=True)`
- B. `@TestSetup`
- C. `@PreTest`
- D. `@BeforeTest`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components.

Which annotation should the developer add to the Apex method to achieve this?

- A. `@AuraEnabled`
- B. `@AuraEnabled(cacheable=true)`

```
@RemoteAction(cacheable=true)
```

C.

D. @RemoteAction

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which Apex class contains methods to return the amount of resources that have been used for a particular governor, such as the number of DML statements?

A. OrgLimits

B. Messaging

C. Exception

D. Limits

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

A developer wants to import 500 Opportunity records into a sandbox. Why should the developer choose to use data Loader instead of Data Import Wizard?

A. Data Import Wizard can not import all 500 records.

B. Data Loader runs from the developer's browser.

C. Data Loader automatically relates Opportunities to Accounts.

D. Data Import Wizard does not support Opportunities.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 36

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default } | Opportunity record type, and set certain default values based on the record type before inserting the record.

How can the developer find the current user's default record type? ns

A. Use the Schema.userInfo.Opportunity.getDefaultRecordType() method. < Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current Dal user's default record type.

B. Use Opportunity. SObjectType.getDescribe().getRecordTypeInfo() to get a list of record

types, and iterate through them until [J isDefaultRecordTypeMapping() is true. Pencil & Paper |

C. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() | |method.] |

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

What should a developer do to check the code coverage of a class after running all tests?

A. View the Code Coverage column in the list view on the Apex Classes page.

- B. View the Class Test Percentage tab on the Apex Class first view in Salesforce Setup.
- C. Select and run the class on the Apex Test Execution page in the Developer Console.
- D. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

A developer created these three Rollup Summary fields in the custom object, Project__c:

```
Total_Timesheets__c  
Total_Approved_Timesheets__c  
Total_Rejected_Timesheet__c
```

The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Apex trigger
- C. Field Update actions
- D. Formula field

Answer: (SHOW ANSWER)

NEW QUESTION: 39

A developer considers the following snippet of code:

```
Boolean isOK;  
integer x;  
String theString = 'Hello';  
  
if (isOK == false && theString == 'Hello'){  
    x = 1;  
}  
else if (isOK == true && theString == 'Hello') {  
    x = 2;  
}  
else if (isOK == null && theString == 'Hello'){  
    x = 3;  
}  
else {  
    x = 4;  
}
```

Based on this code, what is the value of x?

- A. 1
- B. 4

C. 3

D. 2

Answer: B (LEAVE A REPLY)

NEW QUESTION: 40

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

A. Public class DrawList implements Sortable, Implements Drawable {

```
public void sort() { /*implementation*/}
```

```
public void draw() { /*implementation*/}
```

```
}
```

B. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void

```
sort() { /*implementation*/ } public void draw() { /* implementation */}
```

C. Public class DrawList extends Sortable, Drawable {

```
public void sort() { /*implementation*/}
```

```
public void draw() { /*implementation*/}
```

```
}
```

D. Public class DrawList implements Sortable, Drawable {

```
public void sort() { /*implementation*/}
```

```
public void draw() { /*implementation*/}
```

```
}
```

Answer: D (LEAVE A REPLY)

NEW QUESTION: 41

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

A. Use the schema describe calls to determine if the logged-in users has access to the Account object.

B. Use the without sharing keyword on the class declaration.

C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.

D. Use the with sharing keyword on the class declaration.

Answer: (SHOW ANSWER)

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with

sharing keyword in the official Salesforce documentation
(https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm).

NEW QUESTION: 42

A company has a custom object, Sales, }_Help_Request__c, that has a Lookup relationship to Opportunity. The Seles Help Request__c has a number field, Number_ct_Hours__c, that represents the amount of time spent on the Sales_Help Request__C.

A developer is tasked with creating a field, total_Hour2__c, on Opportunity that should be the sum of all of the Number_of_Hours_c values for the Sales_Help_Request__c records related to that Opportunity.

What should the developer use to implement this?

- A. A record-triggered flow on the Sales Help Request__c object
- B. A trigger on the Opportunity object
- C. A roll-up summary field on the sales Help_Request__c object
- D. A roll-up summary field on the Opportunity object

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An invocable method
- B. An Apex controller
- C. An Apex REST class
- D. An outbound message

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 44

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the Laptop Interface within the Silvertaptop class?

- A. @Interface (class="Laptop")
public class SilverLaptop
- B. public class Silverlaptop implements Laptop
- C. @Extends(class=Laptop")

```
public class SilverLaptop
```

D. public class SilverLaptop extends Laptop

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.

```
for(Account a: Trigger.new) {
    if(a.AnnualRevenue > 1000000) {
        List<Opportunity> opplist = (SELECT Id FROM Opportunity WHERE accountId = :a.Id);
        if(opplist.size() == 0) {
            Opportunity oppty = new Opportunity(Name = a.name, StageName = 'Prospecting',
            CloseDate = system.today() + days(30));
            insert oppty;
        }
    }
}
```

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, It fails with system. Exception errors.

Which two actions should the developer take to fix the code segment shown above?

Choose 2 answers

- A. Move the DML that saves opportunities outside the for loop.
- B. Query for existing opportunities outside the for loop.
- C. Use Database.query to query the opportunities.
- D. Check if all the required fields for Opportunity are being added on creation.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 46

A developer migrated functionality from JavaScript Remoting to a Lightning web component and wants to use the existing getOpportunities() method to provide data.

What to do now?

- A. The method must be decorated with @AuraEnabled.
- B. The method must return a String of a serialized JSON Array.
- C. The method must return a JSON Object.
- D. The method must be decorated with (cacheable=true).

Answer: D ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by Actual4test.com for Helping Passing DEX-450 Exam!
Actual4test.com now offer the **newest DEX-450 exam dumps**, the Actual4test.com DEX-450 exam questions have been updated and answers have been corrected get the **newest**

Actual4test.com DEX-450 dumps with Test Engine here:

https://www.actual4test.com/DEX-450_examcollection.html (202 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. The `isAccessible()` method must be used for field-level access checks
- B. Lightning Data Service ignores field-level security.
- C. The `with sharing` keyword must be used to enforce sharing rules.
- D. Lightning Data Service handles sharing rules and field-level security.

Answer: (SHOW ANSWER)

NEW QUESTION: 48

Which three Salesforce resources can be accessed from a Lightning web component?

Choose 3 answers

- A. All external libraries
- B. SVG resources
- C. Static resources
- D. Content asset files
- E. Third-party web components

Answer: (SHOW ANSWER)

NEW QUESTION: 49

A developer wants to mark each Account in a `List<Account>` as either `Active` or `Inactive` based on the `LastModified` field value being more than 90 days.

Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. An if/else statement, with a for loop inside
- C. A for loop, with an if/else statement inside
- D. A Switch statement, with a for loop inside

Answer: C (LEAVE A REPLY)

NEW QUESTION: 50

Assuming that `name` is a String obtained by an `<apex:inputText>` tag on a Visualforce page, which two SOQL queries performed are safe from SOQL injection?

Choose 2 answers

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '%\'';
```

- A. `List<Account> results = Database.query(query);`

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '%\'';
```

B. `List<Account> results = Database.query(query);`

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '%\'';
```

C. `List<Account> results = Database.query(query);`

```
String query = '%' + name + '%';
```

```
List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];
```

D.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use SOQL and the Tooling API
- B. Use the Apex testresult class
- C. Use the code Coverage Setup page
- D. Use the Flow properties page.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which action causes a before trigger to fire by default for Accounts?

- A. Importing data using the Data Loader and the Bulk API
- B. Renaming or replacing picklist
- C. Updating addresses using the Mass Address update tool
- D. Converting Leads to Contact accounts

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use Security. `striptInaccessible` to remove fields inaccessible to the current user.
- B. Use Lightning Locker Service to enforce sharing rules and field-level security.
- C. Use `WITH SECURITY_ENFORCED` in the SOQL that fetches the data for the component.
- D. Use Lightning Data Service to get the collection of sales records.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Time-Based Workflow Monitor
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Apex Flex Queue

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Triggers are executed in the order they are created.
- B. executed In the order they are modified.
- C. Trigger execution order cannot be guaranteed.
- D. Triggers are executed alphabetically by trigger name.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

A Salesforce Administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component.

Which tag should a developer use to display the flow in the component?

- A. Lightning-flow
- B. Aura:flow
- C. Lightning:flow
- D. Aura:flow

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which two are best practices when it comes to component and application event handling?
(Choose two.)

- A. Use component events to communicate actions that should be handled at the application level.
- B. Try to use application events as opposed to component events.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Reuse the event logic in a component bundle, by putting the logic in the helper.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

A developer has the following requirements:

- * Calculate the total amount on an Order.
- * Calculate the line amount for each Line Item based on quantity selected and price.
- * Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Order has a re-parentable lookup field to Line Item.

- B. Line Item has a re-parentable lookup field to Order.
- C. Line Item has a re-parentable master-detail field to Order.
- D. Order has a re-parentable master-detail field to Line Item.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Universal Containers recently transitioned from Classic to Lightning Experience. One of its business processes requires certain value from the opportunity object to be sent via HTTP REST callout to its external order management system based on a user-initiated action on the opportunity page. Example values are as follow Name Amount Account Which two methods should the developer implement to fulfill the business requirement? (Choose 2 answers)

- A. Create a Visualforce page that performs the HTTP REST callout, and use a Visualforce quick action to expose the component on the Opportunity detail page.
- B. Create a Process Builder on the Opportunity object that executes an Apex immediate action to perform the HTTP REST callout whenever the Opportunity is updated.
- C. Create an after update trigger on the Opportunity object that calls a helper method using @Future(Callout=true) to perform the HTTP REST callout.
- D. Create a Lightning component that performs the HTTP REST callout, and use a Lightning Action to expose the component on the Opportunity detail page.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Given the following Anonymous Block:

```
Given the following Anonymous Block:  
  
List<Case> casesToUpdate = new List<Case>();  
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){  
    thisCase.Status = 'Working';  
    casesToUpdate.add(thisCase);  
}  
try{  
    Database.update(casesToUpdate, false);  
}catch(Exception e){  
    System.debug(e.getMessage());  
}
```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The try/catch block will handle any DML exceptions thrown.
- B. The transaction will succeed and changes will be committed.
- C. The try/catch block will handle exceptions thrown by governor limits.
- D. The transaction will fail due to exceeding the governor limit.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which code statement includes an Apex method named updateaccounts in the Class AccountController for use in a Lightning web component?

A)

```
import updateAccounts from 'AccountController';
```

B)

```
import updateAccounts from '@salesforce/apex/AccountController';
```

C)

```
import updateAccounts from 'AccountController.updateAccounts';
```

D)

```
import updateAccounts from '@salesforce/apex/AccountController.updateAccounts';
```

A. Option B

B. Option C

C. Option D

D. Option A

Answer: C ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by Actual4test.com for Helping Passing DEX-450 Exam!
Actual4test.com now offer the **newest DEX-450 exam dumps**, the Actual4test.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DEX-450 dumps with Test Engine here:

https://www.actual4test.com/DEX-450_examcollection.html (202 Q&As Dumps, **30%OFF**)

Special Discount: [Freepdfumps](#))

NEW QUESTION: 62

AW Computing tracks order information in custom objects called order__c and order_Line__c - Currently, all shipping information is stored in the order__c object.

The company wants to expand its order application to support split shipments so that any number of order_Line__c records on a single order__c can be shipped to different locations.

What should a developer add to fulfill this requirement?

A. Order_shipment_Group__c object and master-detail field on order__c

B. Order_shipment_Group__c object and master-detail field to order__c and Order_Line__c

C. Order_shipment_Group__c object and master-detail field on order_shipment_Group__c

D. Order_shipment_Group__c object and master-detail field on order_Line__c

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 63

A developer created these three Rollup Summary fields in the custom object, Project__c,

```
Total_Timesheets__c
Total_Approved_Timesheets__c
Total_Rejected_Timesheet__c
```

The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

Which should the developer use to Implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered Flow
- B. Apex Trigger
- C. Formula field
- D. Process Builder

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

What should a developer use to script the deployment and unit test execution as part of continuous integration?

- A. Execute Anonymous
- B. Developer Console
- C. Salesforce CLI
- D. VS Code

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing change history and version control
- B. By providing an Agile process with default steps
- C. By providing device-awareness for mobile and desktops
- D. By providing code review standards and processes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 66

Cloud Kicks Fitness, an ISV Salesforce partner, is developing a managed package application. One of the application modules allows the user to calculate body fat using the Apex class, BodyFat, and its method, calculateBodyFat(). The product owner wants to ensure this method is accessible by the consumer of the application when developing customizations outside the ISV's package namespace.

Which approach should a developer take to ensure calculateBodyFat() is accessible outside the package namespace?

- A. Declare the class and method using the global access modifier.
- B. Declare the class as global and use the public access modifier on the method.

- C. Declare the class as public and use the global access modifier on the method.
- D. Declare the class and method using the public access modifier.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles.

Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- A. Developer Console
- B. SFDX CLI
- C. Change Sets
- D. Ant Migration Tool

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which aspect of Apex programming is limited due to multitenancy?

- A. The number of records processed in a loop
- B. The number of methods in an Apex Class
- C. The number of records returned from database queries
- D. The number of active Apex classes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 69

Cloud Kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An Apex REST class
- B. An Apex controller
- C. An outbound message
- D. An invocable method

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code?

Choose 2 answers

- A. Use Test.loadData to populate data in your test methods.
- B. Use the @isTest(isParallel=true) annotation in the test class.
- C. Create a static resource containing test data.
- D. Use the @isTest(seeAllData=true) annotation in the test class.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 71

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Templates to create custom components.
- C. Prebuilt component that can be reused.
- D. Support for Classic and Lightning UIS.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Junction object between Applicant and Job
- B. Formula field on Applicant that references Job
- C. Lookup field from Applicant to Job
- D. Master-detail field from Applicant to Job

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which three operations affect the number of times a trigger can fire?

Choose 3 answers

- A. Process Flows
- B. Roll-Up Summary fields
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Workflow Rules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All test and triggers must have at least 75% test coverage combined
- C. All Apex code must have at least 75% test coverage.
- D. All triggers must have at least 75% test coverage.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 75

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering_Support__c.

Users should be able to associate multiple engineering_Support__c records to a single Opportunity record.

Additionally, aggregate Information about the Engineering_support__c records should be shown on the Opportunity record.

What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering_Support__c to Opportunity.
- B. Lookup field from Opportunity to Engineering_Support__c
- C. Master-detail field from Opportunity to Engineering_Support__c
- D. Lookup field from Engineering_support__c to Opportunity

Answer: A (LEAVE A REPLY)

Valid DEX-450 Dumps shared by Actual4test.com for Helping Passing DEX-450 Exam!
Actual4test.com now offer the **newest DEX-450 exam dumps**, the Actual4test.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DEX-450 dumps with Test Engine here:

https://www.actual4test.com/DEX-450_examcollection.html (202 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)