

Salesforce.Heroku-Architecture-Designer.v2021-08-19.q96

Exam Code:	Heroku-Architecture-Designer
Exam Name:	Salesforce Certified Heroku Architecture Designer
Certification Provider:	Salesforce
Free Question Number:	96
Version:	v2021-08-19
# of views:	2679
# of Questions views:	960
https://www.freepdfdumps.com/Salesforce.Heroku-Architecture-Designer.v2021-08-19.q96.html	

NEW QUESTION: 1

Universal Containers is receiving increased complaints about incomplete Work Orders. What option should a Consultant recommend to improve this situation?

- A. Implement Signature Capture.
- B. Send an email CSAT survey.
- C. Change the Scheduling Rules.
- D. Decrease Resource Rank Score.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

A healthcare client is creating a web portal for their customers on Heroku, which is sourced from a Salesforce instance. Some of the Salesforce data they wish to display falls under HIPAA compliance, and their auditors have determined this data must be stored encrypted-at-rest. To satisfy this requirement, they have enabled Platform Encryption on Salesforce.

They are investigating Heroku Shield Private Spaces, Shield Dynos, Shield Postgres, and Shield Heroku Connect.

How will Shield Heroku Connect interact with the encrypted fields in Salesforce?

- A. Shield Heroku Connect will be able to access only cypher text in the fields from Salesforce. They will need to import the encryption key from Salesforce to decrypt to store in Shield Postgres.
- B. Shield Heroku Connect will be able to synchronize data from fields in Salesforce without additional customization, but any writes will need to be encrypted using the Salesforce encryption key first before being written.

C. Shield Heroku Connect requires customization on the Salesforce side to decrypt the data before transmitting to Heroku.

D. Shield Heroku Connect will be able to synchronize data bidirectionally without additional customization.

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 3

A client wants to create a secure network connection between Heroku applications running in a Private Space and an AWS VPC.

Which Heroku feature should an Architect recommend to create the connection?

A. Heroku Connect

B. Private Space VPN connections

C. Private Space Peering

D. Internal Routing

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

A client has a Heroku app that uses Apache Kafka on Heroku. They want to refactor the app into 2 distinct apps that will both continue to use Kafka (because they probably don't have so much to do in their life). Based on this refactoring, what should an Architect recommend?

A. Attach the existing Kafka add-on to one app and attach a new Kafka add-on to the other app

B. Ensure that the apps consume mutually exclusive sets of Kafka topics

C. Attach the existing Kafka add-on to both apps

D. Designate one app as a producer and the other as a consumer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

The primary benefit of a workflow outbound message over an Apex trigger is:

A. Messages are completely declarative.

B. The message supports different authentication mechanisms

C. The message can deliver the payload only as SOAP

D. The message can handle every database event.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

When creating a Private Space, what is a valid reason to specify a region other than the default region?

A. Private Spaces restrict inbound traffic to the current region.

- B. Heroku pricing varies by region.
- C. Running an application closer to its intended users can reduce latency.
- D. Available compute resources vary by region.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://devcenter.heroku.com/articles/regions#default-regions>

NEW QUESTION: 7

When creating a Private Space, what is a valid reason to specify a region other than the default region?

- A. Private Spaces restrict inbound traffic to the current region.
- B. Running an application closer to its intended users can reduce latency.
- C. Available compute resources vary by region.
- D. Heroku pricing varies by region.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

A healthcare services client is requesting an architecture for a set of applications: one is a marketing application, and the other two are of customer service applications that allow for customers to interact with their healthcare records. The marketing application must be able to scale up within seconds in response to traffic spikes. The client wants to be able to deploy each of these applications to the U.S. East Coast and EMEA.

Which applications should be deployed into which Heroku runtime?

- A. The marketing application into Private Spaces; customer service applications into Shield Private Spaces
- B. The marketing application into the Common Runtime; customer service applications into Shield Private Spaces
- C. The marketing application into the Common Runtime; customer service applications into Private Spaces
- D. The marketing application into Private Spaces; customer service applications into separate Private Spaces

Answer: ([SHOW ANSWER](#))

Explanation

-<https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION: 9

If an Organization member has the operator privilege on an app, that means the user can:

- A. Remove a member from the Organization account
- B. Add a paid add-on
- C. Deploy the app
- D. Transfer the app to someone else

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Universal Containers provides prompt service and has multiple service levels for different customers. Over

50% of Service Appointments are created on the same day they need to be completed. As a result, a Technician's daily schedule can change multiple times throughout the day.

What method of dispatching should a Consultant recommend implementing?

- A. Automatically run Optimization Background Job every hour.
- B. Automatically Dispatch Service Appointments using Drip Feed.
- C. Automatically schedule unscheduled services to available Resources.
- D. Automatically change the status to Dispatched of all Service Appointments.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

A customer wants to sync data between their Salesforce org and Heroku Postgres.

Which two limitations should an Architect remember when recommending Heroku Connect? (Choose two.)

- A. Heroku Connect can only access fields and objects that its associated Salesforce integration user can access.
- B. Heroku Connect does not support all Salesforce objects and fields.
- C. Heroku Connect does not provide an API.
- D. Heroku Connect cannot sync custom objects.

Answer: A,C ([LEAVE A REPLY](#))

Explanation/Reference: <https://devcenter.heroku.com/articles/heroku-connect#provisioning-the-add-on>

NEW QUESTION: 12

Heroku add-ons are cool because they:

- A. Accessorize your dynos with over-clocked CPU power and faster I/O speeds
- B. Can be provisioned easily from the Heroku Enterprise Flea Market system.
- C. Give you the ability to add complex functionality to your application without having to manage the underlying software or infrastructure.
- D. Cost nothing - billing is easy because they're always provided at no additional cost with every Heroku Enterprise account.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

Universal Containers (UC) has expressed a desire to have encryption-at-rest enabled on their Heroku Postgres databases.

Which three tiers would UC need to use to have that feature enabled? (Choose three.)

- A. Private

- B. Standard
- C. Hobby
- D. Shield
- E. Premium

Answer: A,B,E ([LEAVE A REPLY](#))

Explanation/Reference: <https://devcenter.heroku.com/articles/heroku-postgres-production-tier-technical-characterization> (data encryption)

NEW QUESTION: 14

Universal Containers (UC) wants to allow its developers to only use certain add-ons. UC enables Add-on Controls for Enterprise Teams and adds the add-ons they wish to allow to the list. There is an existing set of add-ons attached to applications, which are NOT on the list.

What happens to these add-ons?

- A. They are deleted, and all data is backed up and saved.
- B. They are added to the allowed add-ons list.
- C. They are added to the exception list and not affected.
- D. They are flagged for removal, and the developers are notified.

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/addon-controls>

NEW QUESTION: 15

Universal Containers wants to ensure that Service Appointments are only assigned to Active Resources. What configuration should a Consultant recommend for the Scheduling Policy?

- A. Match Fields
- B. Required Resources
- C. Match Boolean
- D. Preferred Resources

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Dataclips allows a user to choose which datastore to query. Which type of datastore is supported?

- A. Any datastore, provided that you have the connection URL
- B. Heroku Postgres
- C. Heroku Redis
- D. Any datastore connected via Heroku Connect

Answer: B ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (185 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Universal Containers (UC) recently acquired another company, International Shipping. Each company has its own Salesforce org, and UC wants those orgs to remain separate for the foreseeable future.

Given this scenario, which Heroku feature should an Architect recommend to provide additional value to UC following the acquisition?

- A. Both orgs can be attached to the same Heroku application as an add-on to ensure data residency in the application's region.
- B. Heroku Connect can be used to synchronize data directly between the two Salesforce orgs.
- C. Heroku External Objects can expose read-only data from both Salesforce orgs to Heroku Postgres.
- D. A Heroku Postgres database can sync data from both orgs for advanced querying capabilities.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

A client has 3 Heroku applications: App 1, App 2, App 3. They would like to restrict external web traffic to App 3 only. Which two Heroku features should an Architect recommend to enable this architecture?

- A. Internal Routing
- B. VPC Peering
- C. Private Spaces
- D. Trusted IP ranges

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Universal Containers performs service on field assets that require a sequence of work tasks. A Consultant has recommended Work Order Line Items to manage the tasks and assets/parts necessary to manage the work.

Which two of the following must be considered as part of this solution to ensure Work Orders are properly completed? (Choose two.)

- A.** Use of Standard Reports to view Parent and Root Work Order Lines Items within Work Orders by Customer.
- B.** Use of a parent-child Work Order Line Item to create a Work Order Line Item hierarchy.
- C.** Use of Work Order Line Items to link to a specific Asset within the Asset Hierarchy that represents the BoM.
- D.** Use of Work Order Line Items that automatically inherit the hierarchy of Assets attached to Work Order.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

Universal Containers' (UC) Technicians often report seeing competitors' assets when on-site. UC would like to run a report on which of their customers have competitive assets. How should a Consultant recommend meeting this requirement using the Field Service mobile app?

- A.** Use a Macro to create a competitor's Asset Record on the Field Service mobile app.
- B.** Use a Quick Action to create a competitor's Asset Record on the Field Service mobile app.
- C.** Use a Quick Action to create a Note to explain the competitor's Asset and attach it to the Work Order.
- D.** Manually create a competitor's Asset Record on the Field Service mobile app.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

A client needs to securely connect a Heroku app to a database on their on-premise network. Which two Heroku Enterprise features should an Architect consider?

- A.** Private Space Peering
- B.** SSLEndpoint
- C.** Heroku Private Spaces
- D.** Private Space VPN Connections

Answer: C,D ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION: 22

What are the three access levels a user can have in a Heroku Organization account?

- A.** Jedi. Padawan, and Co-pilot

- B. Admin, Programmer, and Operator
- C. Admin, Member, and Viewer
- D. Owner, Author and Viewer

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

Universal Containers does not want the lunch break to interfere with existing scheduled work.

How should a Consultant configure the Scheduling Policy to ensure a 30-minute lunch break that begins every day after 1pm?

- A. Create a recurring Service Appointment.
- B. Create Resource Absences every day.
- C. Use the Resource Availability Rule.
- D. Use appropriate Resource Operating Hours.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following is a Heroku CLI command?

- A. git push heroku master
- B. git push
- C. heroku create
- D. heroku new

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

What set of configurations make up Scheduling Policies and let companies adhere to their business constraints and preferences?

- A. Service Contracts and Service Levels
- B. Service Objectives and Work Rules
- C. Service Objectives and Work Types
- D. Service Levels and Work Rules

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

Q. 30 A client has a Heroku Redis instance that can be accessed over the public internet. To meet compliance requirements, the IT Security team requires that all databases must be isolated from the public internet. Which solution should be suggested by an Architect?

- A. Enclose the existing Heroku Redis instance inside a Private Space. Enable Private Space VPN.
- B. Use a Heroku Redis instance with a Private Tier plan. Enable Trusted IP ranges on the Redis instance.

C. Use a Heroku Private Space and a Heroku Redis instance with a Private Tier plan.

Redeploy the app into the Space

D. Enclose the existing Heroku Redis instance inside a Shield Private Space. Configure the firewall to allow Redis traffic through

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 27

A Client Service Representative (CSR) receives a call from a customer on Saturday. The CSR determines that the customer is covered, but the coverage is about to expire.

Which two upsell activities should the CSR consider? (Choose two.)

A. Open a Case and create a Work Order for the Dispatch Team.

B. Open a Case and inform Customer of weekend service pricing.

C. Open a Case and a renewal Opportunity for the Sales team.

D. Open a Case and send email with new Service offerings.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

A client wants to add CPU-intensive video processing functionality to their Heroku web application.

Which two strategies should an Architect recommend for implementing this functionality? (Choose two.)

A. Add a new process type for worker dynos that pull video processing jobs from a queue.

B. Attach a video processing add-on from the Heroku Elements Marketplace to the application.

C. Delegate video processing tasks to the app's staging version to remove load from the production app.

D. Divide each video processing task across multiple web dynos to mitigate added CPU load.

Answer: **A,B** ([LEAVE A REPLY](#))

Explanation/Reference: <https://devcenter.heroku.com/articles/how-heroku-works>

NEW QUESTION: 29

Universal Containers provides 24/7 service support to its customers. However, their Field Service Technicians have specified working hours.

Which two items should the Consultant create? (Choose two.)

A. Create operating hours for the Service Territory.

B. Create operating hours for the Optimization Engine.

C. Create operating hours for the Service Appointment.

D. Create operating hours for the Service Resource.

Answer: (SHOW ANSWER)

NEW QUESTION: 30

Universal Containers has an application running in the Common Runtime that uses Heroku Redis. The data in Heroku Redis needs to be accessed by a third-party application. Which connection method should an Architect recommend to ensure the security of the data as it moves from Heroku Redis to the third-party application?

- A. Use stunnel to secure the connection between Heroku Redis and the third-party application.
- B. Set up SSL Certificates on Heroku and the third-party application.
- C. Only allow access to Heroku Redis through an SSH connection.
- D. Set up both a VPN and a VPC between Heroku and the third-party application.

Answer: C (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/securing-heroku-redis>

NEW QUESTION: 31

A client has data in a Heroku Postgres table. They want to generate analytics based on the table and make the results available in their Salesforce org. Their Salesforce administrator wants to minimize the amount of data that is written to Salesforce to accomplish this. Which strategy should an Architect recommend on this scenario?

- A. Use Heroku Connect to sync the Heroku Postgres table to the Salesforce org, and generate analytics from the Salesforce org.
- B. Use the Heroku application to generate analytics, and write the results to a separate Heroku Postgres table-Expose that table to the Salesforce org with Heroku External Objects.
- C. Use the Heroku application to generate analytics, and write the results to the Salesforce org with the Salesforce Bulk API.
- D. Use the Heroku application to generate analytics and write them to a separate Heroku Postgres table.

Sync that table to the Salesforce org with Heroku Connect.

Answer: (SHOW ANSWER)

Explanation

-<https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-

Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (185 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Which three resources can be found in the Heroku Elements Marketplace? (Choose three.)

- A. Docker image files
- B. Heroku Buttons
- C. Heroku Stacks
- D. Buildpacks
- E. Add-ons

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 33

Universal Containers has Role-based Technicians and Managers who handle Service Appointments. Many times, Technicians arrive on-site but are unable to gain access to the customer's equipment. In this scenario, only the Manager has permission to cancel the Service Appointment.

How should a Consultant recommend adhering to this business process?

- A. Limit Status Transitions based on Profile.
- B. Configure Status Transitions based on Resource Type.
- C. Assign Permission Sets that allow Status Transitions.
- D. Allow Status Transitions based on Role.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 34

Universal Containers utilizes two contractors, Contractor 1 and Contractor 2, to perform repair work.

Contractor 1 has provided service longer for Universal Containers and is considered to have more repair work expertise than Contractor 2.

How should a Consultant configure this expertise for Contractor 1 versus Contractor 2?

- A. Assign Contractor 1 and 2 different Skill Levels for repair Work Type.
- B. Assign Contractor 2 as an Excluded Resource.
- C. Assign Contractor 1 and 2 different capacities for repair work.
- D. Assign Contractor 1 as a Preferred Resource.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 35

Universal Containers has a large volume of cancellations occurring on their Work Orders. The COO wants to manage Work Order cancellations and subsequent follow-ups. Which two options should a Consultant recommend? (Choose two.)

- A. Change the Work Order with a closed status of "Cancelled".
- B. Create a child Work Order for the follow-up Work Order.
- C. Re-use the existing Work Order for the follow-up.
- D. Change the Work Order with a status of "New".

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 36

What set of configurations make up Scheduling Policies and let companies adhere to their business constraints and preferences?

- A. Service Levels and Work Rules
- B. Service Contracts and Service Levels
- C. Service Objectives and Work Types
- D. Service Objectives and WonX Rules

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

Applications on Heroku that use Salesforce REST APIs can use which authentication mechanisms:

- A. OAuth web or user-agent flow in which the user authorizes a connected app using browser redirects
- B. None of these
- C. Username and password with an OAuth connected app
- D. Anonymous access without credentials on trusted networks

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 38

Universal Containers intends to build an app which will accept card payments. The app also needs to store, process, and transmit cardholder data.

Which Heroku architecture should an Architect recommend?

- A. Common Runtime with secure, isolated containers for running the app's code.
- B. A Private Space restricted to a set of trusted IP ranges.
- C. A Shield Private Space with a Shield Postgres add-on.
- D. A Private Space with Internal Routing enabled on the app.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://www.heroku.com/managed-data-services>

NEW QUESTION: 39

A client wants to create a secure network connection between Heroku applications running in a Private Space and an AWS VPC.

Which Heroku feature should an Architect recommend to create the connection?

- A. Internal Routing
- B. Private Space Peering
- C. Private Space VPN connections
- D. Heroku Connect

Answer: C ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 40

Universal Containers has recently experienced a higher volume of traffic on their mobile app hosted on Heroku. When Universal Containers was running 4 standard-2x dynos with 1 GB RAM each, they encountered multiple H12 ("request timeout") errors. The app never consumed more than 800 MB of RAM.

They then switched to performance-m dynos, with 2.5 GB RAM, and set autoscaling to a maximum of 2 dynos. However, they still encountered H12 ("request timeout") errors.

What remediation should an Architect recommend to alleviate this problem?

- A. Move long-running tasks to worker dynos.
- B. Add a logging add-on from the Elements marketplace.
- C. Replace autoscaling with a manual scaling option of 2.
- D. Upgrade to performance-L dynos with 14 GB RAM.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

A healthcare client is creating a web portal for their customers on Heroku, which is sourced from a Salesforce instance. Some of the Salesforce data they wish to display falls under HIPAA compliance, and their auditors have determined this data must be stored encrypted-at-rest. To satisfy this requirement, they have enabled Platform Encryption on Salesforce.

They are investigating Heroku Shield Private Spaces, Shield Dynos, Shield Postgres, and Shield Heroku Connect.

How will Shield Heroku Connect interact with the encrypted fields in Salesforce?

- A. Shield Heroku Connect will be able to access only cypher text in the fields from Salesforce. They will need to import the encryption key from Salesforce to decrypt to store in Shield Postgres.
- B. Shield Heroku Connect will be able to synchronize data from fields in Salesforce without additional customization, but any writes will need to be encrypted using the Salesforce encryption key first before being written.

C. Shield Heroku Connect will be able to synchronize data bidirectionally without additional customization.

D. Shield Heroku Connect requires customization on the Salesforce side to decrypt the data before transmitting to Heroku.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

A client's application needs to run in a European country for data residence purposes. What is a consideration in this scenario?

A. When a dyno is cycled, its replacement might run in a different region.

B. European regions are only available for applications running in Private Spaces.

C. Heroku Postgres backup snapshots and dataclips are always stored in the U.S.

D. There is no guarantee that a Heroku Postgres database will be created in the same region as the application that provisions it.

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/heroku-postgresql#data-residency>

NEW QUESTION: 43

Universal Containers (UC) has an on-premise application for reporting damage to their shipments. They want to migrate the application to Heroku. The damage reporting process includes uploading one or more pictures to the application which temporarily stores them on the local system. After the report is submitted, a case is created in UC's Salesforce org for processing, and the images are deleted from the file system. The application's configuration is read from environment variables that are specified in the system user's profile.

The application writes its logs to rotating files using an open-source library. Which two recommendations should an Architect make to ensure that the application runs correctly on Heroku? Choose 2 answers.

A. Load the application's configuration from its source code instead of using environment tables

B. Use an external object storage service for temporary image uploads

C. Run the application in a Private Space to enable communication with UC's Salesforce org

D. Write logs to stdout instead of writing them to the file system

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION: 44

A client wants to secure their web application using SSL/TLS. They do not have specific requirements regarding using a particular version of SSL/TLS.

Which two Heroku features should an Architect recommend as options? (Choose two.)

- A. Automated Certificate Management
- B. Heroku Private Spaces
- C. Heroku Shield Private Spaces
- D. Heroku SSL

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

Upon arrival for a Service Appointment, the Field Service Technician reports that a team of people is required to resolve the issue.

How can the Dispatcher ensure that the required staff is assigned to the project?

- A. Create a new Service Appointment and assign a Crew.
- B. Assign the existing Work Order to a Crew.
- C. Assign the existing Service Appointment to a Crew.
- D. Assign the existing Work Order to each staff member.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

A Heroku application uses Heroku Connect to integrate with data from a Salesforce org. Since then, several fields from the Salesforce objects that were mapped using Connect have been removed. As a result, the development team will reload the mapping using Heroku Connect.

What is an implication of reloading the mapping?

- A. The mapped tables in Heroku Postgres will continue to store the previously synchronized data, but synchronization will pause until manually restarted.
- B. The mapped tables in Heroku Postgres will continue to store the previously synchronized data, and synchronization will restart normally.
- C. The mapped tables in Heroku Postgres will be truncated as part of the reload action. The data in removed fields will be lost, and synchronization will restart normally.
- D. The mapped tables in Heroku Postgres will be truncated as part of the reload action. The data in removed fields will be lost, and synchronization will pause until manually restarted.

Answer: B ([LEAVE A REPLY](#))

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-

Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (185 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

Universal Containers (UC) recently acquired another company, International Shipping. Each company has its own Salesforce org, and UC wants those orgs to remain separate for the foreseeable future.

Given this scenario, which Heroku feature should an Architect recommend to provide additional value to UC following the acquisition?

- A. Heroku Connect can be used to synchronize data directly between the two Salesforce orgs.
- B. Both orgs can be attached to the same Heroku application as an add-on to ensure data residency in the application's region.
- C. Heroku External Objects can expose read-only data from both Salesforce orgs to Heroku Postgres.
- D. A Heroku Postgres database can sync data from both orgs for advanced querying capabilities.

Answer: A (LEAVE A REPLY)

Explanation/Reference: <https://devcenter.heroku.com/articles/integrating-heroku-and-salesforce>

NEW QUESTION: 48

A client is building a collection of Heroku applications that will be audited regularly. To comply with the audit, it must be guaranteed that the applications all forward their logs to the same, single destination. Which solution meets this requirements?

- A. Deploy all of the applications to the Common Runtime, and attach the same instance of a logging add-on to all of them.
- B. Deploy all the applications to the same Shield Private Space with Private Space Logging enabled
- C. Deploy all the applications to the Common runtime, and add the same log drain URL to all of them.
- D. Deploy all the applications to the same Private Space with Logplex disabled.

Answer: B (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION: 49

Universal Containers (UC) recently acquired another company, International Shipping. Each company has its own Salesforce org, and UC wants those orgs to remain separate for the foreseeable future. Given this scenario, which Heroku feature should an Architect recommend to provide additional value to UC following the acquisition?

- A.** Heroku Connect can be used to synchronize data directly between the two Salesforce orgs.
- B.** Heroku External Objects can expose read-only data from both Salesforce orgs to Heroku Postgres.
- C.** Both orgs can be attached to the same Heroku application as an add-on to ensure data residency in the application's region.
- D.** A Heroku Postgres database can sync data from both orgs for advanced querying capabilities.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

A client is building a collection of web apps that will serve short-lived marketing sites during REST. The apps must support HTTPS connections. They also need to scale up and down at unpredictable intervals. The client is not currently a Heroku Enterprise customer. Given the scenario, what should an Architect recommend?

- A.** Sign up for Heroku Enterprise and deploy each app to a different Private Space
- B.** Sign up for Heroku Enterprise without deploying the apps to the same Private Space
- C.** Sign up for Heroku Enterprise and deploy the apps to the same Private Space
- D.** Deploy the apps to the Common Runtime

Answer: D ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/internal-routing>

NEW QUESTION: 51

A client has a requirement to deploy versions of their app to different regions around the World. Which Heroku Enterprise feature would an Architect recommend to accomplish this?

- A.** Using a Heroku StMM Space an app can be deployed to a specific region at the time of app creation.
- B.** When creating a Heroku Private Space, you can determine the specific geographic location for the space
- C.** You can changed the region for any app in any runtime by using the Heroku CLI.
- D.** Using the Common Runtime, an app will automatically be deployed to multiple regions.

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/pnvate-spaces#trustecl-ip-ranges>

NEW QUESTION: 52

A client's Heroku application syncs data between a Heroku Postgres database and a Salesforce org using the Salesforce Bulk API. The client has determined the application currently uses 90% of the client's daily Salesforce Bulk API limit.

To overcome this issue, what feature, to replace the Bulk API implementation in this scenario, should an Architect recommend?

- A. Salesforce Connect
- B. Custom Apex callouts
- C. Salesforce SOAP API
- D. Heroku Connect

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Universal Containers experienced an outage with their production Heroku Postgres database due to a fault with the underlying infrastructure. The database was unavailable for an hour. The database is on the Standard-0 plan.

Which two actions should an Architect recommend to mitigate such database failures and outages in the future? (Choose two.)

- A. Migrate the database to a larger Standard-tier plan.
- B. Migrate the database to a Premium-tier plan.
- C. Create a follower database that uses the same plan as the leader.
- D. Create a fork of the database that uses the same plan as the leader.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which Heroku feature allows you to deploy a real app complete with code, config, and add-ons already configured?

- A. Heroku Deployment wizard
- B. Heroku Buttons
- C. git push heroku master
- D. Heroku Getting Started guides

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

A client's Heroku application is publishing messages to an instance of Apache Kafka on Heroku.

What does a second Heroku application need to do to consume those messages?

- A. Subscribe to the Kafka partition(s) that the messages are being published to.
- B. Join a consumer group that also includes the publishing application.
- C. Subscribe to the Kafka topic(s) that the messages are being published to.
- D. Convert the publishing application into a stream processor.

Answer: A ([LEAVE A REPLY](#))

Explanation

- <https://www.xloudkarafka.com/blog/2016-11-30-part1-kafka-for-beginners-what-is-apache-kafka.html>

NEW QUESTION: 56

A client is creating a new API application. The app should only be accessible from other apps that they deploy to Heroku. Also, traffic between the other apps and the API should not transit the public internet.

Which solution should an Architect recommend to meet these requirements?

- A.** Create the application in a Private Space and restrict the application's set of trusted IP ranges.
- B.** Create the application with Internal Routing enabled, in a Private Space.
- C.** Create the application in a Private Space with default options.
- D.** Create the application in a Shield Private Space to enforce stricter requirements for TLS termination.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

Universal Containers needs to write their Heroku application's logs to two destinations: an on-premise Syslog log server and a cloud analytics provider that ingests logs using an HTTPS endpoint.

What should an Architect recommend in this scenario?

- A.** Write all logs to stdout, and configure a separate log drain for each destination.
- B.** Publish all logs to Apache Kafka on Heroku, and create a separate app that consumes and distributes log messages.
- C.** Add a logging library to the application source that sends all logs directly to both destinations.
- D.** Write all logs to Heroku Redis as a buffer and use an add-on to send them to both destinations.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

A customer's Heroku Redis instance regularly reaches its storage limit. Besides upgrading to a bigger plan, what solution should an Architect recommend for this scenario?

- A.** Explore a different key eviction scheme.
- B.** Create a fork of the primary Heroku Redis instance.
- C.** Migrate the data to a Heroku Postgres database
- D.** Failover to ephemeral filesystem for the running dyno

Answer: A ([LEAVE A REPLY](#))

Explanation

-

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION: 59

A client is writing a Heroku application that requires compliance with PCI DSS Level 1. To accomplish this, they deploy an application to the Shield Private Space. Which statement is true about the application?

- A. The application might still violate PCI DSS Level 1 even though it is deployed to a Shield Private Space
- B. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1, assuming the application uses only Shield Postgres databases
- C. The application is definitely not compliant with PCI DSS Level 1. because Shield Private Spaces do not provide compliance with it.
- D. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION: 60

Salesforce Connect is used for:

- A. Replicating external data into Salesforce
- B. Developing ETL services
- C. Bidirectional syncing of external data in Salesforce
- D. Proxying external data into Salesforce

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 61

Universal Containers (UC) wants to allow its developers to only use certain add-ons. UC enables Add-on Controls for Enterprise Teams and adds the add-ons they wish to allow to the list. There is an existing set of add-ons attached to applications, which are NOT on the list.

What happens to these add-ons?

- A. They are flagged for removal, and the developers are notified.
- B. They are deleted, and all data is backed up and saved.
- C. They are added to the allowed add-ons list.
- D. They are added to the exception list and not affected.

Answer: ([SHOW ANSWER](#))

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (185 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

Which of the following is NOT an advantage of Salesforce Connect over ETL?

- A. Data security can be enforced using per-user or per-application authentication.
- B. If the origin is offline, the data is still available via Salesforce Connect.
- C. Standard protocols like OData can easily proxy external data into Salesforce.
- D. The data is always fetched on demand

Answer: B (LEAVE A REPLY)

NEW QUESTION: 63

Which two Heroku features require Heroku Enterprise Teams? (Choose two.)

- A. Fire-grained app access controls
- B. Paid add-on plans
- C. Heroku Pipelines
- D. Single Sign-on

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 64

Universal Containers (UC) uses Apache Kafka on Heroku to stream shipment inventory data in real time throughout the world. A Kafka topic is used to send messages with updates on the shipping container GPS coordinates as they are in transit. UC is using a Heroku Kafka basic-0 plan. The topic was provisioned with 8 partitions, 1 week of retention, and no compaction. The keys for the events are being assigned by Heroku Kafka, which means that they will be randomly distributed between the partitions. UC has a single-dyno consumer application that persists the data to their Enterprise Data Warehouse (EDW).

Recently, they've been noticing data loss in the EDW.

What should an Architect with Kafka experience recommend?

- A. Upgrade to a larger Apache Kafka for Heroku plan, which has greater data capacity.
- B. Enable compaction on the topic to drop older messages, which will drop older messages with the same key.

C. Use Heroku Redis to store message receipt information to account for "at-least" once delivery, which will guarantee that messages are never processed more than once. Scale up the consumer dynos to match the number of partitions so that there is one process for each partition.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

Universal Containers provides prompt service and has multiple service levels (or different customers Over

50% of Service Appointments are created on the sameday they need to be completed As a result, a Technician's daily schedule can change multiple times throughout the day What method of dispatching should a Consultant recommend implementing?

- A.** Automatically Dispatch Service Appointments using Drip Feed.
- B.** Automatically schedule unscheduled services to available Resources
- C.** Automatically run Optimization Background Job every hour.
- D.** Automatically change the status to Dispatched of all Service Appointments.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which of the following is a good use case for the Heroku Platform?

- A.** Empowering mobile apps with an API service
- B.** All of these
- C.** Data manipulation
- D.** Proof-of-concept or lab approaches
- E.** Customer engagement applications

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 67

Universal Containers wants to help their dispatches determine the length of time a Work Order should last.

What should the Consultant implement to help achieve this goal?

- A.** Operating Hours for Customer Accounts.
- B.** Work Orders with Operating Hours
- C.** Work Types with Service Level Agreement.
- D.** Work Types with an Estimated Duration.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 68

Callouts in Apex trigger support which authentication mechanisms:

- A.** All of these
- B.** Pre-shared keys

- C. OAuth flows using named credentials in the Remote Site settings
- D. username and password credentials

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

A customer needs to test a database schema migration. Which approach should an Architect recommend?

- A. Fork the production database, and run the migration and tests against the fork
- B. Detach the Heroku Postgres add-on. and run the migration and tests against the database.
- C. Create a follower database, and run the migration and test against the follower database
- D. Place the app into maintenance mode, and then perform the tests

Answer: ([SHOW ANSWER](#))

Explanation

- <https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 70

Universal Containers wants to process mobile payments.

How can this requirement be met?

- A. Create a custom payments object.
- B. Attach a picture of the credit card.
- C. Install an AppExchange package.
- D. Add a custom field to store the credit card number.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 71

Universal Containers has enabled Field Service Lightning and is looking to enable Entitlements for Work Orders. What should a Consultant take into consideration?

- A. Managing page layouts and milestone trackers can be done in the Salesforce mobile app.
- B. Creating Entitlements for Cases and Work Orders must be separated.
- C. Creating Entitlements for Work Orders requires Lightning to be enabled.
- D. Managing page layouts and validation rules can be done in Salesforce Lightning

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 72

Universal Containers wants to track the work that is performed on the customer's install base.

What object relationship should the Consultant focus on to meet this requirement?

- A. Assets to Products

- B. Work Orders to Assets
- C. Products to Accounts
- D. Work Orders to Products

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

Universal Containers wants to allow Field Technicians to view work progress through the Work Order Line Item card in the Field Service mobile app.

How can this be supported?

- A. Create a custom Lightning Component that displays Work Order progress and deploy it to Technicians through the Salesforce Mobile app.
- B. Create a custom Visualforce page, add an external link from the Mobile app to view the page in the mobile browser.
- C. Create a Report Chart that summarizes Work Order Line Items and add a link to the Lens on the Service Appointment Layout.
- D. Add the Work Order Line Items Related List to the Work Order Page Layout and assign the Layout to the Technician's profile.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Universal Containers (UC) uses Heroku Connect to synchronize changes to the Account object in their Salesforce org. UC's Heroku application makes a batch update that changes one million records to the Heroku Postgres database table that mirrors the Account object. Approximately, how long will these updates take to sync back to the Salesforce org?

- A. It depends on the sync performance, which can vary from one connection to another.
- B. 1 hour.
- C. One million updates is too many for Heroku Connect to handle; therefore, the sync will fail
- D. 12 hours.

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION: 75

Universal Containers has a Heroku app that uses several third-party add-ons. They now need to enforce data privacy and be compliant with General Data Protection Regulation (GDPR).

What should an Architect advise UC regarding data residency in this scenario?

- A. Data residency for add-ons is covered under Salesforce's GDPR compliance.
- B. Heroku support can configure add-ons for specific data residency needs.

- C. Heroku guarantees the physical location of its control surface APIs.
- D. Heroku does not control where add-on providers store data.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 76

A hospital is planning to rewrite its on-premise patient registration system. Their current system is HIPAA-compliant as well as ISO 27018-compliant. They need to maintain these same certification levels after the rewrite. Their new app also needs to sync PII (personally identifiable information) data with their Salesforce org.

What Heroku Enterprise solutions should an Architect propose?

- A. Build the app in a Shield Private Space, with a Shield Heroku Postgres database, and use Apache Kafka on Heroku to stream from the Salesforce org.
- B. Build the app in the Common Runtime, use a Heroku Postgres database, and use Heroku Connect to sync to Salesforce.
- C. Build the app in a Private Space with a Private Heroku Postgres database, and use Heroku Connect to sync to Salesforce.
- D. Build the app in a Shield Private Space, with a Shield Heroku Postgres database, and use Shield Heroku Connect to sync to Salesforce.

Answer: ([SHOW ANSWER](#))

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (185 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

Which 2 architectures are enabled by using a single Private Space and the Internal Routing feature?

- A. A microservices architecture that also uses DNS Service Discovery to facilitate communication
- B. Multiple public-facing web apps with different sets of trusted inbound IP ranges
- C. A single public-facing web app that performs network-isolated communication with multiple non-public-facing web apps.
- D. Network-isolated communication between applications in the Private Space and applications in the Common Runtime

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 78

Universal Containers is looking to implement Entitlement Management to meet the following requirements:

- 1) Any employee from the customer account is eligible for support.
- 2) Specific purchased products are eligible for support.

What Objects should be set up for Entitlement Management?

- A. Accounts and Service Contracts
- B. Contacts and Assets
- C. Contacts and Service Contracts
- D. Accounts and Assets

Answer: D (LEAVE A REPLY)

NEW QUESTION: 79

Which three items are required to successfully set up Single Sign-on (SSO) services with Heroku? (Choose three.)

- A. A Heroku Enterprise Team
- B. An identity provider with built-in support for Heroku
- C. Administrative permissions on the selected identity provider
- D. An existing Heroku account for each user
- E. At least one valid SSO certificate

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 80

A client's application needs to run in a European country for data residence purposes. What is a consideration in this scenario?

- A. There is no guarantee that a Heroku Postgres database will be created in the same region as the application that provisions it.
- B. When a dyno is cycled, its replacement might run in a different region.
- C. European regions are only available for applications running in Private Spaces.
- D. Heroku Postgres backup snapshots and dataclips are always stored in the U.S.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 81

Which Heroku runtimes provide keystroke logging?

- A. The Common Runtime, Private Spaces, and Shield Private Spaces
- B. Shield Private Spaces only
- C. Private Spaces and Shield Private Spaces

D. Keystroke logging is not available on Heroku

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

A client is running an app on 20 Standard-2x dynos. They are noticing highly variable performance when the application is experiencing a heavy load.

Which two suggestions should an Architect make in this scenario? (Choose two.)

- A. Configure the app to use Standard-1x dynos.
- B. Configure the app to use Performance dynos.
- C. Install a performance monitoring tool.
- D. Add additional Standard-2x dynos.

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://devcenter.heroku.com/articles/optimizing-dyno-usage>

NEW QUESTION: 83

A client wants to create a scalable set of microservices that communicate with each other, where multiple microservices have a public REST API.

Which architecture strategy allows this on Heroku?

- A. Each microservice is a separate Heroku app. The microservices communicate by using Apache Kafka as a message bus.
- B. Each microservice is a separate process type in a single Heroku app. The microservices communicate by using Redis as a message bus.
- C. Each microservice is a separate private space. The microservices communicate by using DNS Service Discovery.
- D. Each microservice is a separate process in a single Heroku app. The microservices communicate by using shared memory.

Answer: C ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-a-cache-kafka>

NEW QUESTION: 84

Universal Containers wants to help their dispatches determine the length of time a Work Order should last. What should the Consultant implement to help achieve this goal?

- A. Operating Hours for Customer Accounts.
- B. Work Types with an Estimated Duration.
- C. Work Orders with Operating Hours
- D. Work Types with Service Level Agreement.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 85

Universal Containers has noticed that with every new product release there is a rise in customer reported Cases and a decrease in first-time fix-rate.

Which two recommendations should a Consultant make? (Choose two.)

- A. Increase training to Field Service Technicians.
- B. Increase training to Sales Representatives.
- C. Publish pre-release documentation on the Customer Community.
- D. Publish training documentation in a closed Chatter group.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

A healthcare client is creating a web portal for their customers on Heroku, which is sourced from a Salesforce instance. Some of the Salesforce data they wish to display falls under HIPAA compliance, and their auditors have determined this data must be stored encrypted-at-rest. To satisfy this requirement, they have enabled Platform Encryption on Salesforce.

They are investigating Heroku Shield Private Spaces, Shield Dynos, Shield Postgres, and Shield Heroku Connect.

How will Shield Heroku Connect interact with the encrypted fields in Salesforce?

- A. Shield Heroku Connect will be able to access only cypher text in the fields from Salesforce. They will need to import the encryption key from Salesforce to decrypt to store in Shield Postgres.
- B. Shield Heroku Connect will be able to synchronize data from fields in Salesforce without additional customization, but any writes will need to be encrypted using the Salesforce encryption key first before being written.
- C. Shield Heroku Connect requires customization on the Salesforce side to decrypt the data before transmitting to Heroku.
- D. Shield Heroku Connect will be able to synchronize data bidirectionally without additional customization.

Answer: B ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strmgs>

NEW QUESTION: 87

A client provisions a Heroku Postgres database in the EU region.

Which two services related to Heroku Postgres are located in the U.S.? (Choose two.)

- A. Fork and follower databases
- B. Heroku Postgres Continuous Protection backups
- C. Snapshots created with Heroku PGBackups
- D. Heroku Dataclips

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-postgresql>

NEW QUESTION: 88

Universal Containers has recently experienced a higher volume of traffic on their mobile app hosted on Heroku.

When Universal Containers was running 4 standard-2x dynos with 1 GB RAM each, they encountered multiple H12 ("request timeout") errors. The app never consumed more than 800 MB of RAM. They then switched to performance-m dynos, with 2.5 GB RAM, and set autoscaling to a maximum of 2 dynos. However, they still encountered H12 ("request timeout") errors.

What remediation should an Architect recommend to alleviate this problem?

- A. Move long-running tasks to worker dynos.
- B. Add a logging add-on from the Elements marketplace.
- C. Upgrade to performance-L dynos with 14 GB RAM.
- D. Replace autoscaling with a manual scaling option of 2.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <http://storage.hinterland.nu/webdav/Documents/To%20Read/Heroku%20Cloud%20Application%20Development.pdf> (290)

NEW QUESTION: 89

Universal Containers (UC) is using Field Service and has customer meetings at UC's offices. When booking meetings, they would like them to begin on the hour, every hour, between 9am-5pm.

How can this be achieved?

- A. Use Multiple Operating Hours with Slots for each hour.
- B. Use Customer Operating Hours.
- C. Use Exact Appointments on the Work Types.
- D. Use Territory-specific Operating Hours.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

How does Heroku Connect work with Salesforce authentication?

- A. A single integration user's credentials are stored.
- B. SAML authorizes Heroku Connect to make API calls
- C. OAuth provides Heroku Connect with API tokens after the user authorizes the Heroku Connect application on Salesforce
- D. The end user of a Heroku app authorizes Heroku Connect via OAuth.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

An existing app is experiencing performance degradation because of multiple executions of multiple, expensive SQL read queries. This SQL code cannot be optimized any further and the frequency of the execution of the queries cannot be reduced. Which two options should an Architect recommend in this scenario?

- A. Hardcode the results of the query into app logic
- B. Add a read-only Heroku Postgres follower
- C. Create a database caching layer
- D. Restart the Heroku Postgres server to reclaim cache

Answer: B,C ([LEAVE A REPLY](#))

Explanation

-

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (185 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 92

A client wants to create a scalable set of microservices that communicate with each other, where multiple microservices have a public REST API.

Which architecture strategy allows this on Heroku?

- A. Each microservice is a separate Heroku app. The microservices communicate by using Apache Kafka as a message bus.
- B. Each microservice is a separate process type in a single Heroku app. The microservices communicate by using Redis as a message bus.
- C. Each microservice is a separate private space. The microservices communicate by using DNS Service Discovery.
- D. Each microservice is a separate process in a single Heroku app. The microservices communicate by using shared memory.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 93

The Disaster at Universal Containers would like to schedule Service Appointments from the Dispatcher's Console while taking the Scheduling Policy into consideration.

Which three options are available to the Disaster? (Choose three.)

- A.** Create a Workflow to close the Milestone when the Wrap Up is complete.
- B.** Select a Service Appointment from the list, press the "Change Status" action and "Dispatch".
- C.** Select a Service Appointments from the list and press the "Schedule" action.
- D.** Select a Service Appointment from the list, press the "Candidates" action, and select the best time slot.
- E.** Select multiple Service Appointment from the list and bulk schedule them Select a Service Appointment from the list, press the "Edit" action and allocate the Resource

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

A customer runs Production Check on an application from the Dashboard. Which two runtime issues does it check for? Choose 2 answers.

- A.** Worker dyno scale: ensuring at least 1 worker dyno is available.
- B.** Dyno redundancy: ensuring at least 2 web dynos are available
- C.** CDN ensuring a CDN is available to the web dynos
- D.** Production-tier database: ensuring a production-tier database is being used

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 95

What is a Heroku dyno?

- A.** A managed runtime container with a Linux operating system underneath
- B.** Your application code compiled and ready to be served to a variety of web clients
- C.** A specialized dinosaur monitoring service delivered from the cloud
- D.** An on-prem server that you can install in a rack at your nearest co-location facility

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 96

For which two use cases should an Architect recommend using Heroku Redis? (Choose two.)

- A.** Providing long-term data warehousing
- B.** Adding jobs to a queue
- C.** Querying relational data
- D.** Providing a data cache layer

Answer: **A,C** ([LEAVE A REPLY](#))

Valid Heroku-Architecture-Designer Dumps shared by Actual4test.com for Helping Passing Heroku-Architecture-Designer Exam! Actual4test.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the Actual4test.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Heroku-Architecture-Designer dumps with Test Engine here: https://www.actual4test.com/Heroku-Architecture-Designer_examcollection.html (**185** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)