

Salesforce.Sharing-and-Visibility-Architect.v2023-02-17.q81

Exam Code:	Sharing-and-Visibility-Architect
Exam Name:	Salesforce Certified Sharing and Visibility Architect
Certification Provider:	Salesforce
Free Question Number:	81
Version:	v2023-02-17
# of views:	1212
# of Questions views:	810
https://www.freepdfdumps.com/Salesforce.Sharing-and-Visibility-Architect.v2023-02-17.q81.html	

NEW QUESTION: 1

Below are some details regarding the organization at Universal containers:

1. Richard and Kevin are the east sales reps and their manager is Karen the East sales executive.
2. Sam and Wilder are West sales reps and the manager is Wendy, the West sales executive.
3. Bob is the CEO and managers both Karen and Wendy

Universal containers role hierarchy follows their management structure. Richard owns an account, NewCompany, and Kevin owns an account, OldCompany. Karen manually shared her account NewWorld with Kevin. However, she has moved to a new role to lead all Named Accounts, and Phil, who replaced her, is the new owner of NewWorld. Which employees will have access to the NewWorld account?

- A. Bob, Phil and Kevin
- B. Bob, Richard, Phil and Kevin
- C. Bob, Karen and Kevin
- D. Bob and Phil

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

Universal Containers has enabled External Default Sharing and wants to allow for external users to have the External Sharing Default set to Public Read-Only for a custom object.

Which two options are valid Internal Default sharing settings for the custom object?

- A. Controlled by Parent
- B. Public Read Only
- C. Public Read/Write

D. Private

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 3

Universal Containers (UC) tuned off the Customer User Visibility feature in its Customer Community.

What community functionality is expected by having the Customer User Visibility tuned off?

- A. Creating new Customer community users.
- B. Updating their user profile.
- C. Searching for other external users.
- D. Search for internal users.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Universal Containers (UC) turned off the customer visibility feature in its customer community. What community functionality is impacted by having the customer user visibility turned off?

- A. Updating their user profile.
- B. Searching for the external users.
- C. Searching for internal users.
- D. Creating new customer community users.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Universal Container is a global Telco that has recently implemented enterprise territory management to better align their sales teams and sales processes. They are in Q4 of the FY and they have completely revamped their territory structure and created a plan for a new structure that would support the new FY. Their current territory model has 8k territories. Their new model would be a new set of 8,5K territories, and their org limit is 10k. What enterprise territory management feature can US take advantage of in order to help them stay within their org limits?

- A. Territory Hierarchy
- B. Territory Type
- C. Territory Model State
- D. Territory type priority

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Sales manager at universal containers (UC) have requested viewing customer invoices in Salesforce. Invoice data is mastered in the ERP system. The architect at UC decided to surface the customer invoices in salesforce using external objects and did the following:

-Configured an external object called Invoice.

-Created a lookup relationship between account and the invoice.

How can the architect grant the sales managers access to the customer invoices data?

- A. By creating sharing rules to share the invoices records with users in sales managers roles.
- B. By creating a sharing set to share invoices with users in sales manager role.
- C. By creating controlling the invoices object permission on the sales manager's profile.
- D. By creating manual sharing to share invoices with relevant sales managers.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 7

What should a Salesforce architect recommend to make sure that users that gained access to a custom of sharing do not lose access to it when its owner is changed?

- A. Create a specific Sharing Reason for the custom object.
- B. Create a new record in _Share object with RowCause "Manual"
- C. Use "runAS" system method in Apex classes to enforce record visibility.
- D. Use "With Sharing" keyword to make sure record visibility will be considered

Answer: A (LEAVE A REPLY)

NEW QUESTION: 8

Universal Containers (UC) sales managers are complaining that they cannot access their teams' Shipment records (a custom object). Initially, the admin suggested that this is happening due to misconfigured role hierarchy (Shipment OWD is Private). After investigation, they determined the role hierarchy for these users is correct.

What can be the reason why Universal Containers sales managers are not able to see Shipment records?

- A. Ownership-based sharing rule for Shipment was Incorrectly disabled by the Salesforce admin.
- B. Sales managers have only the Read permission on the Shipment object and should not be able to edit their team records.
- C. The Grant Access Using hierarchies option on Shipment Sharing Settings was incorrectly disabled by the Salesforce admin.
- D. Role hierarchy Implicit sharing was Incorrectly disabled by the Salesforce admin.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 9

Universal Containers (UC) has a custom object to track the internal net promoter score (NPS) for all ..

How can UC ensure that NPS records cannot be accessed by an individual employee's manager?

- A. Remove Create, Read, Edit and Delete from Manager Profiles and Permission sets.

- B.** Create a criteria-based sharing rule to remove access to Manager role and above in the Role ..
- C.** Set organization wide default to Private and uncheck the Access Using Hierarchies option for the NPS object
- D.** Use Apex Sharing to remove NPS object share records for Manager profiles.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Universal Containers uses the Case object to track service tickets. They have implemented Case teams to allow multiple support representatives to manage the Cases. Which two "Filter by owner" options would the user see while creating a list view on the Case object?
Choose 2 answers

- A.** Roles
- B.** My Case Teams
- C.** Queue
- D.** Public Groups

Answer: **B,C** ([LEAVE A REPLY](#))

NEW QUESTION: 11

The architect at Universal Containers is trying to ensure that security vulnerabilities are not present within the Salesforce organization.
What two tests should the architect verify?

Choose 2 answers

- A.** Test Cross-Site Scripting on custom pages.
- B.** Test for SOQL Injection.
- C.** Test for invalid user access attempts.
- D.** Test Cross-Site Scripting on Apex queries.

Answer: **A,B** ([LEAVE A REPLY](#))

NEW QUESTION: 12

Universal Containers has a requirement to share Accounts automatically to the users at a field office. They currently have the following setup in their environment:

- * Accounts are set to Private in the Org-Wide Default.
- * The field office is specified by a lookup in the Account object.
- * There are 400 field offices.
- * The users in each field office are managed using public groups.

Based upon a lookup relationship field on the Account, how should the Architect meet this requirement?

- A.** Use Manual Sharing to share the Account with the appropriate field office.
- B.** Use Criteria-Based Sharing to share the Account with the appropriate field office.
- C.** Use Programmatic Sharing to share the Account with the appropriate field office.

D. Use Account Teams to share the Account with the appropriate field office.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

Universal Containers has selected a small and diverse group of users to review Inactive accounts. Given the Private sharing model, a public group was created and made available to this group of users. A sharing rule was created to make inactive Accounts visible to the public group. However some of these users are reporting they don't see any of the Accounts that were shared with the public group.

what is the underlying Issue for these users?

A. The users are In profiles that have no access to the Account object.

B. The page layout assigned to these mart to different than the Account owner

C. The Accounts ire owned by users higher In the role hierarchy.

D. The users have a permission set that only allow Accounts in "Active' status.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Partner users can access records belonging to users in their account at their same role or lower in the role hierarchy, for Cases, Leads, Opportunities and Custom Objects. Which of the following access has to be given ?

A. Super user permission

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Universal Containers (UC) uses a custom Visualforce page to display shipment tracking information (custom object, private OWD) to field manager and agents. The IT team wants to make sure that users have access to only the information that is allowed.

Which Apex method must be used to make sure only allowed fields are shown to the users?

A. isAccessible()

B. isVisibleable()

C. isShowable()

D. isReadable()

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

What vulnerability can exist when controllers use dynamic rather than static queries and bind variables?

A. Cross-site scripting.

B. Buffer Overflow Attacks.

C. SOQL Injection.

D. Record Access Override.

Answer: ([SHOW ANSWER](#))

Valid Sharing-and-Visibility-Architect Dumps shared by Actual4test.com for Helping Passing Sharing-and-Visibility-Architect Exam! Actual4test.com now offer the **newest Sharing-and-Visibility-Architect exam dumps**, the Actual4test.com Sharing-and-Visibility-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Sharing-and-Visibility-Architect dumps with Test Engine here: https://www.actual4test.com/Sharing-and-Visibility-Architect_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Universal containers (UC) implemented a private organization-wide default for the Container and Case objects.

How can UC give support representatives access to Container and Case records owned by Customer Community users?

- A. Create a Share Group based on the sharing set created for the Customer Community User Profile.
- B. Support representatives nil automatically get access to these records via the role hierarchy
- C. Create an ownership-based sharing rule that gives access to the head of support role and internal subordinates
- D. Create a criteria-based sharing rule that gives access to the head of support role and internal subordinates

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

Universal Containers (UC) has created a public group with certain Sales Engineers to help on complex deals and a sharing rule to grant access to these opportunities. Opportunity OWD is private.

What is the impact of these sharing settings?

- A. Subordinates of Managers who have Sales Engineers in the public group will also have access to these records.
- B. Sales Engineers direct reports will also have access to these records.
- C. Sales Engineers Managers and their managers in the role hierarchy will also have access to these records.
- D. Sales Engineers that have a similar role of the Sales Engineers of the public group will also have access to these records.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

An External Object is created to show Invoices from an external accounting system. When viewing the External Object, a user should only access invoice records the user is authorized to see.

What two actions are required to achieve the above requirement? Choose 2 answers

- A.** Create an owner based sharing rule to grant visibility to the Invoice object.
- B.** Setup External Object to use OAuth to connect to the Accounting system.
- C.** Restrict access to data in the accounting system.
- D.** Grant access to the External Object to only the Account Manager profile.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 20

Universal Containers is updating its Organization-Wide Sharing Settings for the Account Object from a "Public Read/Write" model to a "Private" model, so that they can hide certain national accounts from sales reps and sales managers. These national accounts should only be accessible by sales directors and above. Universal Container's Role Hierarchy matches its organizational hierarchy. Which two options should the Architect consider when designing the solution? Choose 2 answers

- A.** National accounts must be owned by a user who is above the sales managers in the Role Hierarchy.
- B.** If a sales rep is added to the Opportunity Team for a national account, they will gain access to account data.
- C.** Apex managed sharing will have to be disabled for the account object to protect the national accounts.
- D.** Sales directors will need a sharing rule created so that they can see accounts owned by Sales Users.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 21

Universal Containers is planning to pilot a new application to a small set of Sales Reps. What is the optimal way to grant inly this Sales Reps access to the new functionality, while hiding ..

- A.** Create a permission set to grant access to the new functionality and hide the old functionality.
- B.** Revoke access to legacy function in the Sales Rep profile and create a permission set for the ..
- C.** Clone the Sales Rep profile, adjust settings, and assign the pilot users the new profile.
- D.** Create new user records for the pilot user that they will use for the pilot.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 22

Universal Containers maintains Job information in a Custom Object that contains sensitive information. The only users who should be able to view and edit Job records are the user who owns the record and all users in the Delivery profile. Which three platform sharing tools are required to support the above requirements?

Choose 3 answers.

- A. "Modify All" permission for Job Object on the Delivery Profile.
- B. "View All Data" profile permission on the Delivery Profile.
- C. Organization-Wide Default sharing setting of Private on the Job Object.
- D. Grant access Using Hierarchy sharing setting on the Job Object set to false.
- E. Criteria-Based sharing rule for the Delivery Profile on the Job Object.

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 23

Universal Containers would like to track defects within Salesforce. A defect need to have the following fields:

- * Severity
- * Type
- * Status
- * Description

There will be multiple Defects related to the standard Case object. Defects will be assigned to different owners which will often be different to the Case owner. Which option should the Architect choose to meet the requirement?

- A. Create a custom object for defects and relate it to cases using lookup
- B. Create a relationship between the standard defect object and the standard case object.
- C. Create all defect fields on the case object to track the defect and lookup.
- D. Create a custom object for defects and relate it to cases using master -detail

Answer: A (LEAVE A REPLY)

NEW QUESTION: 24

If OWD is Public Read Only, what are sharing access options

- A. Read, - Read/Write

Answer: A (LEAVE A REPLY)

NEW QUESTION: 25

A Visualforce controller has a requirement to be written with "Without Sharing" at the top level; however, certain methods within the page still need to enforce the user permissions for creating records and accessing certain fields. Which two methods below would be used to enforce this requirements?

Choose 2 answers.

- A. UserInfo.getProfileID

- B. Schema.DescribeFieldResult
- C. Schema.DescribeSObjectResult
- D. Schema.getGlobalDescribe

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Universal Containers is designing a new community using the Customer Community license type. They would like to have the users complete survey questions through the community interface and store the responses in a Custom Object that has a lookup to the account object. Any internal user who has access to the account should be able to see all survey responses. All Customer Community users should be able to see surveys filled in by other users for their company, but not surveys for other companies. What are the correct security settings to achieve this?

- A. Set all Organization-Wide Default settings to be "Public Read/Write" for both internal and external users.
- B. Set all Organization-Wide Default security to be "Public Read/Write" for internal users and "Private" for external users.
- C. Set all Organization-Wide Default security to be "Private" for both internal and external users and use Sharing Rules to grant the desired access
- D. Set the custom object to be master-detail to the Account and leave the Organization-Wide Default settings as their default values.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Universal Containers (UC) has 200 distributors that use Partner Community licenses. Partners cannot see each other's data, but UC is also trying to give more visibility to data for certain individuals at a distributor.

HOW can an Architect give users in the partner user role access to all Case and Container records owned by any user, regardless of role, at the same distributor?

- A. Create sharing sets.
- B. Create an ownership-based sharing rule.
- C. Give super user permission to the individual partner users.
- D. Create a Permission Set granting "View All" permission to Case and Container records.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Which three capabilities are available with Enterprise Territory Management? Choose 3 answers

- A. Share a report or dashboard folder with a Territory
- B. Metadata API Support
- C. Assignment of Territory on Opportunities

D. Integration with Collaborative Forecasting

E. Create a public group with Territory

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

A custom invoice object has been created with a master-detail relationship to account. The Accountreceivable (AR)teamneedsaccesstoInvoicesARusersdonotownnorhaveaccess to Accountrecords.AccountOWD is set to Private.The AR team isunable to find Invoices in Listviews,Reports,norinGlobalSearch.The Architecthasbeenasked tohelp troubleshoot. Whatcouldbethe issue preventing ARteam members from seeinginvoices?

A. A sharing rule is missing to share Invoices to the AR team.

B. Asharingruleismissingto shareAccountstotheARteam.

C. The Accounts receivable profile doesnothave read Permission to the Invoice Object.

D. TheARteamprofileneedstobeassignedanInvoicePagelayout.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Sales manager want their team members to help each other close Opportunities. The Opportunity and .. private. To grant Opportunity access to sales reps on the same team, ownership-based sharing rules ..

What is the side effect of this approach?

A. All sales reps will have Read access to Accounts for all Opportunities.

B. All sales reps will have Read access to all Accounts.

C. Sales reps on the same will have Read access to the Accounts for Opportunities owned by their.

D. Sales Reps on the same team will have Edit access to the Accounts for Opportunity owned by their.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Universal Containers (UC) uses a custom lightning component with an Apex class to display shipment information (custom object, private OWD). UC sales managers are complaining about two important points:

* Shipment records that belong to their teams can be seen by other users.

* Shipment amount should be visible only by managers, but sales reps are able to view it.Which two features did the development team miss that is causing the problems?

Choose 2 answers.

A. Use runAs in test class to enforce user permissions and field-level permissions.

B. Use isAccessible() method in Apex classes to check field accessibility

C. Use With Sharing keyword in Apex classes to enforce sharing rules evaluation.

D. Use isSharable keyword in Apex classes to assure record visibility.

Answer: B,C ([LEAVE A REPLY](#))

Valid Sharing-and-Visibility-Architect Dumps shared by Actual4test.com for Helping Passing Sharing-and-Visibility-Architect Exam! Actual4test.com now offer the **newest Sharing-and-Visibility-Architect exam dumps**, the Actual4test.com Sharing-and-Visibility-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Sharing-and-Visibility-Architect dumps with Test Engine here: https://www.actual4test.com/Sharing-and-Visibility-Architect_examcollection.html (**80 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

The Collections department at Universal Containers uses Salesforce to track its efforts. All Invoices and Invoice Line Items are stored in Salesforce. Invoice Line Item object details, such as Quantity and Extended Amount, should be summarized at the Invoice Object level, and all users who can see a given invoice should always see all invoice line items. Without leveraging Apex code, how should an Architect create the relationship between the Invoice object and the Invoice Line Item Object?

- A. The Invoice object should have a Master-Detail to the Invoice Line Item Object
- B. The Invoice Line Item Object should have a Lookup to the Invoice Object
- C. The Invoice Object should have an inner join to the Invoice Line Item Object
- D. The Invoice Line Item Object should have a Master-Detail to the Invoice Object

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Universal Container (UC) is in a legal dispute regarding several orders. UC has found out these records VP of Sales has asked to ensure this cannot happen in the future.

What approach would meet this requirement?

- A. Implement a Sharing Rule that changes access for order to Read.
- B. Remove Order delete Permission from Profiles and Permission Sets
- C. Remove the Delete button from the Order Page Layout.
- D. Change the Record Type/Page Layout assignment for orders to be Read Only.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Assuming Person Account is enabled in a Salesforce organization, which three objects can be configured as "Controlled by Parent" in Sharing Settings?

Choose 3 answers

- A. Case

- B. Opportunity
- C. Asset
- D. Contact
- E. Order

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Susan posts a file to the Chatter feed for a record of an object.

Which two statements accurately describe who can view the file by default?

- A. Susan only
- B. Susan and users with a shared Chatter post for the file.
- C. Susan and users with access to the record.
- D. Susan and users with the View all Data permission.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which two options can help mitigate the risks of import failures associated with large-volume bulk data loads?

Choose 2 answers.

- A. Increase batch size.
- B. Minimize user group hierarchy.
- C. Defer Sharing Calculation.
- D. Group records by ParentID within a batch.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Universal Containers has Controlled by Parent sharing settings on the Contact object and Public Read Only sharing settings on Account, Opportunity, and Case objects. Which two options can the user see while adding Account team members to the Account?

- A. Opportunity Access
- B. Contact Access
- C. Activity Access
- D. Case Access

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Universal Containers has set Opportunity Sharing to Private with Opportunity Teams enabled. Which three options can change the Owner of the Opportunity?

Choose 3 answers.

- A. The user specified as the Manager on the Owner's User Profile.
- B. Any Opportunity Team Member on the current Opportunity.

- C. The System Administrator or a user with the "Transfer Records" permission.
- D. The current Opportunity Owner can transfer the current ownership.
- E. Someone above the Opportunity Owner in the Role Hierarchy.

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 39

Universal Containers would like to create a custom team solution that can be used on a custom Loan object. The following requirements must be met:

The Loan custom object should be set to Private in the Org-Wide Defaults.

Any user added to the Custom Team object should have Read Only access to the corresponding Loan record. If the Custom Team record is marked as "Primary" then the corresponding user should have Read/Edit access to the corresponding Loan record.

Which two methods will allow the Architect to meet the requirements?

Choose 2 answers.

- A. Create a custom trigger on the Custom Team object that inserts or updates records in the Loan_share object.
- B. Create a criteria-based sharing rule on the Loan object that will share the Loan record with the appropriate user in the Custom Team object.
- C. Create Apex Sharing Reasons on the Loan object to identify the reason the Loan record was share.
- D. Create an owner-based sharing rule on the Custom Team object that will share the Loan record to the owner of the Custom Team record.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 40

Universal Containers has successfully implemented a large Service Cloud rollout for their national call center 3 months ago. One of their largest customer accounts, United Automotive, has over 15,000 open cases. Agents are now having trouble opening new cases for United Automotive. When they try to create a case, the following Error messages appear for them UNABLE_TO_LOCK_ROW They notice that this only occurs for the United Automotive account. If they try to save the case again it will usually work, but the problem seems to be happening more and more often. What option should the Architect recommend?

- A. Review all Case Sharing Rules and consolidate where appropriate to reduce the total number of sharing rules.
- B. Review all Account sharing rules to ensure that the Customer Service team has Read/Write access to the United Automotive Account.
- C. Review the Customer Service Profile to ensure that they have Read/Write access to the appropriate Case and Account Fields.
- D. Review the Account structure to split the United Automotive account into multiple branch accounts.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 41

Universal Containers has a Private Sharing Model and restrictive data access settings in place. The data governance team is planning to deploy a master data management tool that will need write access to all system data, and the Architect has been asked to prepare a Data Governance User Profile that has full access to all data regardless of Sharing and CRUD Settings. What is the optimal way to enable this requirement?

- A. Enable the "Edit Read -Only Fields" permission for this Profile.
- B. Create an All Data Access app as a default for this Profile.
- C. Ensure the profile has the "Modify All Data permission enabled
- D. Create a Sharing Rule for required Objects, on an API Only profile

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

UniversalContainers(UC)hasimplementedcustomercommunitywithcustomercommunitylicenses for their customers. UCrequested thatanyrecord owned by its customers should be accessible byUC users in the customer support role.

How can an Architect configure the system to support the requirements?

- A. Apex Sharing
- B. Sharing Rule
- C. Sharing Set
- D. Share Group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Universal Containers has developed Apex code to manually create AccountShare records to grant specific users access to individual Accounts. What must the Architect do to ensure the AccountShare records are not deleted when the owner of the Account is changed?

- A. Create the share records and set the RowCause to Manual
- B. Create the share records with the Delete on Owner Change field set to false
- C. Create the share records in a class with the "Without Sharing" keyword
- D. Create the share records and set the RowCause to a custom Apex Sharing Reason

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Universal Containers has set Account Sharing to Private with Account Teams enabled. Which two user groups can add team members on the Account? Choose 2 answers

- A. The user specified as the Manager on the Owner's User record
- B. Someone above the Account Owner in the Role Hierarchy with read access
- C. Any Account Team Member with read access on the Account
- D. The current Account Owner can add team members.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

Universal Containers (UC) provides shipment tracking for its customers on a custom Shipment object. The .. yearly by the customers should be available on the Account record to the Marketing team, but the Marketing Shipment records.

What recommend should an Architect provide to accomplish this?

- A.** Private organization-wide default on Shipment, trigger, and Lookup relationship to Account,
- B.** Controlled by Parent (Account) on Shipment, trigger, and trigger, and Master-Detail relationship to Account.
- C.** Private organization-Wide default on Shipment, rollup summary, and Master-Detail relationship to Account.
- D.** Public organization-wide default on Shipment, process builder, and lookup relationship to Account.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Universal Containers (UC) works with a dealer network to sell their products. There are approximately 5,000 dealers that do business with UC and UC has purchased a Partner Community to interact with each of their dealers on Opportunities. Each dealer is structured so that there are a group of managers who will oversee a larger team of agents. UC would like to set the Organization-Wide Defaults to Private for the Opportunity object, both internally and externally. Within each dealer, there are a few agents called Lead Agents who should be able to see the Opportunities for all of the other Agents at the dealer. What is the optimal solution for an Architect to recommend?

- A.** Create a Sharing Rule to share opportunities to the owner's manager's role and below.
- B.** Build an Apex Managed Sharing rule that will assign specific Opportunities to Lead Agents.
- C.** Grant Super User access to the Lead Agents as part of the Community user setup.
- D.** Add a Sharing Set that shares Opportunities to the Lead Agent based on the Lead Agents Account.

Answer: C ([LEAVE A REPLY](#))

Valid Sharing-and-Visibility-Architect Dumps shared by Actual4test.com for Helping Passing Sharing-and-Visibility-Architect Exam! Actual4test.com now offer the **newest Sharing-and-Visibility-Architect exam dumps**, the Actual4test.com Sharing-and-Visibility-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Sharing-and-Visibility-Architect dumps with

Test Engine here: https://www.actual4test.com/Sharing-and-Visibility-Architect_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Universal Container has developed a custom Visualforce page that will accept user input and must prefer returning the results to the users.

Which two techniques should be used to ensure the users cannot perform a SOQL injection attack?

- A. Escape double quotes in the user input.
- B. Use the with Sharing keyword on the controller.
- C. Use bind variable in the SOQL query.
- D. Use the escapesinglequotes() method to sanitize user input.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 48

Universal Containers has a custom object to maintain Job information with a private sharing model. The Delivery group is distributed through the Role Hierarchy based on geography. As the Delivery group often collaborates on Jobs, all users in the Delivery profile required View access to all Job records. In special case, the Delivery user who owns a job must be able to grant a Product Development user access to a Job record. Which two platform features can be used to support these requirements?

Choose 2 answers

- A. Criteria-based Sharing Rules
- B. Owner-based Sharing Rules
- C. "View All" Profile settings
- D. Manual Sharing

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Universal Container (UC) wants all full-time internal employees to be able to view all leads. A subset of employees should also be able to see leads.

Which organization default (OWD) approach should an architect recommend that will help UC implement these requirement?

- A. Implement a Public Read only OWD on Lead
- B. Implement a Public Read/write OWD on Lead
- C. Implement a Public Read/write/Transfer OWD on Lead.
- D. Implement a Private OWD on Lead.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Universal Containers has implemented a community for its customers using the Customer Community sense type. They have implemented a custom object to store service requests that has a look up to the account record. The Organization Wide Default External Access for the service request object is set to Private. Universal Containers wants their customers to be able to see service requests for their account through the community Customers should not see service requests for other accounts. What Salesforce feature can the Architect use to implement this?

- A. Use a Sharing Rule to share service requests to the community user based on their role.
- B. Use a Sharing Set to share service requests related to the account based on the community user's profile.
- C. Use Apex Managed Sharing to share service requests related to the account to the appropriate community users.
- D. Use manual sharing to share the service requests manually when a new community user is added.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 51

After testing and deploying a new trigger that does creates a related order when a opportunity is closed, the Architect begins complaints of permission error messages appearing when closing an opportunity.

How did this error occur?

- A. The trigger handler class is using "with sharing" and the user does not have access to the orders related to the opportunity.
- B. Trigger is using IsCreateable() Apex method and the user doesn't have create permission on the Oder object.
- C. The trigger should be using RunAs() when creating the order.
- D. The trigger handlers class does not use any sharing keywords and the user not have access to the orders related to the opportunity.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 52

Universal Containers has a private sharing model on Accounts. Apex Managed Sharing is required to share certain account records with all users who are assigned to a specific Role in the Role Hierarchy. What should be the recommended way for the Architect to implement this?

- A. Create an AccountShare record associated to the required Role.
- B. Create an AccountShare record associated to a public group containing the Users in the Role.
- C. Create an AccountShare record associated to a public group containing the Role.
- D. Create an AccountShare record associated to each user who is assigned to the Role.

Answer: (SHOW ANSWER)

NEW QUESTION: 53

Universal Containers has a custom Job object with a private sharing model. Based on the size and location of the Job, different teams must have access to edit the specific Job record. To support this requirement, Apex Managed Sharing has been implemented to share records with the required users. Since the teams change frequently, managed sharing recalculations need to be manually run frequently. What can the Architect do to optimize this process?

- A. Create a scheduled job to automatically run the sharing recalculations on a nightly basis.
- B. Create public groups for each team, and share the jobs with the groups instead of users.
- C. Change the sharing model on the Job object to Public Read/Write.
- D. Create a custom Visualforce page to edit the jobs and specify Without Sharing on the controller.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 54

Users at Universal Containers are complaining that a field has disappeared from the Account page after deploying its latest project. The page layout has not changes with this deployment.

How should the admin troubleshoot this issue?

- A. Log in as user and check several Accounts to isolate the problem records.
- B. View Field Accessibility in the Object Manager
- C. Run a Who Sees What report, filtering on Account.
- D. Review change to Account record types.

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 55

Universal Containers (UC) delivers training in 500 different regions. The UC Operations Users team manage course setup, scheduling, and trainer setup. The Operations Users team members work at a regional level and report to an Operations manager. The Operations manager requested access to edit ALL scheduled courses owned by the Operation Users team.

How can this be achieved?

- A. The Operations manager will get access to the scheduled courses by creating an ownership-based sharing rule and share the scheduled courses with the Operations manager.
- B. The Operations manager will get access to the scheduled courses by creating a public group and add the Operations manager and the Operations Users team to the public group
- C. The Operations manager will get access to the scheduled courses by granting the Operations manager modify ALL on scheduled courses.
- D. The Operations manager will get access to the scheduled courses owned by the Operations Users team defined in the role hierarchy.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

Universal Containers has just deployed a change to its role hierarchy. A manager is reporting that their staff can now see Accounts that they do not own and should not have access to. How should the Architect troubleshoot?

- A.** While logged in as the one of the Staff members, navigate to a sample account and use the Sharing button to determine who has access.
- B.** While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.
- C.** While logged in as the one of the Staff members, navigate to their user record and inspect their profile and role membership.
- D.** While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

Universal Containers (UC) enables customers to manage issues using a Customer Community license. The Case external organization-wide default is set to Private. Currently community users can only see cases they created.

What can be done to allow community users to see all cases for their account?

- A.** Write an Apex class to create manual shares for these users.
- B.** Upgrade the licenses to Customer Community Plus.
- C.** Ensure the criteria-based sharing rule applies to all users.
- D.** Create a sharing set for these customers.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

When writing test methods, what functionality is verified by the system method "runAs()"?

- A.** Enforcement of user permissions.
- B.** Enforcement of a user's record sharing.
- C.** Enforcement of user's public group assignments.
- D.** Enforcement of a user's field-level security.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

Universal Containers (UC) has 600 sales reps. UC has rollout plan to deploy salesforce in 3 weeks. At the end of the second week, they received a "User Role Limit Exceeded" error. After investigation, they discovered that during the user provisioning process, a new role was generated for every new user.

Which two recommendations could solve this problem?

Choose 2 answers.

- A. Review the user provisioning process to not automatically create a user role for any new user.
- B. Create an Apex class to replace the User Roles by generic one as soon as they are created.
- C. Remove role hierarchy from salesforce org and control the record access using apex managed sharing.
- D. Contact salesforce support and request to increase the number of users' roles allowed.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 60

To grant Universal Containers sales manager access to shipment records properly, it was necessary to leverage Apex managed sharing. The IT team is worried about improper access to records.

Which two features and best practices should a Salesforce architect recommend to mitigate this risk?

- A. Use with Sharing keyword in Apex classes to assure record visibility will be followed.
- B. Use runAs system method in test classes to test using different users and profiles.
- C. Use isShareable in Apex classes to assure record visibility will be followed.
- D. Use isAccessible keyword in Apex classes to assure record visibility will be followed

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 61

Universal Containers wants to store Payment Term Details on the Account object, but the fields should only be visible on certain record types and for certain user profiles.

How can a System Administrator quickly determine which user profiles, page layouts, and record types include certain fields?

- A. Universally require the field at the field level.
- B. Log in as each user profile and view the Account Page Layouts.
- C. Use the Field Accessibility Viewer for the fields in question
- D. Click the Field-Level Security for the field on each Profile.

Answer: C (LEAVE A REPLY)

Valid Sharing-and-Visibility-Architect Dumps shared by Actual4test.com for Helping Passing Sharing-and-Visibility-Architect Exam! Actual4test.com now offer the **newest Sharing-and-Visibility-Architect exam dumps**, the Actual4test.com Sharing-and-Visibility-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Sharing-and-Visibility-Architect dumps with Test Engine here: <https://www.actual4test.com/Sharing-and-Visibility->

NEW QUESTION: 62

Which three areas should the Architect review in order to increase performance of "Record Access" and "Sharing" calculations?

Choose 3 answers.

- A. Apex Managed Sharing triggers, to ensure that no trigger is querying more than 10,000 Object records.
- B. Opportunity data, to ensure that no Account has more than 10,000 Opportunity records that are related to it.
- C. Custom Object data, to ensure that no Account has more than 10,000 Custom Objects that look up to it.
- D. Record ownership, to ensure that no user owns more than 10,000 Object records in the system.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 63

Universal containers (UC) has a partner community for its 200 distributors. UC customer accounts are .. organization-wide default setting for the custom Delivery object is private. How can an architect advise UC to grant all users at a distributor access to delivery records for all customer distributor?

- A. Give ownership of the delivery record to a distributor user.
- B. Create a Sharing set for the Distributor profile to grant access to the Delivery object.
- C. Create a criteria-based sharing rule that shares delivery records matching the Distributor to user distributor.
- D. Create a criteria- based sharing rule that shares delivery records matching the Distributor to users of a Public Group created for the distributor.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

Universal Containers has set Partners users who will see records owned by partner users in roles below them in the hierarchy of which roles?

- A. Executive, Manager, and User

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which two reasons should the Architect consider regarding the use of Apex Sharing Reasons?

Choose 2 answers

- A. Ensuring the Share record is not deleted upon ownership change.

- B. Ensuring the developer can more easily troubleshoot programmatic sharing.
- C. Ensuring there is additional criteria available for Criteria-Based Sharing.
- D. Ensuring the Share record is deleted upon ownership change.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 66

After setting up Customer Community and enable collaboration, the architect realizes that customers are only Chatter posts from other customers in their account.

What should the architect do to allow viewing chatter posts from all customers?

- A. Enable Community User Visibility.
- B. Set View All for Chatter posts.
- C. Enable Internal Users Visibility.
- D. Enable Chatter Super User.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

What is a workaround to ownership data skew?

- A. You can minimize possible performance impacts by not assigning the user(s) to a role.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

The architect has a requirement to create a criteria-based sharing rule based on the customer Social.. up the rule in Contact Sharing, the field is not shown on the list of available field.

What might cause this?

- A. The architect's profile does not have field level Security (FLS) for this field.
- B. The architect does not have permission to Compliance fields.
- C. The field has been configured for encryption.
- D. fields with validation rules are not available for sharing rules.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 69

The architect at Universal Containers would like to prevent users from editing encrypted fields. Assuming no customizations are implemented, which two options should the Architect choose to support the requirement?

Choose 2 answers

- A. Validation Rules
- B. Page Layout settings
- C. Apex Triggers
- D. Workflow Rules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

What is the best practice for testing sharing and visibility changes?

- A. Use Administrative and User reports to view the Active Users.
- B. Use the Login As feature for a sample user in each role and profile.
- C. Use the Sharing button to test Profile and Permission set changes.
- D. Use Field Audit Trail to audit the field meta-data and visibility.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

At Universal Containers, Accounts and Contacts are normally visible to all employees, and Proposals (custom object) are visible to the Account owner and managers. However, some Proposals are considered confidential and are managed by a Strategic Proposals team. These Proposals should not be visible to anyone in the Sales group other than the owner and the strategic team.

How should the architect design for this requirement?

- A. Proposal Owner set to the Strategic Deals Team Queue and set the Account relationship to Master-Detail.
- B. Proposal Owner set to the Strategic Deals Team Queue and create an owner-based sharing rule to grant visibility to the Account owner
- C. Disable Grant Access Using Hierarchies and set an Owner-Based Sharing rule for Strategic Deals team.
- D. Disable Grant Access Using Hierarchies and set a Criteria-Based Sharing rule for Strategic Deals team.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 72

The Architect notices that there are many duplicate Account records and numerous sharing rules created in Salesforce. What would be the reason?

- A. The Object permissions for the Account object are Create, Read, and Edit.
- B. The Organization-Wide Default for the Account object is Public Read/Write.
- C. The Organization-Wide Default for the Account object is Private.
- D. The Organization-Wide Default for the Account object is Public Read-Only.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

When you make changes to roles and groups Salesforce locks the entire group membership table, which makes it impossible to process group changes in multiple threads to increase throughput on updates.

- A. Granular Locking

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

Universal Containers has developed an AppExchange managed package for their distribution partners, which required a private key to be generated for each partner and used by the code. Universal Containers support representatives must be able to access the private key value to debug connection issues, but it must not be possible for the partner to access the value.

How can the Architect best support this requirement?

- A. Store the value in the text field on a list custom setting in the managed package.
- B. Store the value in a text field on a protected custom setting in the package.
- C. Store the value in a static variable in a class included in the managed package.
- D. Store the value in an encrypted field on a custom object in the package.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 75

Universal Containers has a strict security model enforced through object, field, and row-based security mechanisms. The Architect would like to ensure the security model is being thoroughly tested using Apex automated tests. Which three considerations should be made when using the runAs() method to design Apex unit tests?

- A. runAs() does not enforce user permissions or field-level permissions in test classes
- B. runAs() can be used inside of test classes to validate field-level permissions
- C. runAs() can be used inside of test classes to validate record-level security
- D. runAs() can be used outside of test classes to bypass record-level security
- E. runAs () counts towards total DML statements issued within transaction

Answer: [A,C,E \(LEAVE A REPLY\)](#)

NEW QUESTION: 76

Universal Containers (UC) has 200 distributors that use Partner Community Licenses. Partners cannot see each other's data, but UC is also trying to give more visibility to certain individuals at a distributor. Which scalable solution would an architect recommend that will give users in the partner manager role access to all Case and Container records owned by other partner managers and partner users (but not the partner executive) at the same distributor?

- A. Give Super User permission to the partner manager users.
- B. Create Sharing sets.
- C. Create a permission set granting the View All permission to Case and Container records.
- D. Create ownership-based sharing rules for your distributors.

Answer: [A \(LEAVE A REPLY\)](#)

Valid Sharing-and-Visibility-Architect Dumps shared by Actual4test.com for Helping Passing Sharing-and-Visibility-Architect Exam! Actual4test.com now offer the **newest Sharing-and-Visibility-Architect exam dumps**, the Actual4test.com Sharing-and-Visibility-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Sharing-and-Visibility-Architect dumps with Test Engine here: https://www.actual4test.com/Sharing-and-Visibility-Architect_examcollection.html (80 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

Universal Containers uses person accounts to represent retail customers and business accounts to represent commercial customers. The Retail Sales team should not have access to commercial customers but have access to ALL retail customers.

With organization-wide default on Account set to Private, how might the architect meet these requirements?

- A. Create an owner-based sharing rule on AccountContactRelation to grant access to account contact roles records owned by sales reps.
- B. Update Retail Sales profile to grant access to Person Account record type.
- C. Create a criteria-based sharing rule giving Retail Sales role access to Accounts of type PersonAccount.
- D. Give View All access for Accounts to the Retail Sales profile.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 78

If you want to create some logic that will share certain records in APEX code, you just have to create special records that will open access to the desired records. The aim is to create records of certain type, for example , all share objects for custom objects are named as

- A. MyCustomObject__Share

Answer: A (LEAVE A REPLY)

NEW QUESTION: 79

Universal Containers does not want the Users in the Custom Sales Department Profile to be able to delete Opportunities. How would the Architect prevent a certain set of users from deleting Opportunities?

- A. Override the Standard button with a Visualforce Page that warns them that they do not have permission to delete.
- B. Create a Validation Rule that checks the User's Profile before allowing the Is Deleted flag to be set to True.
- C. Remove the Delete button from the Opportunity Page Layout and Record Type settings.

D. Remove the "Opportunity Delete" Permission from the Sales Team's User Profile in the Object Permissions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

Universal Containers has requirement for the Architect to develop Apex Managed Sharing code for the custom Job object. The sharing settings for the Job object are set to Private. When assigning access level for the record, which two lines of code will cause a DML exception on insert to the database?

Choose 2 answers

- A. Objectname.AccessLevel='All'
- B. Objectname.AccessLevel='None'
- C. Objectname.AccessLevel='Edit'
- D. Objectname.AccessLevel='Read'

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Universal Containers (UC) has a requirement to expose a web service to their business partners. The web service will be used to allow each business partner to query UC's Salesforce instance to retrieve the status of orders. The business partner should only be allowed access to orders for which the business partner is the fulfillment vendor. The Architect does not want the business partners to utilize the standard APIs and would prefer a custom API be developed. Which three design elements should the Architect consider in order to ensure the data security of the solution?

Choose 3 answers

- A. Set the Orders object's sharing settings to Private in the Org-Wide Defaults
- B. Provide each partner with their own Salesforce login set to API Enabled on the profile.
- C. Develop a custom Apex web service using the "With Sharing" keyword.
- D. Query the Orders object with Dynamic SOQL based upon the fulfillment ID.
- E. Develop a custom Apex web service with a fulfillment ID input attribute

Answer: ([SHOW ANSWER](#))

Valid Sharing-and-Visibility-Architect Dumps shared by Actual4test.com for Helping Passing Sharing-and-Visibility-Architect Exam! Actual4test.com now offer the **newest Sharing-and-Visibility-Architect exam dumps**, the Actual4test.com Sharing-and-Visibility-Architect exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Sharing-and-Visibility-Architect dumps with Test Engine here: <https://www.actual4test.com/Sharing-and-Visibility->

[Architect_examcollection.html](#) (80 Q&As Dumps, **30%OFF** Special Discount:
Freepdfdumps)