

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-04-25.q73

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	73
Version:	v2022-04-25
# of views:	2635
# of Questions views:	730
https://www.freepdfdumps.com/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-04-25.q73.html	

NEW QUESTION: 1

A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

- A. Existing datasets
- B. Records from a Salesforce object
- C. Connected data(Synced)
- D. Dataset lens

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 2

Which set of statements generates monthly amount on a cumulative basis annually?

- A)
- B)
- C)
- D)
- A. Option D
- B. Option A
- C. Option C
- D. Option B

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

The Einstein Analytics team at a company created a dataset based on the Opportunity__c custom object. The VP of Sales reports seeing the message "No results found" when opening the dataset to explore it. Other users below the VP in the role hierarchy can see rows on the same dataset. Which two problems might be causing this issue?

- A. The Salesforce profile for the VP does not have read permission on some fields of the Opportunity__c custom object

- B. The dataset is inheriting sharing from Salesforce and the VP can see more than 3000 rows
- C. The Salesforce profile for the VP does not have read permission on the Opportunity__c custom object
- D. The Security Predicates set up at the dataset level are preventing the VP from seeing data

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Is there a need for a separate Permission Set Licence for an Analytics app?

- A. No
- B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

In what order does Einstein Discovery present the insights that it uncovers?

- A. Alphabetical, in descending order
- B. Insights that explain the most variation in the outcome variable, in ascending order
- C. B and D
- D. Alphabetical, in ascending order
- E. Insights that explain the most variation in the outcome variable, in descending order

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 6

What are Einstein Analytics prebuilt permission sets? Select 2:

- A. Einstein Analytics Platform Admin
- B. Einstein Analytics Superadmin
- C. Einstein Analytics
- D. Einstein Analytics Platform User

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

In the context of Analytics, what is faceting?

- A. Representing the number of widgets on a dashboard
- B. Filtering all related widgets in a dashboard by your selection
- C. Something only programmers can access
- D. Measuring the number of significant digits of precision for a particular metric
- E. Choosing the color of the background in a graph

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

The Universal Containers company thinks it knows everything about its business. However, Einstein Discovery surfaces an unexpected pattern that is concerning. They call in departmental experts and hold a meeting to discuss next steps with an Einstein Consultant.

What should the consultant advise as the next action?

- A. Consult a Data Scientist for further analysis.
- B. Determine if the pattern is a data issue or a new insight.
- C. Filter out the data that causes the unexpected pattern and analyze the new results.
- D. Accept the new pattern and have confidence that Einstein knows the business as accurately as the customer.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 9

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- A. Manager
- B. Viewer
- C. Editor
- D. Designer

Answer: (SHOW ANSWER)

Reference:

Save changes to existing dashboards, lenses, and datasets in the app (saving dashboards requires the appropriate permission set license and permission) available in Editor and Manager*##*##*

NEW QUESTION: 10

Using the Setup menu, the Universal Containers company activated data sync (replication) in the Einstein Analytics settings. After running the sync, they notice that the aggregate sum of a field within their dataset is different than what they manually calculated by summing the same data in the Salesforce object from which the dataset was populated.

Which two differences in the newly synced data can explain this? Choose 2 answers

- A. Differences involving permanently deleted records
- B. Differences involving workflow-updated fields
- C. Differences involving formula fields
- D. Differences involving trigger-updated fields

Answer: A,C ([LEAVE A REPLY](#))

Reference:

<https://help.salesforce.com/articleView?id=000314272&type=1&mode=1>

NEW QUESTION: 11

About what does the configuration wizard ask you questions about how you measure?

- A. Customer geography
- B. Case resolution
- C. Customer satisfaction
- D. Case duration
- E. All of the above

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 12

What does the Division is Naval section of the waterfall graph tell you?

- A. How combinations of factors affect the CLV for Naval customers
- B. How individual factors separately affect the outcome for Naval customers
- C. What the relationship is between significant and insignificant factors as they impact CLV for Naval customers
- D. How the chosen variable is related to all other factors in the model for Naval customers

Answer: A (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/dm_einstein_discovery_advanced_stories/dm_understand_why_it_happened_insights

NEW QUESTION: 13

A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Assign the Manager role to the user.
- B. Assign the Viewer role to the user.
- C. Ensure the user has the Use Analytics permission.
- D. Assign the Editor role to the user.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 14

Which widget property allows a consultant to restrict the view to a domain bounded by the values entered'

- A. Add Filter
- B. Filter by Range
- C. Add Custom Range
- D. Add Custom Domain

Answer: D (LEAVE A REPLY)

NEW QUESTION: 15

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors.

Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery. Request a new dataset with fewer predictors.
- B. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- C. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.
- D. Build a story with a first set of predictors and assess which predictors are important to the story. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

Answer: D (LEAVE A REPLY)

Reference:

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

NEW QUESTION: 16

A consultant created an Einstein Analytics dashboard in a sandbox. Now, the dashboard needs to be migrated into production.

To complete the migration, what are the consultant's three options? Choose 3 answers

- A. Ant Migration Tool
- B. Analytics External Data API
- C. Analytics REST API
- D. Change sets
- E. Analytics dashboard connector

Answer: A,C,D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_explore_packaging_intro.htm&type=0

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by Actual4test.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! Actual4test.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: https://www.actual4test.com/Tableau-CRM-Einstein-Discovery-Consultant_examcollection.html (244 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

A large company has a single dataset that contains the attainment and commission fields for all sales reps. Each sales rep should be able to view the attainment data for each rep in their division. Each rep should only be able to see their own commission data.

Which option should be used to enforce this requirement?

- A. Use sharing inheritance.
- B. Create separate datasets for attainment and commission and apply security predicates and/or sharing inheritance.
- C. Add the sales organization to the attainment dataset access list.
- D. Apply a security predicate on the existing single dataset.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 18

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 50 files Per dataset
- B. 500 files per dataset
- C. 300 files per dataset
- D. 100 files per dataset

Answer: (SHOW ANSWER)

NEW QUESTION: 19

Why would you use the Actions menu in a chart?

- A. To rearrange widgets in dashboards
- B. To create workout plan for you and your team
- C. To post to Chatter
- D. To expand the time period shown in a dashboard

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Avoid using conditional formatting.
- B. Split the steps and charts into different pages in a dashboard.
- C. Replace AggregateFlex steps with SAQL steps.
- D. Check if any steps can be reused for multiple purposes.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which of the following is true about the Service Analytics Overview dashboard?

- A. It instantly provides key metrics on open cases, average time to close, first contact resolution, and customer satisfaction.
- B. All of the above.
- C. It lets you drill down to more detailed dashboards, like agent performance, channel review, and telephony metrics.
- D. It's a great place to start your analysis.
- E. It's available on desktop and mobile.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

Can you share data from a widget?

- A. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.
- B. Only with the proper Einstein Analytics Platform license.
- C. No, you can't share data from a widget.
- D. Select the step of the widget and share data.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

A list widget is added to a dashboard with existing charts and tables. What must be true for the list widget to facet the dashboard charts and tables using widget properties?

- A. Chart and table steps must have their own list widgets.
- B. The list, chart, and table steps must share common dimensions from different datasets.
- C. The list, chart, and table steps must share a common name.
- D. The list, chart, and table steps must share the same dataset.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

In a Compare Table formula, you can refer to other columns with:

- A. Letters (A..Z)

- B. Their names
- C. All of the above
- D. Numbers (1..9)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

When organizing information in an Einstein Analytics dashboard, what does the "Progressive Disclosure' design principle mean'

- A. Implement strict security predicates to minimize the amount of information displayed to users.
- B. Utilize the latest templates for the most modern look and feel.
- C. Only provide the user with the level of detail they need to see, with the option to drill down deeper into more details.
- D. Intentionally omit specific details so that users can do ad-hoc exploration if needed for root-cause analysis.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- A. 4
- B. 8
- C. 1
- D. 16

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

After getting approval of the dashboard layout design for a desktop, the Einstein Analytics consultant is ready to start the design process for a mobile layout.

What are three considerations that the consultant should keep in mind when developing the layout? Choose 3 answers

- A. If no layouts are eligible for the mobile device, the first defined layout is used. (Missed)
- B. If no layouts are eligible for the mobile device, an error message will be displayed.
- C. If more than one layout is eligible, the one with the most device properties set is used. If there is a tie, the most recently defined layout is used. (Missed)
- D. A layout for mobile is eligible for use when the device meets all the device properties set in the Layout panel.
- E. There are widgets that cannot be displayed on mobile layouts.

Answer: A,C,D ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_dashboard_designer_basics/wave_take_analytics_on_the_go

NEW QUESTION: 28

An Einstein Analytics consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal*CountyTax).

Which node should the consultant use in a Dataflow to calculate and insert SalesTax to the dataset?

- A. computeExpression
- B. computeRelative

- C. append
- D. augment

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors.

Which timeseries statement will fix the query'

- A. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region');
- B. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region', seasonality=4);
- C. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (dateCols=('Date_Year, Date_Quarter', "Y-Q"), partition=Region', ignoreLast=true);
- D. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (length = 12, dateCols=('Date_Year', 'Date_Month". "Y-M"), partition='Region');

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Default # rows in compare table.

- A. 2000
- B. 1500
- C. 3000
- D. 1000

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

A company used Einstein Analytics to create two datasets:

1. "Opportunity With Account"- dataset, which contains data from the Opportunity standard object augmented by the Account data.
2. "Case with Account" dataset. which contains data from the Case standard object augmented by the Account data.

The company wants to build a lens showing the total number of Opportunities and Cases per Account. How can a consultant help them build this lens'

- A. Use a SAQL query to group and join the "OpportunityWithAccount" and "CaseWithAccount" datasets then generate the results.
- B. Set up Connect Data Sources in the UI between the "OpportunityWithAccount" and "CaseWithAccount" datasets.
- C. Use "Compare Table" to join the "OpportunityWithAccount" and "CaseWithAccount" datasets using the "AccountId" and then aggregate by Account.
- D. Create a recipe to generate a new dataset from the "OpportunityWithAccount" and "CaseWithAccount" datasets aggregated by Account, and use the generated dataset in a lens.

Answer: A ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by Actual4test.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! Actual4test.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: https://www.actual4test.com/Tableau-CRM-Einstein-Discovery-Consultant_examcollection.html (244 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Why are insights in the Unrelated category important?

- A. They explain how interaction terms affect the outcome.
- B. They aren't important. Hence the name, Unrelated.
- C. The outcome might not have much to do with related variables. It might have more to do with global effects.
- D. They explain everything about the outcome.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 33

Creating an Einstein Discovery story involves:

- A. Uploading a Microsoft PowerPoint presentation
- B. Entering notes about the data
- C. Selecting a Dataset in Einstein Analytics, then clicking Create Story
- D. Copying text from company reports and pasting into Einstein Discovery

Answer: (SHOW ANSWER)

NEW QUESTION: 34

A consultant built an Einstein Analytics app for the Sales Operations team. The team wants to share this app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

In the process of creating the template, which role does the original Einstein Analytics app for the Sales Operation team play?

- A. It is the instance.
- B. It is the target.
- C. It is the master.
- D. It is the template.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

The Vice President of Sales wants to create a "Pipeline Trending" dashboard in Einstein Analytics that displays specific colors depending on the values of the fields.

Which two techniques can a consultant use to help address this requirement? Choose 2 answers

- A. Use the "fields" menu when exploring the dataset and assign colors to each field value.
- B. Use an XMD file and assign colors to each field value.
- C. Use SAQL queries to calculate a color field and assign it to each field value.
- D. Use a compute Expression to calculate a color field and assign it to each field value.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 36

When you set up Analytics, which of the following features can you enable?

- A. Low-fuel notifications
- B. Sharing of apps with Communities
- C. Access to the API
- D. A and B
- E. B and C

Answer: ([SHOW ANSWER](#))

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Its possible to access API.
- for a user: API Enabled permission
- for all: Analytics =>Settings=>Grant all users access to Wave API for all users

NEW QUESTION: 37

A Senior Sales Business Analyst asks for a dashboard that contains fiscal year product opportunities. Information is maintained in a spreadsheet which is comprehensive, but its contents often need to be explained. After sketching the dashboard, the consultant is ready to start building. Which concept should be applied to this dashboard?

- A. Limit widget actions and exploration so users will focus only on the high-level information.
- B. Use the different chart types to make the dashboard interesting and appealing.
- C. Design the dashboard with the desktop in mind and use the same layout for mobile devices for consistency.
- D. Use charts to help users ask questions, not illustrate a conclusion.

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5

NEW QUESTION: 38

Universal Containers has a Sales Manager dashboard- They have a compare table that displays the count of Customers and the Sum of Annual Revenue per year and per Account type. A consultant is asked to add more groupings to enhance details about their customers.

What is the maximum number of grouping columns that the consultant must be aware of in order to continue using a compare table versus creating the query using SAQL?

- A. 4
- B. unlimited
- C. 8
- D. 10

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

Answer: B (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data

NEW QUESTION: 40

Refer to the graphic.

Einstein found a recommendation to improve the story: apparently there are two variables that behave the same. Given there is no additional information, what is the correct action?

- A. Retain Amount; not knowing the size of a deal makes it hard to predict if will be won.
- B. Do nothing; they appear to be similar, but there might be differences from the business perspective.
- C. Cancel this story and redefine the dataset.
- D. Retain Promotion; it is an actionable variable and without it, we cannot recommend prescriptive actions.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 41

Yasmine wants to create a lens with the Seed Bank Orders dataset, but she currently doesn't see any rows in the dataset. Since Yasmine is Hadiqa's manager, Yasmine asks Hadiqa if she's experiencing the same problem, but Hadiqa replies that she can see all the rows. Why is this happening?

- A. Yasmine wasn't assigned a permission set.
- B. Yasmine doesn't have the Manager app role.
- C. The dataset's security predicate was set up incorrectly.
- D. Yasmine doesn't have the Create and Edit Analytics Dashboards permission.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 42

A consultant built an Einstein Analytics dashboard for a company. The company then requested an enhancement to the dashboard and provided additional data that needs to be displayed. As a result, the consultant decides to "augment" the dataflow.

Which phrase describes this transformation?

- A. Add data based on the right-side grain
- B. Join data similar to an SQL statement
- C. Add data as a lookup relationship (left side is the lowest grain)
- D. Join data based on a many-to-many relationship

Answer: C (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_enable_data_integration_basics/wave_extract_salesforce_data

https://help.salesforce.com/articleView?id=bi_integrate_augment_transformation.htm&type=5

NEW QUESTION: 43

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL).

In order to achieve this, which compute option should be used?

- A. computeField
- B. computeValue
- C. computeExpression
- D. computeData

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 44

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Add more data to the dataset.
- B. Normalize the margin by product group.
- C. Eliminate extreme values in the dataset.
- D. Run separate stories for each region.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 45

After loading data to Einstein Discovery and creating a story, the client asks the Einstein Consultant to explain the "Unexplained Bar" in the "Why it Happened" chart.

Which explanation is correct?

- A. It only appears for outcomes that do not have an explanation.
- B. It should always be 0 or the model should not be used.
- C. It displays the difference between the analyzed data and the data not reviewed.
- D. It shows the difference between the predicted outcome and the observed outcome.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 46

Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- A. 10 per user, 100,000 per snapshot
- B. 5 per user, 100,000 per snapshot
- C. 10 per user, 200,000 per snapshot
- D. 5 per user, 200,000 per snapshot

Answer: [B \(LEAVE A REPLY\)](#)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by Actual4test.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! Actual4test.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: https://www.actual4test.com/Tableau-CRM-Einstein-Discovery-Consultant_examcollection.html (244 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

A consultant wants to optimize data loads by extracting Salesforce objects using independent Einstein Analytics dataflows ahead of time. Which construct should be used to accomplish this?

- A. Dataflow
- B. Data Sync (Replication)
- C. Clone
- D. Augment

Answer: D (LEAVE A REPLY)

NEW QUESTION: 48

Upper and lower limits on rows in discovery.

- A. 1000 row minimum, 15,000,000 max
- B. 00 row minimum, 20,000,000 max
- C. 3000 row minimum, 20,000,000 max
- D. 500 row minimum, 25,000,000 max

Answer: B (LEAVE A REPLY)

NEW QUESTION: 49

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Filter to narrow down your results.
- B. Display the results graphically
- C. Count rows by measure you want to visualize.
- D. Aggregate by a measure
- E. Grouping by a dimension

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 50

How do you create a regression timeseries?

- A. In SAQL, use the timeseries function with the following arguments: Partition (the group_by piece), Seasonality (set to 12 to get yearly seasonality).

Answer: (SHOW ANSWER)

NEW QUESTION: 51

Exhibit:

A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled
- B. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- C. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled
- D. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 52

Salesforce Analytics is...

- A. An online repository of infographics
- B. A tool for analyzing surf reports and forecasts
- C. An application built on top of Salesforce
- D. A CRM alternative to Salesforce

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 53

The Tableau CRM team at a company has created three dataflows.

myDataflowOne: this dataflow tasks 2 hours to run.

myDataflowTwo: this dataflow tasks 1 hours and 30 minutes to run

myDataflowThree: this dataflow tasks 1 minute and 30 seconds to run.

If all three dataflows run, how many count towards the limit?

- A. 2
- B. 3
- C. 0
- D. 1

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 54

Which isn't an option for setting a security predicate for a dataset created from an external data file?

- A. In the Register transformation node of a dataflow that uses this dataset
- B. On each row prior to upload
- C. In the metadata file associated with the external data file using the rowLevelSecurityFilter key
- D. In the dataset Security Predicate

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 55

What kind of org should you use for checking challenges when you do Trailhead modules about Analytics?

- A. A trial org, because you don't need to save anything
- B. An enterprise org, because that type of org is typically used by large companies
- C. A Developer Edition org, because it's a free, safe environment where you can try things out

D. A higher education org, because analytics requires advanced math

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which statement best describes how to ensure Einstein Analytics dashboards are easily used across both desktop and mobile devices?

- A. Create a single layout and allow Einstein Analytics to automatically organize dashboard contents to be optimal for the device type.
- B. Create multiple layouts, ensure the layout selectors match the device, and resize/hide widgets as necessary to ensure the content is appropriate for the device screen size.
- C. Create multiple layouts, and reorder all the widgets so that they fit nicely within the new default width.
- D. Create a single layout and reorder all the widgets so that they fit nicely when viewing on either device.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Why would you use a merge key in a dataset recipe?

- A. To schedule when a dataset recipe runs
- B. To deal with duplicate records
- C. To find out what the merge icons represent in a dataset
- D. To join related data from different sources

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

Refer to the graphic.

Which conclusion can be made regarding the strength of the model shown?

- A. The model is very strong. A GINI coefficient of .535 shows that this model is very effective.
- B. The strength of the model cannot be determined with the metrics shown.
- C. The model is pretty good; the accuracy rating of .7597 means we can predict both wins and losses at a fairly high rate.
- D. The model is very weak and doesn't provide useful predictions due to the low threshold.

Answer: (SHOW ANSWER)

NEW QUESTION: 59

Max of objects that can be enabled for Data Sync

- A. 50
- B. 100
- C. 150
- D. 200

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 60

What kind of insight is "What Is The Difference"?

- A. Descriptive
- B. Diagnostic

- C. Predictive
- D. Prescriptive
- E. Selective

Answer: ([SHOW ANSWER](#))

Reference:

https://trailhead.salesforce.com/content/learn/modules/understand_einstein_discovery_stories/understand-what-is-the-difference-insights

NEW QUESTION: 61

In the Insights list, insights are ranked in what order?

- A. Statistical significance
- B. There is no order
- C. Geospatial
- D. Time
- E. Alphabetical

Answer: ([SHOW ANSWER](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by Actual4test.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! Actual4test.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: https://www.actual4test.com/Tableau-CRM-Einstein-Discovery-Consultant_examcollection.html (244 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

When you assign any Analytics permission set to users in your org, Salesforce auto-assigns the Analytics Platform permission set license to that user.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 63

In what order does Einstein Discovery present the insights that it uncovers?

- A. Alphabetical, in ascending order
- B. Insights that explain the most variation in the outcome variable, in ascending order
- C. Insights that explain the most variation in the outcome variable, in descending order
- D. Alphabetical, in descending order

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

Max story creations per org per day:

- A. 40 per org
- B. 20 per org per clay
- C. 40 per org per clay
- D. 20 per org

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 65

The model quality metrics of an Einstein Discovery story indicate that the GINI coefficient in the four folds are 0.82, 0.83, 0.84, and 0.75, respectively.

Which two actions should a consultant take? Choose 2 answers

- A. Research and check the dataset for outliers in the target field and the main predictors that are shown on top of the story.
- B. Do not deploy the story immediately, and research why one fold is performing worse than the others.
- C. Confirm that the overall GINI coefficient is good prior to deploying the story.
- D. Deploy the story, because the variation in the metrics is within the normal range.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 66

Max story creations per org per month

- A. 200 (can purchase more)
- B. 500
- C. 500 (can purchase more)
- D. 1000 (can purchase more)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

Which of the following are requirements for enabling Analytics for Communities?

- A. Wait at least 3 days after purchase.
- B. Have a Customer Community Plus or Partner Community license.
- C. Be nominated by your community peers.
- D. Assign your community members the Analytics for Communities permission set license.
- E. B and D

Answer: E ([LEAVE A REPLY](#))

Reference:

Community member should have assigned:

- 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Only users with a Customer Community Plus or Partner Community license can use this feature. This feature is supported in communities but not in portals.

NEW QUESTION: 68

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

- A. computeExpression Transformation with SAQL Expression to calculate the duration
- B. flatten Transformation with Offset Expressions to calculate the duration
- C. computeRelative Transformation with offset parameter to calculate the duration
- D. computeRelative Transformation with SAQL Expression to calculate the duration

Answer: (SHOW ANSWER)

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm

NEW QUESTION: 69

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

What can the consultant do to give the Sales team more choices and options with future apps that are generated from the Sales Operations app?

- A. Update contents in the Sales Operations app and changes will be pushed down to its generated apps.
- B. Ensure the Sales team has the necessary permissions to customize their apps.
- C. Create a configuration wizard for the app.
- D. Update contents in the Sales Operations app and create new template versions of the app.

Answer: C (LEAVE A REPLY)

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION: 70

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

Answer: (SHOW ANSWER)

Reference:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: "rowLevelSecurityFilter": "AccountOwner' == \"\\${User.Name}\""

NEW QUESTION: 71

A client has two datasets that are used across seven different dashboards. Three of these dashboards are used by marketing and four are used by sales. The client requires that only marketing can access the marketing dashboards and only sales can access the sales dashboards.

What solution should be recommended?

- A. Create two custom apps: one for marketing dashboards with marketing as "viewer" and one for sales dashboards with sales as "viewer." Add the datasets as references to both custom apps.
- B. Create three custom apps: one for marketing dashboards with marketing as "viewer," one for sales dashboards with sales as "viewer," and one for datasets where marketing and sales are "viewer."
- C. Create one custom app for the datasets and share it with marketing and sales as "viewer."

D. Duplicate the datasets and create two custom apps: one for marketing dashboards and datasets with marketing as "editor" and one for sales dashboards and datasets with sales as "editor."

Answer: B (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_security_implementation_guide.htm&type=5

NEW QUESTION: 72

An Einstein Analytics consultant is notified of a performance issue with data sync (replication). The consultant researches the issue and determines that unnecessary data is being synced.

Which solution should the consultant implement to help improve data sync (replication) performance?

- A. Modify dataflows to exclude unused fields and include a filter to extract relevant data.
- B. Update the existing data sync (replication) process by removing unused fields with a filter to extract relevant data.
- C. Scale down the number of datasets to help improve data sync (replication) performance.
- D. Start over again with new dataflows that exclude unused fields with a filter to extract relevant data.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 73

A company uses role hierarchy to implement data security in Salesforce. They want the same role-hierarchy-based security model to apply in Einstein Analytics, but want the users in a role to see data owned by other users in the same role.

Using the "flatten" transformation, which attribute setting achieves this requirement?

- A. Set the attribute "selffield" to true.
- B. Set the attribute "selffield" to false.
- C. Set the attribute "include_self_id" to true.
- D. Set the attribute "include_self_id" to false.

Answer: C (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_flatten_transformation_operation.htm&type=5

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by Actual4test.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! Actual4test.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here: https://www.actual4test.com/Tableau-CRM-Einstein-Discovery-Consultant_examcollection.html (244 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)