

## Snowflake.COF-C02.v2024-02-26.q242

<b>Exam Code:</b>	COF-C02
<b>Exam Name:</b>	SnowPro Core Certification Exam
<b>Certification Provider:</b>	Snowflake
<b>Free Question Number:</b>	242
<b>Version:</b>	v2024-02-26
<b># of views:</b>	2011
<b># of Questions views:</b>	2420
<a href="https://www.freepdfdumps.com/Snowflake.COF-C02.v2024-02-26.q242.html">https://www.freepdfdumps.com/Snowflake.COF-C02.v2024-02-26.q242.html</a>	

### NEW QUESTION: 1

What consideration should be made when loading data into Snowflake?

- A. Create large data files to maximize the processing overhead for each file.
- B. The number of data files that are processed in parallel is determined by the virtual warehouse.
- C. The number of load operations That run in parallel can exceed the number of data files to be loaded.
- D. Create small data files and stage them in cloud storage frequently.

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 2

What is the minimum Snowflake edition that customers planning on storing protected information in Snowflake should consider for regulatory compliance?

- A. Enterprise
- B. Premier
- C. Standard
- D. Business Critical Edition

**Answer:** D ([LEAVE A REPLY](#))

### NEW QUESTION: 3

What is the MINIMUM permission needed to access a file URL from an external stage?

- A. USAGE
- B. READ
- C. SELECT
- D. MODIFY

**Answer:** B ([LEAVE A REPLY](#))

### NEW QUESTION: 4

In Snowflake, the use of federated authentication enables which Single Sign-On (SSO) workflow activities? (Select TWO).

- A. Performing role authentication
- B. Logging into Snowflake
- C. Logging out of Snowflake
- D. Authorizing users
- E. Initiating user sessions

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 5**

A user has a standard multi-cluster warehouse auto-scaling policy in place. Which condition will trigger a cluster to shut-down?

- A. When after 2-3 consecutive checks the system determines that the load on the most-loaded cluster could be redistributed.
- B. When after 2-3 consecutive checks the system determines that the load on the least-loaded cluster could be redistributed.
- C. When after 5-6 consecutive checks the system determines that the load on the least-loaded cluster could be redistributed.
- D. When after 5-6 consecutive checks the system determines that the load on the most-loaded cluster could be redistributed.

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 6**

In which hierarchy is tag inheritance possible?

- A. Schema » Table » Column
- B. Database » View » Column
- C. Account » User » Schema
- D. Organization » Account » Role

**Answer:** A ([LEAVE A REPLY](#))

#### **NEW QUESTION: 7**

A marketing co-worker has requested the ability to change a warehouse size on their medium virtual warehouse called mktg\_\_WH.

Which of the following statements will accommodate this request?

- A. GRANT OPERATE ON WAREHOUSE MKTG WH TO ROLE MARKETING;
- B. ALLOW RESIZE ON WAREHOUSE MKTG\_\_WH TO USER MKTG\_\_LEAD;
- C. GRANT MODIFY ON WAREHOUSE MKTG WH TO ROLE MARKETING;
- D. GRANT MODIFY ON WAREHOUSE MKTG\_\_WH TO USER MKTG\_\_LEAD;

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 8**

Which statement describes how Snowflake supports reader accounts?

- A. The SHOW MANAGED ACCOUNTS command will view all the reader accounts that have been created for an account.
- B. A consumer needs to become a licensed Snowflake customer as data sharing is only supported between Snowflake accounts.
- C. The users in a reader account can query data that has been shared with the reader account and can perform DML tasks.
- D. A reader account can consume data from the provider account that created it and combine it with its own data.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 9**

Which of the following can be executed/called with Snowpipe?

- A. A stored procedure
- B. A single insert\_\_into statement
- C. A single copy\_into statement
- D. A User Defined Function (UDF)

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 10**

What is the purpose of an External Function?

- A. To share data in Snowflake with external parties
- B. To ingest data from on-premises data sources
- C. To call code that executes outside of Snowflake
- D. To run a function in another Snowflake database

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 11**

How does Snowflake define its approach to Discretionary Access Control (DAC)?

- A. Each object has an owner, who can in turn grant access to that object.
- B. Access privileges are assigned to roles, which are in turn assigned to users.
- C. A defined level of access to an object
- D. An entity in which access can be granted

**Answer:** A ([LEAVE A REPLY](#))

#### **NEW QUESTION: 12**

If queries start to queue in a multi-cluster virtual warehouse, an additional compute cluster starts immediately under what setting?

- A. Maximized mode
- B. Auto-scale mode
- C. Standard scaling policy

D. Economy scaling policy

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 13**

How can a Snowflake user traverse semi-structured data?

- A. Insert a double colon (::) Between the VABTART column name and any first-level element.
- B. Insert a colon (:) between the variant column name and any first-level element.
- C. Insert a double colon (::) between the VARIANT column name and any second-level element.
- D. Insert a colon (:) between the VARIANT column name and any second-level element.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 14**

The Snowflake Cloud Data Platform is described as having which of the following architectures?

- A. Shared-disk
- B. Multi-cluster shared data
- C. Serverless query engine
- D. Shared-nothing

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 15**

A Snowflake user needs to share unstructured data from an internal stage to a reporting tool that does not have Snowflake access.

Which file function should be used?

- A. GET\_PRESIGNED\_URL
- B. BUILD\_STAGE\_FILE\_URL
- C. BUILD\_SCOPED\_FILE\_URL
- D. GET STAGE LOCATION

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 16**

What is the recommended way to change the existing file format type in my format from CSV to JSON?

- A. CREATE OR REPLACE FILE FORMAT my format TYPE=JSON;
- B. ALTER FILE FORMAT my\_format SET TYPE=JSON;
- C. ALTER FILE FORMAT my format SWAP TYPE WITH JSON;
- D. REPLACE FILE FORMAT my format TYPE=JSON;

**Answer: ([SHOW ANSWER](#))**

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

#### **NEW QUESTION: 17**

A user needs to create a materialized view in the schema MYDB.MYSCHEM A.

Which statements will provide this access?

**A.** GRANT ROLE MYROLE TO USER USER1;

GRANT CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSHEMA TO USER USER1;

**B.** GRANT ROLE MYROLE TO USER USER1;

GRANT CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSHEMA TO MYROLE;

**C.** GRANT ROLE MYROLE TO USER USER1;

GRANT CREATE MATERIALIZED VIEW ON SCHEMA MYDB. K"-'SCHEMA TO USER! ;

**D.** GRANT ROLE MYROLE TO USER USER1;

GRANT CREATE MATERIALIZED VIEW ON SCHEMA MYDB.MYSHEMA TO ROLE MYROLE;

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 18**

What computer language can be selected when creating User-Defined Functions (UDFs) using the Snowpark API?

**A.** SQL

**B.** Python

**C.** Swift

**D.** JavaScript

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 19**

What is the default File Format used in the COPY command if one is not specified?

**A.** XML

**B.** JSON

**C.** Parquet

**D.** CSV

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 20**

Which of the following describes external functions in Snowflake?

- A. They are a type of User-defined Function (UDF).
- B. They contain their own SQL code.
- C. They call code that is stored inside of Snowflake.
- D. They can return multiple rows for each row received

**Answer: A (LEAVE A REPLY)**

Explanation

External functions are user-defined functions that are stored and executed outside of Snowflake. External functions make it easier to access external API services such as geocoders, machine learning models, and other custom code running outside of Snowflake. This feature eliminates the need to export and reimport data when using third-party services, significantly simplifying your data pipelines.

<https://docs.snowflake.com/en/sql-reference/external-functions.html#:~:text=External%20functions%20are%20u>

#### **NEW QUESTION: 21**

Which of the following statements would be used to export/unload data from Snowflake?

- A. EXPORT\_TO\_STAGE (stage = > @Wage, select = > 'select \* from t1);
- B. COPY INTO @stage
- C. EXPORT TO @stage
- D. INSERT INTO @stage

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 22**

When reviewing a query profile, what is a symptom that a query is too large to fit into the memory?

- A. A single join node uses more than 50% of the query time
- B. The query is spilling to remote storage
- C. Partitions scanned is equal to partitions total
- D. An AggregateOperator node is present

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 23**

Which stage type can be altered and dropped?

- A. Database stage
- B. External stage
- C. Table stage
- D. User stage

**Answer: C (LEAVE A REPLY)**

<https://docs.snowflake.com/en/user-guide/data-load-local-file-system-create-stage.html#table-stages>

**NEW QUESTION: 24**

Which stage type can be altered and dropped?

- A. Database stage
- B. External stage
- C. Table stage
- D. User stage

**Answer:** ([SHOW ANSWER](#))

Explanation

<https://docs.snowflake.com/en/user-guide/data-load-local-file-system-create-stage.html#table-stages>

**NEW QUESTION: 25**

What is a limitation of a Materialized View?

- A. A Materialized View cannot support any aggregate functions
- B. A Materialized View can only reference up to two tables
- C. A Materialized View cannot be joined with other tables
- D. A Materialized View cannot be defined with a JOIN

**Answer:** ([SHOW ANSWER](#))

There are several limitations to using materialized views:

A materialized view can query only a single table.

Joins, including self-joins, are not supported.

**NEW QUESTION: 26**

Data storage for individual tables can be monitored using which commands and/or object(s)?

Choose 2 answers

- A. Information Schema -> TABLE\_HISTORY
- B. SHOW TABLES;
- C. SHOW STORAGE BY TABLE;
- D. Information Schema -> TABLE\_STORAGE\_METRICS

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 27**

Which object allows you to limit the number of credits consumed within a Snowflake account?

- A. Resource Monitor
- B. Warehouse Limit Parameter
- C. Account usage Tracking
- D. Credit Consumption Tracker

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 28**

What is a best practice after creating a custom role?

- A. Create the custom role using the SYSADMIN role.
- B. Assign the custom role to the SYSADMIN role
- C. Assign the custom role to the PUBLIC role
- D. Add \_\_CUSTOM to all custom role names

**Answer: B (LEAVE A REPLY)**

When creating roles that will serve as the owners of securable objects in the system, Snowflake recommends creating a hierarchy of custom roles, with the top-most custom role assigned to the system role SYSADMIN. This role structure allows system administrators to manage all objects in the account, such as warehouses and database objects, while restricting management of users and roles to the USERADMIN role.

### NEW QUESTION: 29

A table needs to be loaded. The input data is in JSON format and is a concatenation of multiple JSON documents. The file size is 3 GB. A warehouse size small is being used. The following COPY INTO command was executed:

```
COPY INTO SAMPLE FROM @~/SAMPLE.JSON (TYPE=JSON)
```

The load failed with this error:

Max LOB size (16777216) exceeded, actual size of parsed column is 17894470.

How can this issue be resolved?

- A. Compress the file and load the compressed file.
- B. Set STRIP\_OUTER\_ARRAY=TRUE in the COPY INTO command.
- C. Split the file into multiple files in the recommended size range (100 MB - 250 MB).
- D. Use a larger-sized warehouse.

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 30

Which pages are included in the Activity area of Snowsight? (Select TWO).

- A. Contacts
- B. Automatic Clustering History
- C. Copy History
- D. Query History
- E. Sharing settings

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 31

What happens to the shared objects for users in a consumer account from a share, once a database has been created in that account?

- A. The shared objects are transferred.
- B. The shared objects are copied.
- C. The shared objects become accessible.
- D. The shared objects can be re-shared.

**Answer: C ([LEAVE A REPLY](#))**

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:  
[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

**NEW QUESTION: 32**

Which of the following objects can be shared through secure data sharing?

- A. External table
- B. Masking policy
- C. Task
- D. Stored procedure

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 33**

Why does Snowflake recommend file sizes of 100-250 MB compressed when loading data?

- A. Optimizes the virtual warehouse size and multi-cluster setting to economy mode
- B. Increases the latency staging and accuracy when loading the data
- C. Allows optimization of parallel operations
- D. Allows a user to import the files in a sequential order

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 34**

What are the main differences between the account usage views and the information schema views? (Select TWO).

- A. No active warehouse to needed to query account usage views but one is needed to query information schema views.
- B. Data retention for account usage views is 1 year but is 7 days to 6 months for information schema views, depending on the view.
- C. Account usage views do not contain data about tables but information schema views do.
- D. Information schema views are read-only but account usage views are not.
- E. Account issue views contain dropped objects but information schema views do not.

**Answer: B,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 35**

Which statement accurately describes Snowflake's architecture?

- A. It reorganizes loaded data into internal optimized, compressed, and row-based format.
- B. It is a blend of shared-disk and shared-everything database architectures.
- C. It uses a local data repository for all compute nodes in the platform.
- D. It is a hybrid of traditional shared-disk and shared-nothing database architectures.

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 36**

A running virtual warehouse is suspended.

What is the MINIMUM amount of time that the warehouse will incur charges for when it is restarted?

- A. 60 seconds
- B. 1 second
- C. 5 minutes
- D. 60 minutes

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 37**

Which command will unload data from a table into an external stage?

- A. PUT
- B. COPY INTO <location>
- C. INSERT
- D. GET

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 38**

Network policies can be set at which Snowflake levels? (Choose two.)

- A. Role
- B. Schema
- C. User
- D. Database
- E. Account
- F. Tables

**Answer: C,E** ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/network-policies.html#creating-network-policies>

#### **NEW QUESTION: 39**

Which file format will keep floating-point numbers from being truncated when data is unloaded?

- A. ORC
- B. CSV
- C. Parquet

D. JSON

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

Which Snowflake feature can be used to find sensitive data in a table or column?

- A. Masking policies
- B. Data classification
- C. External functions
- D. Row level policies

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

Which function is used to convert rows in a relational table to a single VARIANT column?

- A. ARRAY\_CONSTRUCT
- B. ARRAY\_AGG
- C. OBJECT\_CONSTRUCT
- D. OBJECT\_AGG

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

Which native data types are used for storing semi-structured data in Snowflake? (Select TWO)

- A. OBJECT
- B. STRING
- C. VARIANT
- D. VARCHAR
- E. NUMBER

Answer: A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 43**

Which data types can be used in a Snowflake table that holds semi-structured data? (Select TWO).

- A. VARCHAK
- B. BINARY
- C. VARIANT
- D. ARRAY
- E. TEXT

Answer: C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 44**

Data storage for individual tables can be monitored using which commands and/or objects? (Choose two.)

- A. Information Schema -> TABLE\_FUNCTION
- B. SHOW STORAGE BY TABLE;
- C. Information Schema -> TABLE\_HISTORY
- D. Information Schema -> TABLE\_STORAGE\_METRICS
- E. SHOW TABLES;

Answer: D,E ([LEAVE A REPLY](#))

#### NEW QUESTION: 45

What happens to the shared objects for users in a consumer account from a share, once a database has been created in that account?

- A. The shared objects are copied.
- B. The shared objects are transferred.
- C. The shared objects can be re-shared.
- D. The shared objects become accessible.

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 46

Users are responsible for data storage costs until what occurs?

- A. Data is truncated from a table
- B. Data expires from Fail-safe
- C. Data expires from Time Travel
- D. Data is deleted from a table

Answer: ([SHOW ANSWER](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

#### NEW QUESTION: 47

How many resource monitors can be assigned at the account level?

- A. 3
- B. 1
- C. 2
- D. 4

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 48**

What are best practice recommendations for using the ACCOUNTADMIN system-defined role in Snowflake?

(Choose two.)

- A. The ACCOUNTADMIN role must be granted to only one user.
- B. All users granted ACCOUNTADMIN role must be owned by the ACCOUNTADMIN role.
- C. Ensure all ACCOUNTADMIN roles use Multi-factor Authentication (MFA).
- D. All users granted ACCOUNTADMIN role must also be granted SECURITYADMIN role.
- E. Assign the ACCOUNTADMIN role to at least two users, but as few as possible.

**Answer: C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 49**

How can a Snowflake user optimize query performance in Snowflake? (Select TWO).

- A. Create a view.
- B. Enable Time Travel.
- C. Cluster a table.
- D. Enable the search optimization service.
- E. Index a table.

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 50**

What is the MAXIMUM Time Travel retention period for a transient table?

- A. 0 days
- B. 90 days
- C. 7 days
- D. 1 day

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 51**

When floating-point number columns are unloaded to CSV or JSON files, Snowflake truncates the values to approximately what?

- A. (12,2)
- B. (14,8)
- C. (10,4)
- D. (15,9)

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 52**

Which data types optimally store semi-structured data? (Select TWO).

- A. CHARACTER
- B. VARIANT

- C. ARRAY
- D. VARCHAR
- E. STRING

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 53**

The fail-safe retention period is how many days?

- A. 1 day
- B. 7 days
- C. 45 days
- D. 90 days

Answer: B ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/data-failsafe.html>

**NEW QUESTION: 54**

What is the purpose of multi-cluster virtual warehouses?

- A. To allow the warehouse to resize automatically
- B. To eliminate or reduce Queuing of concurrent queries
- C. To create separate data warehouses to increase query optimization
- D. To allow users the ability to choose the type of compute nodes that make up a virtual warehouse cluster

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 55**

Which Snowflake technique can be used to improve the performance of a query?

- A. Clustering
- B. Indexing
- C. Fragmenting
- D. Using INDEX\_\_HINTS

Answer: A ([LEAVE A REPLY](#))

<https://docs.snowflake.com/en/user-guide/tables-clustering-keys.html>

**NEW QUESTION: 56**

True or False: You can query the files in an External Stage directly without having to load the data into a table.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 57**

When reviewing the load for a warehouse using the load monitoring chart, the chart indicates that a high volume of Queries are always queuing in the warehouse.

According to recommended best practice, what should be done to reduce the Queue volume? (Select TWO).

- A. Stop and start the warehouse to clear the queued queries
- B. Migrate some queries to a new warehouse to reduce load
- C. Scale up the warehouse size to allow Queries to execute faster.
- D. Use multi-clustered warehousing to scale out warehouse capacity.
- E. Limit user access to the warehouse so fewer queries are run against it.

**Answer: (**[SHOW ANSWER](#)**)**

#### **NEW QUESTION: 58**

A single user of a virtual warehouse has set the warehouse to auto-resume and auto-suspend after 10 minutes.

The warehouse is currently suspended and the user performs the following actions:

1. Runs a query that takes 3 minutes to complete
  2. Leaves for 15 minutes
  3. Returns and runs a query that takes 10 seconds to complete
  4. Manually suspends the warehouse as soon as the last query was completed
- When the user returns, how much billable compute time will have been consumed?

- A. 10 minutes
- B. 24 minutes
- C. 4 minutes
- D. 14 minutes

**Answer: D (**[LEAVE A REPLY](#)**)**

#### **NEW QUESTION: 59**

What is used to diagnose and troubleshoot network connections to Snowflake?

- A. Snowpark
- B. SnowCD
- C. SnowSQL
- D. Snowsight

**Answer: B (**[LEAVE A REPLY](#)**)**

#### **NEW QUESTION: 60**

While clustering a table, columns with which data types can be used as clustering keys? (Select TWO).

- A. VARIANT
- B. GEOGRAPHY
- C. OBJECT
- D. BINARY

E. GEOMETRY

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 61**

What is an advantage of using an explain plan instead of the query profiler to evaluate the performance of a query?

- A. An explain plan's output will display automatic data skew optimization information.
- B. An explain plan will handle queries with temporary tables and the query profiler will not.
- C. The explain plan output is available graphically.
- D. An explain plan can be used to conduct performance analysis without executing a query.

Answer: D ([LEAVE A REPLY](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

**NEW QUESTION: 62**

How does Snowflake recommend handling the bulk loading of data batches from files already available in cloud storage?

- A. Use the COPY command.
- B. Use the INSERT command.
- C. Use an external table.
- D. Use Snowpipe.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 63**

Increasing the size of a Virtual Warehouse from an X-Small to an X-Large is an example of:

- A. Scaling out
- B. Scaling up
- C. Scaling max
- D. Scaling rhythmically

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 64**

Increasing the maximum number of clusters in a Multi-Cluster Warehouse is an example of:

- A. Scaling out

- B. Scaling Up
- C. Scaling max
- D. Scaling rhythmically

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 65**

Which of the following are characteristics of security in Snowflake?

- A. Support for HIPAA and GDPR compliance is available for UI Snowflake editions.
- B. Private communication to internal stages is allowed in the Snowflake Enterprise edition and higher.
- C. Periodic rekeying of encrypted data is available with the Snowflake Enterprise edition and higher
- D. Account and user authentication is only available with the Snowflake Business Critical edition.

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 66**

A company's security audit requires generating a report listing all Snowflake logins (e.g.. date and user) within the last 90 days. Which of the following statements will return the required information?

- A. 

```
SELECT LAST_SUCCESS_LOGIN, LOGIN_NAME
FROM ACCOUNT_USAGE.USERS;
```
- B. 

```
SELECT EVENT_TIMESTAMP, USER_NAME
FROM ACCOUNT_USAGE.ACCESS_HISTORY;
```
- C. 

```
SELECT EVENT_TIMESTAMP, USER_NAME
FROM ACCOUNT_USAGE.LOGIN_HISTORY;
```
- D. 

```
SELECT EVENT_TIMESTAMP, USER_NAME
FROM table(information_schema.login_history_by_user())
```

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 67**

What is a responsibility of Snowflake's virtual warehouses?

- A. Infrastructure management
- B. Metadata management
- C. Query execution
- D. Query parsing and optimization
- E. Permanent storage of micro-partitions

**Answer:** C ([LEAVE A REPLY](#))

Reference:

<https://docs.snowflake.com/en/user-guide/warehouses.html#:~:text=A%20warehouse%20provides%20the%20re>

**NEW QUESTION: 68**

What file formats does Snowflake support for loading semi-structured data? (Choose three.)

- A. JPEG
- B. JSON
- C. Parquet
- D. PDF
- E. TSV
- F. Avro

**Answer: B,C,F ([LEAVE A REPLY](#))**

**NEW QUESTION: 69**

Which command can be used to load data files into a Snowflake stage?

- A. PUT
- B. JOIN
- C. GET
- D. COPY INTO

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 70**

What actions will prevent leveraging of the ResultSet cache? (Choose two.)

- A. Executing the RESULTS\_SCAN() table function
- B. Changing a column that is not in the cached query
- C. Clustering of the data used by the query
- D. Removing a column from the query SELECT list
- E. Stopping the virtual warehouse that the query is running against

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 71**

Which Snowflake edition offers the highest level of security for organizations that have the strictest requirements?

- A. Business Critical
- B. Standard
- C. Enterprise
- D. Virtual Private Snowflake (VPS)

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 72**

Which Snowflake data type is used to store JSON key value pairs?

- A. STRING
- B. TEXT
- C. BINARY

D. VARIANT

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 73**

Which features make up Snowflake's column level security? (Select TWO).

- A. Continuous Data Protection (CDP)
- B. Dynamic Data Masking
- C. Row access policies
- D. Key pair authentication
- E. External Tokenization

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 74**

What is the SNOWFLAKE.ACCOUNT\_USAGE view that contains information about which objects were read by queries within the last 365 days (1 year)?

- A. ACCESS\_HISTORY
- B. LOGIN\_HISTORY
- C. OBJECT\_HISTORY
- D. VIEWS\_HISTORY

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 75**

Which of the following roles is recommended to be used to create and manage users and roles?

- A. PUBLIC
- B. SECURITYADMIN
- C. ACCOUNTADMIN
- D. SYSADMIN

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 76**

A Snowflake user is trying to load a 125 GB file using SnowSQL. The file continues to load for almost an entire day. What will happen at the 24 hour mark?

- A. The file's number of allowable hours to load can be programmatically controlled to load easily into Snowflake
- B. The file will continue to load until all contents are loaded.
- C. The file will stop loading and all data up to that point will be committed.
- D. The file loading could be aborted without any portion of the file being committed.

Answer: ([SHOW ANSWER](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

#### **NEW QUESTION: 77**

Regardless of which notation is used, what are considerations for writing the column name and element names when traversing semi-structured data?

- A. The column name and element names are both case-sensitive.
- B. The column name is case-sensitive but element names are case-insensitive.
- C. The column name and element names are both case-insensitive.
- D. The column name is case-insensitive but element names are case-sensitive.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 78**

Why would a Snowflake user decide to use a materialized view instead of a regular view?

- A. The base tables do not change frequently.
- B. The query results are not used frequently.
- C. The results of the view change often.
- D. The query is not resource intensive.

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 79**

What data is stored in the Snowflake storage layer? (Select TWO).

- A. Micro-partitions
- B. Query history
- C. Persisted query results
- D. Snowflake parameters
- E. Standard and secure view results

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 80**

Which of the following Snowflake objects can be shared using a secure share? (Select TWO).

- A. Materialized views
- B. Sequences
- C. Procedures
- D. Tables
- E. Secure User Defined Functions (UDFs)

**Answer: D,E ([LEAVE A REPLY](#))**

Explanation

Secure Data Sharing enables sharing selected objects in a database in your account with other Snowflake accounts. The following Snowflake database objects can be shared:

- \* Tables
- \* External tables
- \* Secure views
- \* Secure materialized views
- \* Secure UDFs

<https://docs.snowflake.com/en/user-guide/data-sharing-intro.html>

**NEW QUESTION: 81**

How can a user change which columns are referenced in a view?

- A. Materialize the view to perform the changes
- B. Use the ALTER VIEW command to update the view
- C. Recreate the view with the required changes
- D. Modify the columns in the underlying table

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 82**

What is the MAXIMUM number of clusters that can be provisioned with a multi-cluster virtual warehouse?

- A. 10
- B. 100
- C. 5
- D. 1

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 83**

What features does Snowflake Time Travel enable?

- A. Querying data-related objects that were created within the past 365 days
- B. Restoring data-related objects that have been deleted within the past 90 days
- C. Analyzing data usage/manipulation over all periods of time
- D. Conducting point-in-time analysis for BI reporting

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 84**

The fail-safe retention period is how many days?

- A. 45 days
- B. 7 days
- C. 1 day

D. 90 days

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 85**

Snowflake's access control framework combines which models for securing data? (Select TWO).

- A. Discretionary Access Control (DAC)
- B. Role-based Access Control (RBAC)
- C. Access Control List (ACL)
- D. Rule-based Access Control (RuBAC)
- E. Attribute-based Access Control (ABAC 1

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 86**

Which data types are supported by Snowflake when using semi-structured data? (Choose two.)

- A. STRUCT
- B. VARRAY
- C. ARRAY
- D. VARIANT
- E. QUEUE

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 87**

A tag object has been assigned to a table (TABLE\_A) in a schema within a Snowflake database. Which CREATE object statement will automatically assign the TABLE\_A tag to a target object?

- A. CREATE TABLE <Enable\_name> LIKE TABLE\_A;
- B. CREATE TABLE < table name> AS SELECT \* FROM TABLE A;
- C. CREATE MATERIALIZED VIEW <view\_name> AS SELECT \* FROM TABLE\_A;
- D. CREATE VIEW <view\_name> as SELECT \* FROM TABLE\_A;

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 88**

During periods of warehouse contention which parameter controls the maximum length of time a warehouse will hold a query for processing?

- A. STATEMENT\_TIMEOUT\_IN\_SECONDS
- B. STATEMENT\_QUEUED\_TIMEOUT\_IN\_SECONDS
- C. MAX\_CONCURRENCY\_LEVEL
- D. QUERY\_TIMEOUT\_IN\_SECONDS

**Answer: B ([LEAVE A REPLY](#))**

The parameter STATEMENT\_QUEUED\_TIMEOUT\_IN\_SECONDS sets the limit for a query to wait in the queue in order to get its chance of running on the warehouse. The query will quit after

reaching this limit. By default, the value of this parameter is 0 which mean the queries will wait indefinitely in the waiting queue

[https://community.snowflake.com/s/article/Warehouse-Concurrency-and-Statement-Timeout-Parameters#:~:text=The%20parameter%20STATEMENT\\_QUEUED\\_TIMEOUT\\_IN\\_SECONDS%20sets%20the,indefinitely%20in%20the%20waiting%20queue.](https://community.snowflake.com/s/article/Warehouse-Concurrency-and-Statement-Timeout-Parameters#:~:text=The%20parameter%20STATEMENT_QUEUED_TIMEOUT_IN_SECONDS%20sets%20the,indefinitely%20in%20the%20waiting%20queue.)

#### NEW QUESTION: 89

Which of the following statements is true of zero-copy cloning?

- A. Zero-copy clones objects inherit
- B. All zero-copy clone objects inherit the privileges of their original objects
- C. At the instance/instance a clone is created, all micro-partitions in the original table and the clone are fully shared.
- D. Zero-copy coning is licensed as an additional Snowflake feature

Answer: C ([LEAVE A REPLY](#))

#### NEW QUESTION: 90

Which of the following are options when creating a virtual Warehouse? Choose 2 answers

- A. Auto-resume
- B. Auto-drop
- C. Auto resize
- D. Auto-suspend

Answer: A,D ([LEAVE A REPLY](#))

#### NEW QUESTION: 91

Which of the following statements are true of Snowflake data loading? Choose 3 answers

- A. It is recommended to do frequent, single row DMLS
- B. It is recommended to use staging tables to manage MERGE statements
- C. It is recommended to validate the data before loading into the Snowflake target table
- D. VARIANT "nut" values are not the same as SQL Null values

Answer: ([SHOW ANSWER](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**)

Special Discount: **Freepdfdumps**)

#### NEW QUESTION: 92

Which statement MOST accurately describes clustering in Snowflake?

- A. The clustering key must be included in the COPY command when loading data into Snowflake.
- B. Clustering can be disabled within a Snowflake account.
- C. The database ACCOUNTADMIN must define the clustering methodology for each Snowflake table.
- D. Clustering is the way data is grouped together and stored within Snowflake micro-partitions.

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 93**

Which cache type is used to cache data output from SQL queries?

- A. Metadata cache
- B. Result cache
- C. Remote cache
- D. Local file cache

**Answer: B** ([LEAVE A REPLY](#))

<https://community.snowflake.com/s/article/Caching-in-Snowflake-Data-Warehouse>

#### **NEW QUESTION: 94**

What is a key feature of Snowflake architecture?

- A. Software updates are automatically applied on a quarterly basis
- B. Multi-cluster warehouses allow users to run a query that spans across multiple clusters
- C. Snowflake automatically sorts DATE columns during ingest for fast retrieval by date
- D. Zero-copy cloning creates a mirror copy of a database that updates with the original
- E. Snowflake eliminates resource contention with its virtual warehouse implementation

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 95**

Which statement best describes Snowflake tables?

- A. Snowflake tables are the physical instantiation of data loaded into Snowflake
- B. Snowflake tables are owned by a user
- C. Snowflake tables are logical representations of underlying physical data
- D. Snowflake tables require that clustering keys be defined to perform optimally

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 96**

A Snowflake user wants to temporarily bypass a network policy by configuring the user object property MINS\_TO\_BYPASS\_NETWORK\_POLICY.

What should they do?

- A. Use the SYSADMIN role.
- B. Use the SECURITYADMIN role.

- C. Use the USERADMIN role.
- D. Contact Snowflake Support.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 97**

The number of queries that a Virtual Warehouse can concurrently process is determined by:

Choose 2 answers

- A. The size of the data required for each query
- B. The CONCURRENT\_QUERY\_UMIT parameter set on the Snowflake account
- C. The tool that s executing the query
- D. The complexity of each query

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 98**

What are the three things customers want most from their enterprise data warehouse solution?

Choose 3 answers

- A. Open source based
- B. Concurrency
- C. On-premise availability
- D. Performance
- E. Simplicity

**Answer: B,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 99**

True or False: Data in Fail-safe can be deleted by a user or the Snowflake team before it expires.

- A. True
- B. False

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 100**

What is the lowest Snowflake edition that offers Time Travel up to 90 days.

- A. Premier Edition
- B. Business Critical Edition
- C. standard Edition
- D. Enterprise Edition

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 101**

Which of the following Snowflake features provide continuous data protection automatically?  
(Select TWO).

- A. Fail-safe

- B. Incremental backups
- C. Zero-copy clones
- D. Internal stages
- E. Time Travel

**Answer: A,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 102**

Which of the following is a valid source for an external stage when the Snowflake account is located on Microsoft Azure?

- A. An HTTPS server with WebDAV
- B. A Google Cloud storage bucket
- C. An FTP server with TLS encryption
- D. A Windows server file share on Azure

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 103**

Which of the following are best practices for users with the SYSADMIN/ACCOUNTADMIN roles?  
Choose 3 answers

- A. They should ensure all database objects in the account are owned by the ACCOUNTADMIN role
- B. Their default role should be set to SYSTEMADMIN (the lower of the two)
- C. They should not set up multi\_Factor Authentication (MFA)-as administrator they may need to change the MFA settings and those enrolled in MFA are unable to do so
- D. They should use the SYSADMIN role to perform administrative work on database objects
- E. They should only access and 'step into' the ACCOUNTADMIN role temporarily, as needed to complete a specific operation

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 104**

Where is Snowflake metadata stored?

- A. Within the data files
- B. In the cloud services layer
- C. In the remote storage layer
- D. In the virtual warehouse layer

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 105**

How should a virtual warehouse be configured if a user wants to ensure that additional multi-clusters are resumed with no delay?

- A. Set the minimum and maximum clusters to autoscale
- B. Use the standard warehouse scaling policy

- C. Use the economy warehouse scaling policy
- D. Configure the warehouse to a size larger than generally required

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 106**

What does the TableScan operator represent in the Query Profile?

- A. The access to data stored in stage objects
- B. The access to a single table
- C. The records generated using the TABLE (GENERATOR (...)) construct
- D. The list of values provided with the VALUES clause

Answer: B ([LEAVE A REPLY](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

**NEW QUESTION: 107**

What is the recommended method for loading data into Snowflake?

- A. Load data in batch
- B. Load data via frequent, angle row DML's
- C. Load data by writing it In the Snowflake Web Interface (UI)
- D. Load row by row

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 108**

True or False: When active, a pipe requires a dedicated Virtual Warehouse to execute.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 109**

Which statements are true concerning Snowflake's underlying cloud infrastructure? (Select THREE),

- A. Snowflake uses the core compute and storage services of each cloud provider for its own compute and storage

- B. All three layers of Snowflake's architecture (storage, compute, and cloud services) are deployed and managed entirely on a selected cloud platform
- C. Snowflake can be deployed in a customer's private cloud using the customer's own compute and storage resources for Snowflake compute and storage
- D. Snowflake data and services are deployed in at least three availability zones within a cloud provider's region
- E. Snowflake data and services are deployed in a single availability zone within a cloud provider's region.
- F. Snowflake data and services are available in a single cloud provider and a single region, the use of multiple cloud providers is not supported.

**Answer: A,B,D (LEAVE A REPLY)**

#### **NEW QUESTION: 110**

Which command can be used to stage local files from which Snowflake interface?

- A. SnowSQL
- B. Snowflake classic web interface (UI)
- C. Snowsight
- D. .NET driver

**Answer: A (LEAVE A REPLY)**

<https://docs.snowflake.com/en/user-guide/snowsql-use.html>

#### **NEW QUESTION: 111**

True or False: A 4X-Large Warehouse may, at times, take longer to provision than a X-Small Warehouse.

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

Explanation

You can experiment the same with snowflake UI.

#### **NEW QUESTION: 112**

Which Snowflake layer is always leveraged when accessing a query from the result cache?

- A. Cloud Services
- B. Metadata
- C. Compute
- D. Data Storage

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 113**

How do Snowflake data providers share data that resides in different databases?

- A. User-Defined Functions (UDFs)

- B. External tables
- C. Materialized views
- D. Secure views

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 114**

Which Snowflake object enables loading data from files as soon as they are available in a cloud storage location?

- A. Pipe
- B. External stage
- C. Task
- D. Stream

**Answer: A** ([LEAVE A REPLY](#))

Snowpipe enables loading data from files as soon as they're available in a stage. This means you can load data from files in micro-batches, making it available to users within minutes, rather than manually executing COPY statements on a schedule to load larger batches.

<https://docs.snowflake.com/en/user-guide/data-load-snowpipe-intro.html>

#### **NEW QUESTION: 115**

What is the maximum total Continuous Data Protection (CDP) charges incurred for a temporary table?

- A. 30 days
- B. 48 hours
- C. 7 days
- D. 24 hours

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 116**

A user has an application that writes a new Tile to a cloud storage location every 5 minutes.

What would be the MOST efficient way to get the files into Snowflake?

- A. Create a task that puts the files in an internal stage and automate the data loading wizard
- B. Set up cloud provider notifications on the Tile location and use Snowpipe with auto-ingest
- C. Create a task that runs a GET operation to intermittently check for new files
- D. Create a task that runs a copy into operation from an external stage every 5 minutes

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 117**

How does the search optimization service help Snowflake users improve query performance?

- A. It scans the local disk cache to avoid scans on the tables used in the Query.
- B. It scans the micro-partitions based on the joins used in the queries and scans only join columns.

C. It maintains a persistent data structure that keeps track of the values of the table's columns in each of its micro-partitions.

D. It keeps track of running queries and their results and saves those extra scans on the table.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 118**

What is the default character set used when loading CSV files into Snowflake?

A. UTF-8

B. UTF-16

C. ISO 8859-1

D. ANSI\_X3.A

**Answer:** ([SHOW ANSWER](#))

[https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20delimited%20files%20\(CSV%2C%20TSV,encoding%20to%20use%20for%20loading.](https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20delimited%20files%20(CSV%2C%20TSV,encoding%20to%20use%20for%20loading.)

For delimited files (CSV, TSV, etc.), the default character set is UTF-8. To use any other character sets, you must explicitly specify the encoding to use for loading. For the list of supported character sets, see Supported Character Sets for Delimited Files (in this topic).

#### **NEW QUESTION: 119**

Data storage for individual tables can be monitored using which commands and/or objects?

(Choose two.)

A. Information Schema -> TABLE\_STORAGE\_METRICS

B. Information Schema -> TABLE\_FUNCTION

C. SHOW TABLES;

D. SHOW STORAGE BY TABLE;

E. Information Schema -> TABLE\_HISTORY

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 120**

Which command is used to unload data from a Snowflake table into a file in a stage?

A. COPY INTO

B. GET

C. WRITE

D. EXTRACT INTO

**Answer:** ([SHOW ANSWER](#))

<https://docs.snowflake.com/en/user-guide/data-unload-snowflake.html#:~:text=Your%20User%20Stage-,Use%20the%20COPY%20INTO%20command%20to%20unload%20all%20the,more%20files%20in%20your%20stage.>

#### **NEW QUESTION: 121**

Credit charges for Snowflake virtual warehouses are calculated based on which of the following considerations? (Choose two.)

- A. The duration of the queries that are executed
- B. The length of time the warehouse is running
- C. The number of active users assigned to the warehouse
- D. The size of the virtual warehouse
- E. The number of queries executed

**Answer: B,E ([LEAVE A REPLY](#))**

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: [Freepdfdumps](#))**

#### **NEW QUESTION: 122**

Snowflake's hierarchical key mode includes which keys? (Select TWO).

- A. File keys
- B. Account master keys
- C. Schema master keys
- D. Database master keys
- E. Secure view keys

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 123**

What is the Fail-safe period for a transient table in the Snowflake Enterprise edition and higher?

- A. 7 days
- B. 14 days
- C. 0 days
- D. 1 day

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 124**

Which of the following describes external functions in Snowflake?

- A. They can return multiple rows for each row received
- B. They call code that is stored inside of Snowflake.
- C. They are a type of User-defined Function (UDF).
- D. They contain their own SQL code.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 125**

What are characteristic of Snowsight worksheet? (Select TWO.)

- A. The Snowflake session ends when a user switches worksheets.
- B. Users can import worksheets and share them with other users.
- C. Each worksheet is a unique Snowflake session.
- D. Worksheets can be grouped under folder, and a folder of folders.
- E. Users are limited to running only one on a worksheet.

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 126**

What does Snowflake recommend a user do if they need to connect to Snowflake with a tool or technology that is not listed in Snowflake partner ecosystem?

- A. Connect through Snowflake's JDBC or ODBC drivers
- B. Use a custom-built connector.
- C. Contact Snowflake Support for a new driver.
- D. Use Snowflake's native API.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 127**

The following settings are configured:

```
The MIN_DATA_RETENTION_TIME_IN_DAYS is set to 5 at the account level.  
The DATA_RETENTION_TIME_IN_DAYS is set to 2 at the object level.
```

For how many days will the data be retained at the object level?

- A. 3
- B. 2
- C. 5
- D. 7

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 128**

In which layer of its architecture does Snowflake store its metadata statistics?

- A. Cloud Service Layer
- B. Compute Layer
- C. Storage Layer
- D. Database Layer

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 129**


What happens when a virtual warehouse is resized?

- A. The warehouse will be suspended while the new compute resource is provisioned and will resume automatically once provisioning is complete.
- B. When increasing the size of an active warehouse the compute resource for all running and queued queries on the warehouse are affected
- C. When reducing the size of a warehouse the compute resources are removed only when they are no longer being used to execute any current statements.
- D. Users who are trying to use the warehouse will receive an error message until the resizing is complete

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 130**

How can a Snowflake user access a JSON object, given the following table? (Select TWO).



```

SRC
-----
{"salesPerson": {"name": "user", "id": "1234"},

```

- A. src:salesperson.name
- B. src:salesPerson. name
- C. SRC:salesperson.name
- D. src:salesperson.Name
- E. SRC:salesperson.Name

**Answer: B,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 131**

When loading data into Snowflake, how should the data be organized?

- A. Into files of maximum size of 1 GB of compressed data per file
- B. Into single files with 100-250 MB of compressed data per file
- C. Into files of maximum size of 4 GB of compressed data per file
- D. Into single files with 1-100 MB of compressed data per file

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 132**

Which of the following are options when creating a Virtual Warehouse?

- A. Auto-resume
- B. User count
- C. Local SSD size
- D. Auto-suspend

**Answer: A,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 133**

Which of the following conditions must be met in order to return results from the results cache? (Select TWO).

- A. The query includes a User Defined Function (UDF)
- B. The new query is run using the same virtual warehouse as the previous query
- C. The query has been run within 24 hours of the previously-run query
- D. The user has the appropriate privileges on the objects associated with the query
- E. Micro-partitions have been reclustered since the query was last run

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 134**

Which privilege is required for a role to be able to resume a suspended warehouse if auto-resume is not enabled?

- A. USAGE
- B. OPERATE
- C. MONITOR
- D. MODIFY

**Answer: B ([LEAVE A REPLY](#))**

Reference:

<https://community.snowflake.com/s/question/0D50Z00008yHYdqSAG/auto-resume-operate-warehouse-privileg>

**NEW QUESTION: 135**

Which roles can make grant decisions to objects within a managed access schema? (Select TWO)

- A. SECURITYADMIN
- B. ACCOUNTADMIN
- C. ORGADMIN
- D. USERADMIN
- E. SYSTEMADMIN

**Answer: B,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 136**

Which semi-structured file formats are supported when unloading data from a table? (Select TWO).

- A. ORC
- B. XML
- C. Avro
- D. Parquet
- E. JSON

**Answer: D,E ([LEAVE A REPLY](#))**

Explanation

Semi-structured

JSON, Parquet

<https://docs.snowflake.com/en/user-guide/data-unload-prepare.html#:~:text=Supported%20File%20Formats,-Th>

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:  
[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

**NEW QUESTION: 137**

Which Snowflake URL type is used by directory tables?

- A. Pre-signed
- B. File
- C. Virtual-hosted style
- D. Scoped

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 138**

When referring to User-Defined Function (UDF) names in Snowflake, what does the term overloading mean?

- A. There are multiple SQL UDFs with the same names and the same number of arguments.
- B. There are multiple SQL UDFs with the same names and the same number of argument types.
- C. There are multiple SQL UDFs with the same names but with a different number of arguments or argument types.
- D. There are multiple SQL UDFs with different names but the same number of arguments or argument types.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 139**

True or False: The user has to specify which cluster a query will run on in multi-clustering Warehouse.

- A. True
- B. False

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 140**

Which of the following are best practice recommendations that should be considered when loading data into Snowflake? (Select TWO).

- A. Load files that are approximately 25 MB or smaller.
- B. Remove all dates and timestamps.
- C. Load files that are approximately 100-250 MB (or larger)
- D. Avoid using embedded characters such as commas for numeric data types
- E. Remove semi-structured data types

**Answer: C,D (LEAVE A REPLY)**

<https://docs.snowflake.com/en/user-guide/data-load-considerations-prepare.html>

**NEW QUESTION: 141**

True or False: Reader Accounts are able to extract data from shared data objects for use outside of Snowflake.

- A. False
- B. True

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 142**

How would a user run a multi-cluster warehouse in maximized mode?

- A. Turn on the additional clusters manually after starting the warehouse.
- B. Set the minimum Clusters and maximum Clusters settings to the same value.
- C. Set the minimum clusters and maximum clusters settings to different values.
- D. Configure the maximum clusters setting to "Maximum."

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 143**

What are the responsibilities of Snowflake's Cloud Service layer? (Choose three.)

- A. Query parsing and optimization
- B. Physical storage of micro-partitions
- C. Query execution
- D. Authentication
- E. Virtual warehouse caching
- F. Resource management

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 144**

What is a machine learning and data science partner within the Snowflake Partner Ecosystem?

- A. Data Robot
- B. Power BI
- C. Informatica

D. Adobe

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 145**

Which statement accurately describes how a virtual warehouse functions?

- A. Each virtual warehouse is an independent compute cluster that shares compute resources with other warehouses.
- B. Increasing the size of a virtual warehouse will always improve data loading performance.
- C. Each virtual warehouse is a compute cluster composed of multiple compute nodes allocated by Snowflake from a cloud provider.
- D. All virtual warehouses share the same compute resources so performance degradation of one warehouse can significantly affect all the other warehouses.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 146**

Which data types does Snowflake support when querying semi-structured data? (Select TWO)

- A. VARIANT
- B. ARRAY
- C. VARCHAR
- D. XML
- E. BLOB

**Answer: A,B (LEAVE A REPLY)**

Explanation

<https://docs.snowflake.com/en/user-guide/semistructured-intro.html#label-loading-semi-structured-data> A VARIANT stores semi-structured data in Snowflake. It can store a value of any other type, including OBJECT and ARRAY.

The maximum length of a VARIANT is 16 MB.

A Snowflake ARRAY is similar to an array in many other programming languages. An ARRAY contains 0 or more pieces of data. Each element is accessed by specifying its position in the array.

**NEW QUESTION: 147**

Which of the following describes a Snowflake stored procedure?

- A. They can be created as secure and hide the underlying metadata from the user.
- B. They can only access tables from a single database.
- C. They can contain only a single SQL statement.
- D. They can be created to run with a caller's rights or an owner's rights.

**Answer: (SHOW ANSWER)**

Reference: <https://docs.snowflake.com/en/sql-reference/stored-procedures-overview.html>

**NEW QUESTION: 148**

True or False: Reader Accounts incur no additional Compute costs to the Data Provider since they are simply reading the shared data without making changes.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 149**

What can the Snowflake SCIM API be used to manage? (Select TWO).

- A. Session policies
- B. Roles
- C. Users
- D. Integrations
- E. Network policies

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 150**

Which of the following statements are true of Virtual Warehouses? (Choose all that apply.)

- A. A Warehouse can be configured to suspend after a period of inactivity
- B. A Warehouse can be resized while running
- C. Customers can change the size of the Warehouse after creation
- D. A Warehouse can be configured to auto-resume when new queries are submitted

Answer: A,B,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 151**

What are the correct parameters for time travel and fail-safe in the Snowflake Enterprise Edition?

- A. Default Time Travel Retention is set to 0 days.  
Maximum Time Travel Retention is 90 days.  
Fail Safe retention time is 7 days.
- B. Default Time Travel Retention is set to 1 day.  
Maximum Time Travel Retention is 365 days.  
Fail Safe retention time is 7 days.
- C. Default Time Travel Retention is set to 0 days.  
Maximum Time Travel Retention is 30 days.  
Fail Safe retention time is 1 day.
- D. Default Time Travel Retention is set to 90 days.  
Maximum Time Travel Retention is 7 days.  
Fail Safe retention time is 356 days.
- E. Default Time Travel Retention is set to 7 days.  
Maximum Time Travel Retention is 1 day.  
Fail Safe retention time is 90 days.
- F. Default Time Travel Retention is set to 1 day.

Maximum Time Travel Retention is 90 days.

Fail Safe retention time is 7 days.

**Answer:** ([SHOW ANSWER](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

**NEW QUESTION: 152**

What is the MINIMUM edition of Snowflake that is required to use a SCIM security integration?

- A. Standard Edition
- B. Enterprise Edition
- C. Business Critical Edition
- D. Virtual Private Snowflake (VPS)

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 153**

What is the recommended file sizing for data loading using Snowpipe?

- A. A compressed file size greater than 100 MB, and up to 250 MB
- B. A compressed file size greater than 100 GB, and up to 250 GB
- C. A compressed file size greater than 10 MB, and up to 100 MB
- D. A compressed file size greater than 1 GB, and up to 2 GB

**Answer: A** ([LEAVE A REPLY](#))

Explanation

<https://www.phdata.io/blog/how-to-optimize-snowpipe-data-load/#:~:text=Snowpipe%20is%20typically%20use>

**NEW QUESTION: 154**

Which statements are correct concerning the leveraging of third-party data from the Snowflake Data Marketplace? (Choose two.)

- A. Data is available without copying or moving.
- B. Data transformations are required when combining Data Marketplace datasets with existing data in Snowflake.
- C. Data is not available for copying or moving to an individual Snowflake account.
- D. Data is live, ready-to-query, and can be personalized.
- E. Data needs to be loaded into a cloud provider as a consumer account.

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 155**

How do secure views compare to non-secure views in Snowflake?

- A. Secure views execute slowly compared to non-secure views.
- B. Non-secure views are preferred over secure views when sharing data.
- C. Secure views are similar to materialized views in that they are the most performant.
- D. There are no performance differences between secure and non-secure views.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 156**

What is a responsibility of Snowflake's virtual warehouses?

- A. Management of the storage layer
- B. Infrastructure management
- C. Query execution
- D. Query parsing and optimization
- E. Metadata management

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 157**

Which of the following compute resources or features are managed by Snowflake? (Select TWO).

- A. Execute a COPY command
- B. Updating data
- C. Snowpipe
- D. Scaling up a warehouse
- E. AUTOMATIC\_CLUSTERING

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 158**

Which of the following Snowflake features provide continuous data protection automatically? (Select TWO).

- A. Internal stages
- B. Incremental backups
- C. Time Travel
- D. Zero-copy clones
- E. Fail-safe

**Answer: C,E ([LEAVE A REPLY](#))**

Time travel and fail safe are the two continuous data protection features support the recovery of data automatically.

Snowflake provides powerful CDP features for ensuring the maintenance and availability of your historical data (i.e. data that has been changed or deleted):

Querying, cloning, and restoring historical data in tables, schemas, and databases for up to 90 days through Snowflake Time Travel.

Disaster recovery of historical data (by Snowflake) through Snowflake Fail-safe.

<https://docs.snowflake.com/en/user-guide/data-availability.html>

#### **NEW QUESTION: 159**

Which Snowflake object can be accessed in the FROM clause of a query, returning a set of rows having one or more columns?

- A. A task
- B. A Scalar User Function (UDF)
- C. A User-Defined Table Function (UDTF)
- D. A stored procedure

**Answer: C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 160**

What is the minimum Snowflake edition that provides multi-cluster warehouses and up to 90 days of Time Travel?

- A. Enterprise
- B. Standard
- C. Premier
- D. Business Critical Edition

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 161**

Which formats are supported for unloading data from Snowflake? Choose 2 answers

- A. JSON
- B. ORC
- C. Delimited (CSV, TSV, etc.)
- D. Avro

**Answer: A,C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 162**

What affects whether the query results cache can be used?

- A. If multiple users are using the same virtual warehouse
- B. If the query contains a deterministic function
- C. If the virtual warehouse has been suspended
- D. If the referenced data in the table has changed

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 163**

Which of the following statements are true of Snowflake releases: (Choose two.)

- A. They roll up and release approximately monthly, but customers can request early release application
- B. They happen approximately weekly
- C. During a release, new customer requests/queries/connections transparently move over to the newer version
- D. A customer is assigned a 30 minute window (that can be moved anytime within a week) during which the system will be unavailable and customer is upgraded

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 164**

Which Snowflake partner specializes in data catalog solutions?

- A. Alation
- B. DataRobot
- C. dbt
- D. Tableau

**Answer: A ([LEAVE A REPLY](#))**

Alation provides Data Cataloging functionality. They state they are the 'One Place to Find, Understand, & Govern Data Across an Enterprise.

<https://docs.snowflake.com/en/user-guide/ecosystem-all.html>

**NEW QUESTION: 165**

True or False: Users are able to see the result sets of queries executed by other users that share their same role.

- A. False
- B. True

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 166**

What is the recommended Snowflake data type to store semi-structured data like JSON?

- A. VARCHAR
- B. LOB
- C. RAW
- D. VARIANT

**Answer: D ([LEAVE A REPLY](#))**

C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:  
[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**  
**Special Discount: Freepdfdumps**)

**NEW QUESTION: 167**

How does a Snowflake user extract the URL of a directory table on an external stage for further transformation?

- A. Use the GET\_ABSOLUTE\_PATH function.
- B. Use the GET\_STAGE\_LOCATION function.
- C. Use the SHOW STAGES command.
- D. Use the DESCRIBE STAGE command.

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 168**

What is a non-configurable feature that provides historical data that Snowflake may recover during a 7-day period?

- A. Time Travel
- B. Cloning
- C. Fail-safe
- D. Account replication

**Answer: C (**[LEAVE A REPLY](#)**)**

**NEW QUESTION: 169**

Which services does the Snowflake Cloud Services layer manage? (Select TWO).

- A. Compute resources
- B. Query execution
- C. Authentication
- D. Data storage
- E. Metadata

**Answer: C,E (**[LEAVE A REPLY](#)**)**

Explanation

<https://docs.snowflake.com/en/user-guide/intro-key-concepts.html>

The cloud services layer is a collection of services that coordinate activities across Snowflake. These services tie together all of the different components of Snowflake in order to process user requests, from login to query dispatch. The cloud services layer also runs on compute instances provisioned by Snowflake from the cloud provider.

Services managed in this layer include:

- \* Authentication
- \* Infrastructure management
- \* Metadata management

- \* Query parsing and optimization
- \* Access control

### NEW QUESTION: 170

User1, who has the SYSADMIN role, executed a query on Snowsight. User2, who is in the same Snowflake account, wants to view the result set of the query executed by User1 using the Snowsight query history.

What will happen if User2 tries to access the query history?

- A. If User2 has the ACCOUNTADMIN role they will be able to see the results.
- B. If User2 has the securityadmin role they will be able to see the results.
- C. If User2 has the sysadmin role they will be able to see the results.
- D. User2 will be unable to view the result set of the query executed by User1.

Answer: C ([LEAVE A REPLY](#))

### NEW QUESTION: 171

Which SQL commands, when committed, will consume a stream and advance the stream offset? (Choose two.)

- A. INSERT INTO TABLE SELECT FROM STREAM
- B. BEGIN COMMIT
- C. SELECT FROM STREAM
- D. UPDATE TABLE FROM STREAM
- E. ALTER TABLE AS SELECT FROM STREAM

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 172

Which of the following connectors allow Multi-Factor Authentication (MFA) authorization when connecting? (Choose all that apply.)

- A. Snowflake Web Interface (UI)
- B. JDBC
- C. ODBC
- D. SnowSQL
- E. Python

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 173

By definition, a secure view is exposed only to users with what privilege?

- A. USAGE
- B. REFERENCES
- C. IMPORT SHARE
- D. OWNERSHIP

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 174**

Which function will provide the proxy information needed to protect Snowsight?

- A. SYSTEM\$GET\_PRIVATELINK
- B. SYSTEMADMIN\_TAG
- C. SYSTEMSALLONTLIST
- D. SYSTEMAUTHORIZE

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 175**

A developer is granted ownership of a table that has a masking policy. The developer's role is not able to see the masked data. Will the developer be able to modify the table to read the masked data?

- A. No, because masking policies must always reference specific access roles.
- B. Yes, because a table owner has full control and can unset masking policies.
- C. Yes, because masking policies only apply to cloned tables.
- D. No, because ownership of a table does not include the ability to change masking policies

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 176**

What internal stages are available in Snowflake? (Choose three.)

- A. Schema stage
- B. Named stage
- C. Stream stage
- D. User stage
- E. Table stage
- F. Database stage

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 177**

How does Snowflake reorganize data when it is loaded? (Select TWO).

- A. Columnar format
- B. Binary format
- C. Raw format
- D. Zipped format
- E. Compressed format

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 178**

What transformations are supported in a CREATE PIPE ... AS COPY ... FROM (....) statement? (Select TWO.)

- A. Columns can be omitted
- B. Incoming data can be joined with other tables
- C. Columns can be reordered
- D. Data can be filtered by an optional where clause
- E. Row level access can be defined

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 179**

Who can create network policies within Snowflake? (Select TWO).

- A. ORCADMIN only
- B. SYSADMIN only
- C. A role with the CREATE SECURITY INTEGRATION privilege
- D. SECURITYADMIN or higher roles
- E. A role with the CREATE NETWORK POLICY privilege

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 180**

What is the following SQL command used for?

```
Select * from table(validate(t1, job_id => '_last'));
```

- A. To validate external table files in table t1 across all sessions
- B. To return errors from the last executed COPY command into table t1 in the current session
- C. To validate task SQL statements against table t1 in the last 14 days
- D. To validate a file for errors before it gets executed using a COPY command

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 181**

Which is the MINIMUM required Snowflake edition that a user must have if they want to use AWS/Azure Privatelink or Google Cloud Private Service Connect?

- A. Standard
- B. Premium
- C. Enterprise
- D. Business Critical

**Answer: D (LEAVE A REPLY)**

<https://docs.snowflake.com/en/user-guide/privatelink-azure.html>

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

**Special Discount: [Freepdfdumps](#)**)

**NEW QUESTION: 182**

Which command can be used to load data into an internal stage?

- A. LOAD
- B. copy
- C. GET
- D. PUT

**Answer: D ([LEAVE A REPLY](#))**

Explanation

<https://medium.com/@divyanshsaxenaofficial/snowflake-loading-unloading-of-data-part-1-internal-stages-7121c>

**NEW QUESTION: 183**

Which command is used to unload files from an internal or external stage to a local file system?

- A. GET
- B. COPY INTO
- C. TRANSFER
- D. PUT

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 184**

What can a Snowflake user do with the information included in the details section of a Query Profile?

- A. Determine the source system that the queried table is from.
- B. Determine the total duration of the query.
- C. Determine if the query was on structured or semi-structured data.
- D. Determine the role of the user who ran the query.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 185**

Which Snowflake architectural layer is responsible for a query execution plan?

- A. Compute
- B. Cloud services
- C. Cloud provider
- D. Data storage

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 186**

A user is loading JSON documents composed of a huge array containing multiple records into Snowflake. The user enables the strip\_\_outer\_array file format option

What does the STRIP\_OUTER\_ARRAY file format do?

- A. It removes the last element of the outer array.
- B. It removes the trailing spaces in the last element of the outer array and loads the records into separate table columns
- C. It removes the NULL elements from the JSON object eliminating invalid data and enables the ability to load the records
- D. It removes the outer array structure and loads the records into separate table rows,

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 187**

Files have been uploaded to a Snowflake internal stage. The files now need to be deleted.

Which SQL command should be used to delete the files?

- A. PURGE
- B. MODIFY
- C. REMOVE
- D. DELETE

**Answer: D ([LEAVE A REPLY](#))**

Reference:

<https://www.simplilearn.com/tutorials/sql-tutorial/delete-in-sql#:~:text=The%20Delete%20command%20in%20>

#### **NEW QUESTION: 188**

Which account\_\_usage views are used to evaluate the details of dynamic data masking? (Select TWO)

- A. POLICY\_REFERENCES
- B. ACCESS\_HISTORY
- C. QUERY\_HISTORY
- D. ROLES
- E. RESOURCE\_MONITORS

**Answer: A,B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 189**

Which of the following are main sections of the top navigation of the Snowflake web Interface (UI)?

- A. Tables
- B. Worksheets
- C. Warehouses
- D. Database

**Answer: B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 190**

When creating a user it is advisable to: Choose 2 answers

- A. Set the user to be initially disabled
- B. Set the number of minutes to unlock to 15 minutes
- C. Set a default role for the user
- D. Set the users access to expire within a specified timeframe
- E. Force an immediate password change

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 191**

Which interfaces can be used to create and/or manage Virtual Warehouses?

- A. Data integration tools
- B. The Snowflake Web Interface (UI)
- C. All of the above
- D. SQL commands

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 192**

Which role allows a Snowflake user to view table-level storage utilization information from the TABLE\_STORAGE\_METRICS view by the default?

- A. SECURITYADMIN
- B. USERADMIN
- C. ACCOUNTADMIN
- D. SYSADMIN

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 193**

Which of the following are handled by the cloud services layer of the Snowflake architecture?

(Choose two.)

- A. Authentication and access control
- B. Security
- C. Data loading
- D. Time Travel data
- E. Query execution

Answer: B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 194**

What activities can a user with the ORGADMIN role perform? (Select TWO).

- A. Edit the account data for an organization.
- B. Select all the data in tables for all accounts in an organization.

- C. Delete the account data for an organization.
- D. Create an account for an organization.
- E. View usage information for all accounts in an organization.

**Answer: D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 195**

Which of the following statements about data sharing are true? choose 2 answers

- A. New objects created by a Data Provider are automatically shared with existing Data Consumers & Reader Accounts
- B. Shared databases are read-only
- C. All database objects can be included In a shared database
- D. Reader Accounts are created and funded by Data Prowlers

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 196**

Which is true of Snowflake network policies? A Snowflake network policy: (Choose two.)

- A. Is activated using an "ALTER DATABASE" command
- B. Is available to all Snowflake Editions
- C. Is only available to customers with Business Critical Edition
- D. Restricts or enables access to specific IP addresses

**Answer: B,D ([LEAVE A REPLY](#))**

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: [Freepdfdumps](#))**

#### **NEW QUESTION: 197**

Which of the following are considerations when using a directory table when working with unstructured data? (Choose two.)

- A. A directory table is a separate database object.
- B. Directory table data can not be refreshed manually.
- C. A directory table will be automatically added to a stage.
- D. Directory tables store data file metadata.
- E. Directory tables do not have their own grantable privileges.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 198**

A virtual warehouse's auto-suspend and auto-resume settings apply to which of the following?

- A. The primary cluster in the virtual warehouse
- B. The entire virtual warehouse
- C. The database in which the virtual warehouse resides
- D. The Queries currently being run on the virtual warehouse

**Answer: B** ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/warehouses-overview.html#:~:text=Similarly%2C%20auto%2Dresum>

**NEW QUESTION: 199**

Which are true of Snowflake roles?

- A. All grants to objects are given to roles, and never to users
- B. Roles are a subset of users and users own objects In Snowflake
- C. The public role controls at other roles
- D. In order to do DML/DOL, a user needs to have selected a single role that has that specific access to the object and operation

**Answer: A,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 200**

True or False: Loading data into Snowflake requires that source data files be no larger than 16MB.

- A. False
- B. True

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 201**

How long is Snowpipe data load history retained?

- A. As configured in the create pipe settings
- B. Until the pipe is dropped
- C. 64 days
- D. 14 days

**Answer: C** ([LEAVE A REPLY](#))

Explanation

Bulk data load

Stored in the metadata of the target table for 64 days. Available upon completion of the COPY statement as the statement output.

<https://docs.snowflake.com/en/user-guide/data-load-snowpipe-intro.html#:~:text=Load%20History,-Bulk%20dat>

**NEW QUESTION: 202**

Query parsing and compilation occurs in which architecture layer of the Snowflake Cloud Data Platform?

- A. Storage layer
- B. Cloud agnostic layer
- C. Compute layer
- D. Cloud services layer

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 203**

What parameter controls if the Virtual warehouse starts immediately after the CREATE WAREHOUSE statement?

- A. START\_AFTCR\_CREATE = TRUE/FALSE
- B. START\_TTIME = 60 // (seconds from now)
- C. START.TIME = CURRENT.DATE()
- D. INITIALLY\_SUSPENDED = TRUE/FALSE

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 204**

Which statement accurately describes a characteristic of a materialized view?

- A. Materialized view refreshes need to be maintained by the user.
- B. A materialized view can query only a single table.
- C. Querying a materialized view is slower than executing a query against the base table of the view.
- D. Data accessed through materialized views can be stale.

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 205**

A tabular User-Defined Function (UDF) is defined by specifying a return clause that contains which keyword?

- A. TABULAR
- B. ROW\_NUMBER
- C. TABLE
- D. VALUES

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 206**

What happens when a cloned table is replicated to a secondary database? (Select TWO)

- A. A read-only copy of the cloned tables is stored.
- B. The physical data is replicated
- C. Additional costs for storage are charged to a secondary account

- D. Metadata pointers to cloned tables are replicated
- E. The replication will not be successful.

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 207**

Which query contains a Snowflake hosted file URL in a directory table for a stage named bronzestage?

- A. list @bronzestage;
- B. select \* from directory(@bronzestage);
- C. select metadata\$filename from @bronzestage;
- D. select \* from table(information\_schema.stage\_directory\_file\_registration\_history( stage name=>'bronzestage1));

**Answer: B ([LEAVE A REPLY](#))**

Explanation

According to the Snowflake documentation , a directory table stores a catalog of staged files in cloud storage and can be queried to retrieve the Snowflake-hosted file URL to each file in the stage. A file URL has the following format:

https://<account\_identifier>/api/files/<db\_name>.<schema\_name>.<stage\_name>/<relative\_path>

Based on this information, I think the query that contains a Snowflake hosted file URL in a directory table for a stage named bronzestage is B. select \* from directory(@bronzestage);

#### **NEW QUESTION: 208**

What happens when an external or an internal stage is dropped? (Select TWO).

- A. When dropping an internal stage, only selected files are deleted with the stage and are not recoverable
- B. When dropping an external stage, the files are not removed and only the stage is dropped
- C. When dropping an internal stage, the files are deleted with the stage and the files are recoverable
- D. When dropping an internal stage, the files are deleted with the stage and the files are not recoverable
- E. When dropping an external stage, both the stage and the files within the stage are removed

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 209**

True or False: Snowpipe via REST API can only reference External Stages as source.

- A. True
- B. False

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 210**

In the Snowflake access control model, which entity owns an object by default?

- A. The role used to create the object
- B. The user who created the object
- C. The SYSADMIN role
- D. Ownership depends on the type of object

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 211**

True or False: All Snowflake table types include fail-safe storage.

- A. True
- B. False

**Answer: B ([LEAVE A REPLY](#))**

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: [Freepdfdumps](#))**

**NEW QUESTION: 212**

Which DDL/DML operation is allowed on an inbound data share?

- A. ALTER TABLE
- B. MERGE
- C. SELECT
- D. INSERT INTO

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 213**

As a best practice, clustering keys should only be defined on tables of which minimum size?

- A. Multi-Megabyte (MB) Range
- B. Multi-Terabyte (TB) Range
- C. Multi-Kilobyte (KB) Range
- D. Multi-Gigabyte (GB) Range

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 214**

What are the default Time Travel and Fail-safe retention periods for transient tables?

- A. Time Travel - 1 day. Fail-safe - 1 day
- B. Time Travel - 0 days. Fail-safe - 1 day

C. Time Travel - 1 day. Fail-safe - 0 days

D. Transient tables are retained in neither Fail-safe nor Time Travel

**Answer: C (LEAVE A REPLY)**

<https://docs.snowflake.com/en/user-guide/data-cdp-storage-costs.html#:~:text=Temporary%20and%20Transient%20Tables,-To%20help%20manage&text=Temporary%20tables%20can%20also%20have,have%20no%20Fail%2Dsafe%20period.>

#### **NEW QUESTION: 215**

Which command should be used to download files from a Snowflake stage to a local folder on a client's machine?

A. PUT

B. GET

C. COPY

D. SELECT

**Answer: B (LEAVE A REPLY)**

Reference: <https://docs.snowflake.com/en/sql-reference/sql/get.html>

#### **NEW QUESTION: 216**

A Snowflake user has been granted the create data EXCHANGE listing privilege with their role. Which tasks can this user now perform on the Data Exchange? (Select TWO).

A. Modify listings properties.

B. Submit listings for approval/publishing.

C. Delete provider profiles.

D. Rename listings.

E. Modify incoming listing access requests.

**Answer: A,B (LEAVE A REPLY)**

#### **NEW QUESTION: 217**

Which copy INTO command outputs the data into one file?

A. MULTIPLE=FAISE

B. SINGLE=TRUE

C. MAX\_FILE\_NUMBER=1

D. FILE\_NUMBER=1

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 218**

Which Snowflake tool would be BEST to troubleshoot network connectivity?

A. SnowCLI

B. SnowUI

C. SnowSQL

D. SnowCD

**Answer: D (LEAVE A REPLY)**

[https://docs.snowflake.com/en/user-guide/snowcd.html#:~:text=SnowCD%20\(i.e.%20Snowflake%20Connectivity%20Diagnostic,their%20network%20connection%20to%20Snowflake.](https://docs.snowflake.com/en/user-guide/snowcd.html#:~:text=SnowCD%20(i.e.%20Snowflake%20Connectivity%20Diagnostic,their%20network%20connection%20to%20Snowflake.)

**NEW QUESTION: 219**

What is the MOST performant file format for loading data in Snowflake?

- A. Parquet
- B. CSV (Gzipped)
- C. ORC
- D. CSV (Unzipped)

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 220**

What Snowflake role must be granted for a user to create and manage accounts?

- A. ACCOUNTADMIN
- B. ORGADMIN
- C. SECURITYADMIN
- D. SYSADMIN

**Answer: (SHOW ANSWER)**

Explanation

<https://docs.snowflake.com/en/user-guide/security-access-control-considerations.html>

**NEW QUESTION: 221**

True or False: Reader Accounts are able to extract data from shared data objects for use outside of Snowflake.

- A. False
- B. True

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 222**

A data provider wants to share data with a consumer who does not have a Snowflake account.

The provider creates a reader account for the consumer following these steps:

1. Created a user called "CONSUMER"
  2. Created a database to hold the share and an extra-small warehouse to query the data
  3. Granted the role PUBLIC the following privileges: Usage on the warehouse, database, and schema, and SELECT on all the objects in the share
- Based on this configuration what is true of the reader account?

- A. The reader account compute will be billed to the provider account.
- B. The reader account can clone data the provider has shared, but cannot re-share it.
- C. The reader account can create a copy of the shared data using CREATE TABLE AS...
- D. The reader account will automatically use the Standard edition of Snowflake.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 223**

When is the result set cache no longer available? (Select TWO)

- A. When another user executes the query
- B. When the warehouse used to execute the query is suspended
- C. When another warehouse is used to execute the query
- D. When it has been 24 hours since the last query
- E. When the underlying data has changed

**Answer: D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 224**

True or False: When Snowflake is configured to use Single Sign-on (sso), Snowflake receive the usernames and credentials from the sso service and loads them into the customer's Snowflake account.

- A. False
- B. True

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 225**

Which Snowflake feature is used for both querying and restoring data?

- A. Cluster keys
- B. Time Travel
- C. Fail-safe
- D. Cloning

**Answer: B ([LEAVE A REPLY](#))**

<https://docs.snowflake.com/en/user-guide/data-availability.html#:~:text=Snowflake%20provides%20powerful%20CDP%20features,days%20through%20Snowflake%20Time%20Travel>.

**NEW QUESTION: 226**

What is the minimum Snowflake edition that has column-level security enabled?

- A. Business Critical
- B. Virtual Private Snowflake
- C. Standard
- D. Enterprise

**Answer: D ([LEAVE A REPLY](#))**

C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**)

**Special Discount: [Freepdfdumps](#)**)

**NEW QUESTION: 227**

What type of columns does Snowflake recommend to be used as clustering keys? (Select TWO).

- A. A column that is most actively used in selective filters
- B. A column that is most actively used in join predicates
- C. A column with very high cardinality
- D. A column with very low cardinality
- E. A VARIANT column

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 228**

Which is the MINIMUM required Snowflake edition that a user must have if they want to use AWS/Azure Privatelink or Google Cloud Private Service Connect?

- A. Standard
- B. Premium
- C. Business Critical
- D. Enterprise

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 229**

What service is provided as an integrated Snowflake feature to enhance Multi-Factor Authentication (MFA) support?

- A. Okta
- B. OAuth
- C. Duo Security
- D. Single Sign-On (SSO)

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 230**

If file format options are specified in multiple locations, the load operation selects which option FIRST to apply in order of precedence?

- A. Table definition
- B. Stage definition
- C. COPY INTO TABLE statement
- D. Session level

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 231**

What can a user with a reader account do in Snowflake?

- A. Load new data
- B. Update existing data
- C. Query shared data
- D. Create a new share

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 232**

Which Snowflake feature allows a user to track sensitive data for compliance, discovery, protection, and resource usage?

- A. Comments
- B. Internal tokenization
- C. Tags
- D. Row access policies

**Answer: (**[SHOW ANSWER](#)**)**

**NEW QUESTION: 233**

For non-materialized views, what column in Information Schema and Account Usage identifies whether a view is secure or not?

- A. TABLE\_NAME
- B. IS\_SECURE
- C. IS\_UPDATEABLE
- D. CHECK\_OPTION

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 234**

Which SQL statement will require a virtual warehouse to run?

- A. `SELECT COUNT(*) FROM TBL_EMPLOYEE;`
- B. `ALTER TABLE TBL_EMPLOYEE ADD COLUMN EMP_REGION VARCHAR(20);`
- C. `INSERT INTO TBL_EMPLOYEE(EMP_ID, EMP_NAME, EMP_SALARY, DEPT) VALUES(1,'Adam',20000,' Finance');`
- D. `CREATE OR REPLACE TABLE TBL_EMPLOYEE (`

**Answer: (**[SHOW ANSWER](#)**)**

`EMP_ID NUMBER,  
EMP_NAME VARCHAR(30),  
EMP_SALARY NUMBER, DEPT VARCHAR(20)  
);`

**NEW QUESTION: 235**

True or False: Each worksheet in the Snowflake Web Interface (UI) can be associated with different roles, databases, schemas, and Virtual Warehouses.

- A. False
- B. True

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 236**

True or False: Snowpipe via RFST API can only reference External Stages as source.

- A. False
- B. True

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 237**

Which command sets the Virtual Warehouse for a session?

- A. SET WAREHOUSE = <<warehouse name>>;
- B. USE VIRTUAL\_WAREHOUSE <<warehouse name>>;
- C. COPY WAREHOUSE FROM <<config file>>;
- D. USE WAREHOUSE <<warehouse name>>;

**Answer: (**[SHOW ANSWER](#)**)**

#### **NEW QUESTION: 238**

Which of the following is a data tokenization integration partner?

- A. SAP
- B. DBeaver
- C. Protegrity
- D. Tableau

**Answer: (**[SHOW ANSWER](#)**)**

#### **NEW QUESTION: 239**

What is the purpose of multi-cluster virtual warehouses?

- A. To create separate data warehouses to increase query optimization
- B. To allow users the ability to choose the type of compute nodes that make up a virtual warehouse cluster
- C. To eliminate or reduce Queuing of concurrent queries
- D. To allow the warehouse to resize automatically

**Answer: (**[SHOW ANSWER](#)**)**

Explanation

<https://docs.snowflake.com/en/user-guide/warehouses-multicluster.html#:~:text=Multi%2Dcluster%20warehous>

#### **NEW QUESTION: 240**

What is the MAXIMUM size limit for a record of a VARIANT data type?

- A. 32MB
- B. 16MB
- C. 128MB
- D. 8MB

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 241

When should a multi-cluster virtual warehouse be used in Snowflake?

- A. When queuing is delaying query execution on the warehouse
- B. When there are no concurrent queries running on the warehouse
- C. When dynamic vertical scaling is being used in the warehouse
- D. When there is significant disk spilling shown on the Query Profile

Answer: ([SHOW ANSWER](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

#### NEW QUESTION: 242

A company needs to read multiple terabytes of data for an initial load as part of a Snowflake migration. The company can control the number and size of CSV extract files.

How does Snowflake recommend maximizing the load performance?

- A. Use auto-ingest Snowpipes to load large files in a serverless model.
- B. Produce the largest files possible, reducing the overall number of files to process.
- C. Produce a larger number of smaller files and process the ingestion with size Small virtual warehouses.
- D. Use an external tool to issue batched row-by-row inserts within BEGIN TRANSACTION and COMMIT commands.

Answer: B ([LEAVE A REPLY](#))

**Valid COF-C02 Dumps** shared by Actual4test.com for Helping Passing COF-C02 Exam! Actual4test.com now offer the **newest COF-C02 exam dumps**, the Actual4test.com COF-C02 exam **questions have been updated** and **answers have been corrected** get the

**newest** Actual4test.com COF-C02 dumps with Test Engine here:

[https://www.actual4test.com/COF-C02\\_examcollection.html](https://www.actual4test.com/COF-C02_examcollection.html) (1110 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)