

Snowflake.COF-R02.v2023-02-21.q128

Exam Code:	COF-R02
Exam Name:	SnowPro Core Recertification Exam
Certification Provider:	Snowflake
Free Question Number:	128
Version:	v2023-02-21
# of views:	1662
# of Questions views:	1280
https://www.freepdfdumps.com/Snowflake.COF-R02.v2023-02-21.q128.html	

NEW QUESTION: 1

Network policies can be set at which Snowflake levels? (Choose two.)

- A. Role
- B. Schema
- C. User
- D. Database
- E. Account
- F. Tables

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/network-policies.html#creating-network-policies>

NEW QUESTION: 2

True or False: Snowflake's Global Services Layer gathers and maintains statistics on all columns in all micro-partitions.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Explanation

Snowflake is a single, integrated platform delivered as-a-service. It features storage, compute, and global services layers that are physically separated but logically integrated.

NEW QUESTION: 3

Which of the following accurately describes shares?

- A. Shares can be shared
- B. Data consumers can clone a new table from a share
- C. Access to a share cannot be revoked once granted

D. Tables, secure views, and secure UDFs can be shared

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

What is the SNOWFLAKE.ACCOUNT_USAGE view that contains information about which objects were read by queries within the last 365 days (1 year)?

- A. LOGIN_HISTORY
- B. VIEWS_HISTORY
- C. ACCESS_HISTORY
- D. OBJECT_HISTORY

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

What is a responsibility of Snowflake's virtual warehouses?

- A. Infrastructure management
- B. Metadata management
- C. Query execution
- D. Query parsing and optimization
- E. Permanent storage of micro-partitions

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.snowflake.com/en/user-guide/warehouses.html#:~:text=A%20warehouse%20provides%20the%20re>

NEW QUESTION: 6

Which columns are part of the result set of the Snowflake LATERAL FLATTEN command? (Choose two.)

- A. CONTENT
- B. DATATYPE
- C. BYTE_SIZE
- D. INDEX
- E. PATH

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 7

The is the minimum Fail-safe retention time period for transient tables?

- A. 7 days
- B. 12 hours
- C. 0 days
- D. 1 day

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

True or False: Snowflake supports federated authentication in all editions.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://community.snowflake.com/s/news/federated-authentication-sso-now-available-in-all-snowflake-editions-M>

NEW QUESTION: 9

What versions of Snowflake should be used to manage compliance with Personal Identifiable Information (PII) requirements? (Choose two.)

- A. Custom Edition
- B. Virtual Private Snowflake
- C. Business Critical Edition
- D. Standard Edition
- E. Enterprise Edition

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

True or False: A 4X-Large Warehouse may, at times, take longer to provision than a X-Small Warehouse.

- A. True
- B. False

Answer: (SHOW ANSWER)

Explanation

You can experiment the same with snowflake UI.

NEW QUESTION: 11

A sales table FCT__SALES has 100 million records.

The following Query was executed

```
SELECT COUNT (1) FROM FCT__SALES;
```

How did Snowflake fulfill this query?

- A. Query against the metadata excite
- B. Query against the most-recently created micro-partition
- C. Query against a virtual warehouse cache
- D. Query against the result set cache

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following is an example of an operation that can be completed without requiring compute, assuming no queries have been executed previously?

- A. SELECT SUM (ORDER_AMT) FROM SALES;
- B. SELECT AVG(ORDER_QTY) FROM SALES;
- C. SELECT ORDER_AMT * ORDER_QTY FROM SALES;
- D. SELECT MIN(ORDER_AMT) FROM SALES;

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

How often are encryption keys automatically rotated by Snowflake?

- A. 30 Days
- B. 60 Days
- C. 90 Days
- D. 365 Days

Answer: ([SHOW ANSWER](#))

Explanation

All Snowflake-managed keys are automatically rotated by Snowflake when they are more than 30 days old.

Active keys are retired, and new keys are created. When Snowflake determines the retired key is no longer needed, the key is automatically destroyed.

<https://docs.snowflake.com/en/user-guide/security-encryption-manage.html#:~:text=All%20Snowflake%2Dman>

NEW QUESTION: 14

What COPY INTO SQL command should be used to unload data into multiple files?

- A. MULTIPLE=FALSE
- B. SINGLE=TRUE
- C. SINGLE=FALSE
- D. MULTIPLE=TRUE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which Snowflake feature will allow small volumes of data to continuously load into Snowflake and will incrementally make the data available for analysis?

- A. TABLE STREAM
- B. COPY INTO
- C. CREATE PIPE
- D. INSERT INTO

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which command should be used to download files from a Snowflake stage to a local folder on a client's machine?

- A. PUT
- B. GET
- C. COPY
- D. SELECT

Answer: B ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/sql-reference/sql/get.html>

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam! Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Which of the following statements describe features of Snowflake data caching? (Choose two.)

- A. When the data cache is full, the least-recently used data will be cleared to make room.
- B. The RESULT_SCAN table function can access and filter the contents of the query result cache.
- C. When a virtual warehouse is suspended, the data cache is saved on the remote storage layer.
- D. A user must set USE_METADATA_CACHE to TRUE to use the metadata cache in queries.
- E. A user can only access their own queries from the query result cache.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 18

When cloning a database, what is cloned with the database? (Choose two.)

- A. Privileges on the database
- B. Only schemas and tables within the database
- C. Existing child objects within the database
- D. Privileges on the schemas within the database
- E. Future child objects within the database

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 19

Why does Snowflake recommend file sizes of 100-250 MB compressed when loading data?

- A. Allows optimization of parallel operations
- B. Allows a user to import the files in a sequential order

- C. Optimizes the virtual warehouse size and multi-cluster setting to economy mode
- D. Increases the latency staging and accuracy when loading the data

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which command should be used to load data from a file, located in an external stage, into a table in Snowflake?

- A. PUT
- B. GET
- C. INSERT
- D. COPY

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 21

Which of the following Snowflake features provide continuous data protection automatically? (Select TWO).

- A. Internal stages
- B. Incremental backups
- C. Time Travel
- D. Zero-copy clones
- E. Fail-safe

Answer: C,E ([LEAVE A REPLY](#))

Explanation

Time travel and fail safe are the two continuous data protection features support the recovery of data automatically.

Snowflake provides powerful CDP features for ensuring the maintenance and availability of your historical data (i.e. data that has been changed or deleted):

* Querying, cloning, and restoring historical data in tables, schemas, and databases for up to 90 days through Snowflake Time Travel.

* Disaster recovery of historical data (by Snowflake) through Snowflake Fail-safe.

<https://docs.snowflake.com/en/user-guide/data-availability.html>

NEW QUESTION: 22

What is the default File Format used in the COPY command if one is not specified?

- A. CSV
- B. JSON
- C. Parquet
- D. XML

Answer: ([SHOW ANSWER](#)**)**

Reference: <https://docs.snowflake.com/en/sql-reference/sql/copy-into-location.html>

NEW QUESTION: 23

A user has an application that writes a new Tile to a cloud storage location every 5 minutes. What would be the MOST efficient way to get the files into Snowflake?

- A. Create a task that runs a copy into operation from an external stage every 5 minutes
- B. Create a task that puts the files in an internal stage and automate the data loading wizard
- C. Create a task that runs a GET operation to intermittently check for new files
- D. Set up cloud provider notifications on the Tile location and use Snowpipe with auto-ingest

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/data-load-snowpipe-intro.html>

NEW QUESTION: 24

Which of the following are benefits of micro-partitioning? (Select TWO)

- A. Micro-partitions cannot overlap in their range of values
- B. Micro-partitions are immutable objects that support the use of Time Travel.
- C. Micro-partitions can reduce the amount of I/O from object storage to virtual warehouses
- D. Rows are automatically stored in sorted order within micro-partitions
- E. Micro-partitions can be defined on a schema-by-schema basis

Answer: A,D ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/tables-clustering-micropartitions.html>

NEW QUESTION: 25

What happens when a cloned table is replicated to a secondary database? (Select TWO)

- A. A read-only copy of the cloned tables is stored.
- B. The replication will not be successful.
- C. The physical data is replicated
- D. Additional costs for storage are charged to a secondary account
- E. Metadata pointers to cloned tables are replicated

Answer: ([SHOW ANSWER](#)**)**

Explanation

Cloned objects are replicated physically rather than logically to secondary databases. That is, cloned tables in a standard database do not contribute to the overall data storage unless or until DML operations on the clone add to or modify existing data. However, when a cloned table is replicated to a secondary database, the physical data is also replicated, increasing the data storage usage for your account.

<https://docs.snowflake.com/en/user-guide/database-replication-considerations.html#:~:text=Replication%20and%>

NEW QUESTION: 26

What is cached during a query on a virtual warehouse?

- A. All rows accessed during the query
- B. Any columns accessed during the query
- C. All columns in a micro-partition
- D. The columns in the result set of the query

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

True or False: Snowpipe via REST API can only reference External Stages as source.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Reference: <https://community.snowflake.com/s/article/Making-Transient-table-by-Default>

NEW QUESTION: 28

Which of the following objects can be cloned? (Choose four.)

- A. Tables
- B. Named File Formats
- C. Schemas
- D. Shares
- E. Databases
- F. Users

Answer: (SHOW ANSWER)

Explanation

Which Objects Can Be Cloned?

Data Containment Objects. Databases. Schemas. Tables. Streams.

Data Configuration and Transformation Objects. Stages. File Formats. Sequences. Tasks

NEW QUESTION: 29

When cloning a database containing stored procedures and regular views, that have fully qualified table references, which of the following will occur?

- A. The stored procedures and views will refer to tables in the source database.
- B. An error will occur, as stored objects cannot be cloned.
- C. An error will occur, as views with qualified references cannot be cloned.
- D. The cloned views and the stored procedures will reference the cloned tables in the cloned database.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

True or False: Snowflake allows its customers to directly access the micro-partition files that make up its tables.

- A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

When reviewing a query profile, what is a symptom that a query is too large to fit into the memory?

- A. A single join node uses more than 50% of the query time
- B. An AggregateOperator node is present
- C. Partitions scanned is equal to partitions total
- D. The query is spilling to remote storage

Answer: D ([LEAVE A REPLY](#))

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam! Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)

NEW QUESTION: 32

A running virtual warehouse is suspended.

What is the MINIMUM amount of time that the warehouse will incur charges for when it is restarted?

- A. 5 minutes
- B. 1 second
- C. 60 seconds
- D. 60 minutes

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is the minimum Snowflake edition needed for database failover and fail-back between Snowflake accounts for business continuity and disaster recovery?

- A. Business Critical
- B. Virtual Private Snowflake
- C. Enterprise
- D. Standard

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

What type of query benefits the MOST from search optimization?

- A. A query that uses only disjunction (i.e., OR) predicates
- B. A query that includes analytical expressions
- C. A query that uses equality predicates or predicates that use IN
- D. A query that filters on semi-structured data types

Answer: ([SHOW ANSWER](#))

Reference: <https://community.snowflake.com/s/article/Search-Optimization-When-How-To-Use>

NEW QUESTION: 35

Where can a user find and review the failed logins of a specific user for the past 30 days?

- A. The ACCESS_HISTORY view in ACCOUNT_USAGE
- B. The LOGIN_HISTORY view in ACCOUNT_USAGE
- C. The USERS view in ACCOUNT_USAGE
- D. The SESSIONS view in ACCOUNT_USAGE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which statement describes how Snowflake supports reader accounts?

- A. The users in a reader account can query data that has been shared with the reader account and can perform DML tasks.
- B. A reader account can consume data from the provider account that created it and combine it with its own data.
- C. The SHOW MANAGED ACCOUNTS command will view all the reader accounts that have been created for an account.
- D. A consumer needs to become a licensed Snowflake customer as data sharing is only supported between Snowflake accounts.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which statement MOST accurately describes clustering in Snowflake?

- A. Clustering is the way data is grouped together and stored within Snowflake micro-partitions.
- B. Clustering can be disabled within a Snowflake account.
- C. The database ACCOUNTADMIN must define the clustering methodology for each Snowflake table.
- D. The clustering key must be included in the COPY command when loading data into Snowflake.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

What happens to the underlying table data when a CLUSTER BY clause is added to a Snowflake table?

- A. Smaller micro-partitions are created for common data values to allow for more parallelism

- B.** Data may be colocated by the cluster key within the micro-partitions to improve pruning performance
- C.** Larger micro-partitions are created for common data values to reduce the number of partitions that must be scanned
- D.** Data is hashed by the cluster key to facilitate fast searches for common data values

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

What is the minimum Snowflake edition required to use Dynamic Data Masking?

- A.** Standard
- B.** Virtual Private Snowflake (VPC)
- C.** Business Critical
- D.** Enterprise

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 40

Which of the following terms best describes Snowflake's database architecture?

- A.** Columnar shared nothing
- B.** Shared disk
- C.** Multi-cluster, shared data
- D.** Cloud-native shared memory

Answer: C ([LEAVE A REPLY](#))

Explanation

<https://www.snowflake.com/product/architecture/>

Built from the ground up for the cloud, Snowflake's unique multi-cluster shared data architecture delivers the performance, scale, elasticity, and concurrency today's organizations require.

NEW QUESTION: 41

Users are responsible for data storage costs until what occurs?

- A.** Data expires from Fail-safe
- B.** Data is deleted from a table
- C.** Data expires from Time Travel
- D.** Data is truncated from a table

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which Snowflake function will interpret an input string as a JSON document, and produce a VARIANT value?

- A.** `parse_json()`
- B.** `json_extract_path_text()`
- C.** `object_construct()`

D. flatten

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

For non-materialized views, what column in Information Schema and Account Usage identifies whether a view is secure or not?

A. IS_UPDATEABLE

B. TABLE_NAME

C. CHECK_OPTION

D. IS_SECURE

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

True or False: Snowflake's data warehouse was built from the ground up for the cloud in lieu of using an existing database or a platform, like Hadoop, as a base.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/intro-key-concepts.html>

NEW QUESTION: 45

What features does Snowflake Time Travel enable?

A. Querying data-related objects that were created within the past 365 days

B. Restoring data-related objects that have been deleted within the past 90 days

C. Conducting point-in-time analysis for BI reporting

D. Analyzing data usage/manipulation over all periods of time

Answer: (SHOW ANSWER)

Explanation

Snowflake Time Travel enables accessing historical data (i.e. data that has been changed or deleted) at any point within a defined period. It serves as a powerful tool for performing the following tasks:

- * Restoring data-related objects (tables, schemas, and databases) that might have been accidentally or intentionally deleted.

- * Duplicating and backing up data from key points in the past.

- * Analyzing data usage/manipulation over specified periods of time.

<https://docs.snowflake.com/en/user-guide/data-time-travel.html>

NEW QUESTION: 46

Data storage for individual tables can be monitored using which commands and/or objects? (Choose two.)

A. SHOW STORAGE BY TABLE;

- B. Information Schema -> TABLE_STORAGE_METRICS
- C. Information Schema -> TABLE_HISTORY
- D. SHOW TABLES;
- E. Information Schema -> TABLE_FUNCTION



Answer: A,B ([LEAVE A REPLY](#))

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam! Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

Assume there is a table consisting of five micro-partitions with values ranging from A to Z. Which diagram indicates a well-clustered table?

A.



B.



C.



D.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

How would a user run a multi-cluster warehouse in maximized mode?

- A. Set the minimum clusters and maximum clusters settings to different values.
- B. Turn on the additional clusters manually after starting the warehouse.
- C. Set the minimum Clusters and maximum Clusters settings to the same value.
- D. Configure the maximum clusters setting to "Maximum."

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

A user unloaded a Snowflake table called mytable to an internal stage called mystage.

Which command can be used to view the list of files that has been uploaded to the staged?

- A. list @mystage;
- B. list @%raytable;
- C. list @ %m.ystage;
- D. list @mytable;

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

When reviewing the load for a warehouse using the load monitoring chart, the chart indicates that a high volume of Queries are always queuing in the warehouse According to recommended best practice, what should be done to reduce the Queue volume? (Select TWO).

- A. Stop and start the warehouse to clear the queued queries
- B. Migrate some queries to a new warehouse to reduce load
- C. Use multi-clustered warehousing to scale out warehouse capacity.
- D. Scale up the warehouse size to allow Queries to execute faster.
- E. Limit user access to the warehouse so fewer queries are run against it.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

What is the following SQL command used for?

Select * from table(validate(t1, job_id => '_last'));

- A. To validate task SQL statements against table t1 in the last 14 days
- B. To return errors from the last executed COPY command into table t1 in the current session
- C. To validate a file for errors before it gets executed using a COPY command
- D. To validate external table files in table t1 across all sessions

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which copy INTO command outputs the data into one file?

- A. SINGLE=TRUE
- B. FILE_NUMBER=1
- C. MAX_FILE_NUMBER=1
- D. MULTIPLE=FAISE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following are best practices for loading data into Snowflake? (Choose three.)

- A. Enclose fields that contain delimiter characters in single or double quotes.
- B. Load data from files in a cloud storage service in a different region or cloud platform from the service or region containing the Snowflake account, to save on cost.
- C. Partition the staged data into large folders with random paths, allowing Snowflake to determine the best way to load each file.
- D. Aim to produce data files that are between 100 MB and 250 MB in size, compressed.
- E. Split large files into a greater number of smaller files to distribute the load among the compute resources in an active warehouse.
- F. When planning which warehouse(s) to use for data loading, start with the largest warehouse possible.

Answer: A,B,F ([LEAVE A REPLY](#))

NEW QUESTION: 54

True or False: Reader Accounts incur no additional Compute costs to the Data Provider since they are simply reading the shared data without making changes.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Reference: <https://interworks.com/blog/bdu/2020/02/05/zero-to-snowflake-secure-data-sharing/>

NEW QUESTION: 55

User-level network policies can be created by which of the following roles? (Select TWO).

- A. ROLEADMIN
- B. ACCOUNTADMIN
- C. SYSADMIN
- D. SECURITYADMIN
- E. USERADMIN

Answer: ([SHOW ANSWER](#))

Explanation

By default, Snowflake allows users to connect to the service from any computer or device IP address. A security administrator (or higher) can create a network policy to allow or deny access to a single IP address or a list of addresses. Network policies currently support only Internet Protocol version 4 (i.e. IPv4) addresses.

An administrator with sufficient permissions can create any number of network policies.

[https://docs.snowflake.com/en/user-guide/network-policies.html#:~:text=A%20security%20administrator%20\(or](https://docs.snowflake.com/en/user-guide/network-policies.html#:~:text=A%20security%20administrator%20(or)

NEW QUESTION: 56

A user has unloaded data from Snowflake to a stage

Which SQL command should be used to validate which data was loaded into the stage?

- A. view @file__stage
- B. verify @file__stage
- C. list @file__stage
- D. show @file__stage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

What is a machine learning and data science partner within the Snowflake Partner Ecosystem?

- A. Informatica
- B. Power BI
- C. Adobe
- D. Data Robot

Answer: ([SHOW ANSWER](#))

Explanation

<https://docs.snowflake.com/en/user-guide/ecosystem-analytics.html>

NEW QUESTION: 58

Which of the following statements are true of VALIDATION_MODE in Snowflake? (Choose two.)

- A. The validation_mode option is used when creating an Internal Stage
- B. validation_mode=return_all_errors is a parameter of the copy command

- C.** The validation_mode option will validate data to be loaded by the copy statement while completing the load and will return the rows that could not be loaded without error
- D.** The validation_mode option will validate data to be loaded by the copy statement without completing the load and will return possible errors

Answer: B,D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/data-load-bulk-ts.html>

NEW QUESTION: 59

Which Snowflake feature allows a user to substitute a randomly generated identifier for sensitive data, in order to prevent unauthorized users access to the data, before loading it into Snowflake?

- A.** User-Defined Table Functions (UDTF)
- B.** External Tokenization
- C.** External Tables
- D.** Materialized Views

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 60

What feature can be used to reorganize a very large table on one or more columns?

- A.** Micro-partitions
- B.** Clustering keys
- C.** Key partitions
- D.** Clustered partitions

Answer: B ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/tables-clustering-keys.html>

NEW QUESTION: 61

A developer is granted ownership of a table that has a masking policy. The developer's role is not able to see the masked data. Will the developer be able to modify the table to read the masked data?

- A.** No, because ownership of a table does not include the ability to change masking policies
- B.** No, because masking policies must always reference specific access roles.
- C.** Yes, because masking policies only apply to cloned tables.
- D.** Yes, because a table owner has full control and can unset masking policies.

Answer: ([SHOW ANSWER](#)**)**

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam!

Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

What is the purpose of an External Function?

- A. To call code that executes outside of Snowflake
- B. To run a function in another Snowflake database
- C. To share data in Snowflake with external parties
- D. To ingest data from on-premises data sources

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/sql-reference/external-functions.html>

NEW QUESTION: 63

A user created a transient table and made several changes to it over the course of several days. Three days after the table was created, the user would like to go back to the first version of the table.

How can this be accomplished?

- A. Use Time Travel, as long as DATA_RETENTION_TIME_IN_DAYS was set to at least 3 days.
- B. Use the FAIL_SAFE parameter for Time Travel to retrieve the data from Fail-safe storage.
- C. Contact Snowflake Support to have the data retrieved from Fail-safe storage.
- D. The transient table version cannot be retrieved after 24 hours.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 64

True or False: Some queries can be answered through the metadata cache and do not require an active Virtual Warehouse.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

Some aggregate queries are answered thru micro partitions metadata only not requiring any VW spin ups.

NEW QUESTION: 65

When scaling out by adding clusters to a multi-cluster warehouse, you are primarily scaling for improved:

- A. Concurrency
- B. Performance

Answer: A ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/warehouses-multiclust.html>

NEW QUESTION: 66

Which Snowflake SQL statement would be used to determine which users and roles have access to a role called MY_ROLE?

- A. SHOW GRANTS FOR ROLE MY_ROLE
- B. SHOW GRANTS TO ROLE MY_ROLE
- C. SHOW GRANTS OF ROLE MY_ROLE
- D. SHOW GRANTS ON ROLE MY_ROLE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

True or False: AWS Private Link provides a secure connection from the Customer's on-premise data center to the Snowflake.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/admin-security-privatelink.html>

NEW QUESTION: 68

Which TABLE function helps to convert semi-structured data to a relational representation?

- A. TO_JSON
- B. PARSE_JSON
- C. CHECK_JSON
- D. FLATTEN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

What is the minimum Snowflake edition that customers planning on storing protected information in Snowflake should consider for regulatory compliance?

- A. Standard
- B. Premier
- C. Enterprise
- D. Business Critical Edition

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/intro-editions.html>

NEW QUESTION: 70

True or False: It is possible to query data from an Internal or named External stage without loading the data into Snowflake.

- A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Snowflake supports the use of external stages with which cloud platforms? (Choose three.)

- A. Microsoft Azure Cloud
- B. Docker
- C. Google Cloud Platform
- D. Oracle Cloud
- E. Amazon Web Services
- F. IBM Cloud

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 72

A role is created and owns 2 tables. This role is then dropped. Who will now own the two tables?

- A. The tables are now orphaned
- B. The user that deleted the role
- C. SYSADMIN
- D. The assumed role that dropped the role

Answer: D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/sql-reference/sql/drop-role.html>

NEW QUESTION: 73

True or False: Bulk unloading of data from Snowflake supports the use of a SELECT statement.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide-data-unload.html>

NEW QUESTION: 74

When loading data into Snowflake via Snowpipe what is the compressed file size recommendation?

- A. 300-500 MB
- B. 100-250 MB
- C. 10-50 MB
- D. 1000-1500 MB

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

True or False: A Snowflake account is charged for data stored in both Internal and External Stages.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/tables-storage-considerations.html>

NEW QUESTION: 76

What SQL command would be used to view all roles that were granted to user.1?

- A. show grants on user USER1;
- B. describe user USER1;
- C. show grants of user USER1;
- D. show grants to user USER1;

Answer: D ([LEAVE A REPLY](#))

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam! Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

How would a user execute a series of SQL statements using a task?

- A. Create a task for each SQL statement (e.g. resulting in task1, task2, etc.) and string the series of SQL statements by having a control task calling task1, task2, etc. sequentially.
- B. Use a stored procedure executing multiple SQL statements and invoke the stored procedure from the task. CREATE TASK mytask AS call stored_proc_multiple_statements_inside();
- C. A stored procedure can have only one DML statement per stored procedure invocation and therefore the user should sequence stored procedure calls in the task definition CREATE TASK mytask AS call stored_proc1(); call stored_proc2();
- D. Include the SQL statements in the body of the task CREATE TASK mytask .. AS INSERT INTO target1 SELECT .. FROM stream_s1 WHERE .. INSERT INTO target2 SELECT .. FROM stream_s1 WHERE ..

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 78

Which feature allows a user the ability to control the organization of data in a micro-partition?

- A. Search Optimization Service
- B. Automatic Clustering
- C. Range Partitioning

D. Horizontal Partitioning

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 79

True or False: During data unloading, only JSON and CSV files can be compressed.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/sql-reference/sql/create-file-format.html>

NEW QUESTION: 80

What are the responsibilities of Snowflake's Cloud Service layer? (Choose three.)

A. Resource management

B. Query execution

C. Physical storage of micro-partitions

D. Authentication

E. Query parsing and optimization

F. Virtual warehouse caching

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 81

A user is preparing to load data from an external stage

Which practice will provide the MOST efficient loading performance?

A. Store the files on the external stage to ensure caching is maintained

B. Load the data in one large file

C. Organize files into logical paths

D. Use pattern matching for regular expression execution

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

How can a row access policy be applied to a table or a view? (Choose two.)

A. Within the create table or create view DDL

B. Within a control table

C. By future APPLY for all objects in a schema

D. Using the command ALTER <object> ADD ROW ACCESS POLICY <policy>;

E. Within the policy DDL

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which of the following are characteristics of Snowflake virtual warehouses? (Choose two.)

A. A user cannot specify a default warehouse when using the ODBC driver.

- B. SnowSQL supports both a configuration file and a command line option for specifying a default warehouse.
- C. Auto-resume applies only to the last warehouse that was started in a multi-cluster warehouse.
- D. The ability to auto-suspend a warehouse is only available in the Enterprise edition or above.
- E. The default virtual warehouse size can be changed at any time.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 84

A company needs to allow some users to see Personally Identifiable Information (PII) while limiting other users from seeing the full value of the PII.

Which Snowflake feature will support this?

- A. Data masking policies
- B. Row access policies
- C. Role based access control
- D. Data encryption

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

A table needs to be loaded. The input data is in JSON format and is a concatenation of multiple JSON documents. The file size is 3 GB. A warehouse size small is being used. The following COPY INTO command was executed:

```
COPY INTO SAMPLE FROM @~/SAMPLE.JSON (TYPE=JSON)
```

The load failed with this error:

Max LOB size (16777216) exceeded, actual size of parsed column is 17894470.

How can this issue be resolved?

- A. Split the file into multiple files in the recommended size range (100 MB - 250 MB).
- B. Use a larger-sized warehouse.
- C. Set STRIP_OUTER_ARRAY=TRUE in the COPY INTO command.
- D. Compress the file and load the compressed file.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 86

Which services does the Snowflake Cloud Services layer manage? (Select TWO).

- A. Compute resources
- B. Query execution
- C. Authentication
- D. Data storage
- E. Metadata

Answer: C,E ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/intro-key-concepts.html>

The cloud services layer is a collection of services that coordinate activities across Snowflake. These services tie together all of the different components of Snowflake in order to process user requests, from login to query dispatch. The cloud services layer also runs on compute instances provisioned by Snowflake from the cloud provider.

Services managed in this layer include:

- * Authentication
- * Infrastructure management
- * Metadata management
- * Query parsing and optimization
- * Access control

NEW QUESTION: 87

Which tasks are performed in the Snowflake Cloud Services layer? (Choose two.)

- A. Infrastructure security
- B. Maintaining Availability Zones
- C. Parsing and optimizing queries
- D. Management of metadata
- E. Computing the data

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 88

Which interfaces can be used to create and/or manage Virtual Warehouses?

- A. The Snowflake Web Interface (UI)
- B. SQL commands
- C. Data integration tools
- D. All of the above

Answer: D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/warehouses.html>

NEW QUESTION: 89

In the query profiler view for a query, which components represent areas that can be used to help optimize query performance? (Select TWO)

- A. Number of partitions scanned
- B. Bytes sent over the network
- C. Percentage scanned from cache
- D. External bytes scanned
- E. Bytes scanned

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 90

Which statements are true concerning Snowflake's underlying cloud infrastructure? (Select THREE),

- A. Snowflake data and services are available in a single cloud provider and a single region, the use of multiple cloud providers is not supported.
- B. Snowflake data and services are deployed in a single availability zone within a cloud provider's region.
- C. Snowflake uses the core compute and storage services of each cloud provider for its own compute and storage
- D. Snowflake data and services are deployed in at least three availability zones within a cloud provider's region
- E. Snowflake can be deployed in a customer's private cloud using the customer's own compute and storage resources for Snowflake compute and storage
- F. All three layers of Snowflake's architecture (storage, compute, and cloud services) are deployed and managed entirely on a selected cloud platform

Answer: C,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 91

Which command can be used to load data into an internal stage?

- A. LOAD
- B. copy
- C. GET
- D. PUT

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://medium.com/@divyanshsaxenaofficial/snowflake-loading-unloading-of-data-part-1-internal-stages-7121c>

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam! Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 92

A single user of a virtual warehouse has set the warehouse to auto-resume and auto-suspend after 10 minutes.

The warehouse is currently suspended and the user performs the following actions:

1. Runs a query that takes 3 minutes to complete

2. Leaves for 15 minutes
 3. Returns and runs a query that takes 10 seconds to complete
 4. Manually suspends the warehouse as soon as the last query was completed When the user returns, how much billable compute time will have been consumed?
- A. 10 minutes
 - B. 14 minutes
 - C. 4 minutes
 - D. 24 minutes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 93

What is the MINIMUM edition of Snowflake that is required to use a SCIM security integration?

- A. Business Critical Edition
- B. Enterprise Edition
- C. Virtual Private Snowflake (VPS)
- D. Standard Edition

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 94

How does Snowflake allow a data provider with an Azure account in central Canada to share data with a data consumer on AWS in Australia?

- A. The data provider must replicate the database to a secondary account in AWS Asia Pacific within the same organization then create a share to the data consumer's account.
- B. The data provider uses the GET DATA workflow in the Snowflake Data Marketplace to create a share between Azure Central Canada and AWS Asia Pacific.
- C. The data provider in Azure Central Canada can create a direct share to AWS Asia Pacific, if they are both in the same organization.
- D. The data consumer and data provider can form a Data Exchange within the same organization to create a share from Azure Central Canada to AWS Asia Pacific.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

When unloading to a stage, which of the following is a recommended practice or approach?

- A. Avoid the use of the CAST function
- B. Use OBJECT_CONSTRUCT (*) when using Parquet
- C. Set SINGLE: = true for larger files
- D. Define an individual file format

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 96


A virtual warehouse is created using the following command:

```

Create warehouse my_WH with
warehouse_size = MEDIUM
min_cluster_count = 1
max_cluster_count = 1
auto_suspend = 60
auto_resume = true;

```

The image below is a graphical representation of the warehouse utilization across two days.



What action should be taken to address this situation?

- A. Lower the value of the parameter STATEMENT_QUEUED_TIMEOUT_IN_SECONDS.
- B. Configure the warehouse to a multi-cluster warehouse.
- C. Increase the value for the parameter MAX_CONCURRENCY_LEVEL.
- D. Increase the warehouse size from Medium to 2XL.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 97

What is the maximum Time Travel retention period for a temporary Snowflake table?

- A. 90 days
- B. 1 day
- C. 45 days
- D. 7 days

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 98

How would you determine the size of the virtual warehouse used for a task?

- A. Querying (select) the size of the stream content would help determine the warehouse size. For example, if querying large stream content, use a larger warehouse size
- B. Since task infrastructure is based on running the task body on schedule, it's recommended to configure the virtual warehouse for automatic concurrency handling using Multi-cluster warehouse (MCW) to match the task schedule
- C. Root task may be executed concurrently (i.e. multiple instances), it is recommended to leave some margins in the execution window to avoid missing instances of execution
- D. If using the stored procedure to execute multiple SQL statements, it's best to test run the stored procedure separately to size the compute resource first

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

True or False: Snowflake charges a premium for storing semi-structured data.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Reference:

<https://snowflakecommunity.force.com/s/question/0D50Z00008ckwNuSAI/does-snowflakecharges-premium-for-storing-semi-structured-data>

NEW QUESTION: 100

How many days is load history for Snowpipe retained?

- A. 14 days
- B. 64 days
- C. 7 days
- D. 1 day

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which of the following DML commands isn't supported by Snowflake?

- A. UPSERT
- B. MERGE
- C. UPDATE
- D. TRUNCATE TABLE

Answer: A ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/sql-reference/sql-dml.html>

NEW QUESTION: 102

Which of the following objects can be shared through secure data sharing?

- A. Masking policy
- B. Stored procedure
- C. Task
- D. External table

Answer: D ([LEAVE A REPLY](#))

Explanation

Secure Data Sharing enables sharing selected objects in a database in your account with other Snowflake accounts. The following Snowflake database objects can be shared:

- * Tables
- * External tables
- * Secure views
- * Secure materialized views
- * Secure UDFs

Snowflake enables the sharing of databases through shares, which are created by data providers and

"imported" by data consumers.

<https://docs.snowflake.com/en/user-guide/data-sharing-intro.html#:~:text=Secure%20Data%20Sharing%20enabl>

NEW QUESTION: 103

True or False: The COPY command must specify a File Format in order to execute.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

Explanation

Create Stage:

<https://docs.snowflake.com/en/sql-reference/sql/create-stage.html>

Create Table (STAGE_FILE_FORMAT option):

<https://docs.snowflake.com/en/sql-reference/sql/create-table.html>

Copy Into:

<https://docs.snowflake.com/en/sql-reference/sql/copy-into-table.html>

NEW QUESTION: 104

A user has 10 files in a stage containing new customer data. The ingest operation completes with no errors, using the following command:

```
COPY INTO my__table FROM @my__stage;
```

The next day the user adds 10 files to the stage so that now the stage contains a mixture of new customer data and updates to the previous data. The user did not remove the 10 original files.

If the user runs the same copy into command what will happen?

- A. All data from all of the files on the stage will be appended to the table
- B. All data from only the newly-added files will be appended to the table.

- C. The operation will fail with the error uncertain files in stage.
- D. Only data about new customers from the new files will be appended to the table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 105

Files have been uploaded to a Snowflake internal stage. The files now need to be deleted. Which SQL command should be used to delete the files?

- A. PURGE
- B. MODIFY
- C. REMOVE
- D. DELETE

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://www.simplilearn.com/tutorials/sql-tutorial/delete-in-sql#:~:text=The%20Delete%20command%20in%20>

NEW QUESTION: 106

What privileges are required to create a task?

- A. The global privilege create task is required to create a new task.
- B. Tasks are created at the Application level and can only be created by the Account Admin role.
- C. Many Snowflake DDLs are metadata operations only, and create task DDL can be executed without virtual warehouse requirement or task specific grants.
- D. The role must have access to the target schema and the create task privilege on the schema itself.

Answer: D ([LEAVE A REPLY](#))

Explanation

All tasks in a simple tree must have the same task owner (i.e. a single role must have the OWNERSHIP privilege on all of the tasks in the tree). All tasks in a simple tree must exist in the same schema.

<https://docs.snowflake.com/en/user-guide/tasks-intro.html#creating-tasks>

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam!

Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)

NEW QUESTION: 107

A data provider wants to share data with a consumer who does not have a Snowflake account. The provider creates a reader account for the consumer following these steps:

1. Created a user called "CONSUMER"
 2. Created a database to hold the share and an extra-small warehouse to query the data
 3. Granted the role PUBLIC the following privileges: Usage on the warehouse, database, and schema, and SELECT on all the objects in the share
- Based on this configuration what is true of the reader account?

- A. The reader account will automatically use the Standard edition of Snowflake.
- B. The reader account can create a copy of the shared data using CREATE TABLE AS...
- C. The reader account can clone data the provider has shared, but cannot re-share it.
- D. The reader account compute will be billed to the provider account.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 108

Which of the following statements are true of Virtual Warehouses? (Choose all that apply.)

- A. Customers can change the size of the Warehouse after creation
- B. A Warehouse can be resized while running
- C. A Warehouse can be configured to suspend after a period of inactivity
- D. A Warehouse can be configured to auto-resume when new queries are submitted

Answer: A,B,C,D ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/warehouses-multicloud.html>

NEW QUESTION: 109

Which of the following features are available with the Snowflake Enterprise edition? (Choose two.)

- A. Native support for geospatial data
- B. Customer managed keys (Tri-secret secure)
- C. Database replication and failover
- D. Extended time travel
- E. Automated index management

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 110

What are ways to create and manage data shares in Snowflake? (Select TWO)

- A. Through SQL commands
- B. Through the Snowflake web interface (UI)
- C. Using the CREATE SHARE AS SELECT * TABLE command
- D. Through the enable__share=true parameter
- E. Through the DATA_SHARE=TRUE parameter

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 111

Which of the following are handled by the cloud services layer of the Snowflake architecture?

(Choose two.)

- A. Time Travel data
- B. Authentication and access control
- C. Security
- D. Query execution
- E. Data loading

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 112

Which file formats are supported for unloading data from Snowflake? (Choose two.)

- A. Avro
- B. JSON
- C. ORC
- D. XML
- E. Delimited (CSV, TSV, etc.)

Answer: C,E ([LEAVE A REPLY](#))

Reference:

[https://docs.snowflake.com/en/user-guide/data-unload-prepare.html#:~:text=Supported%20File%20Formats,-Th%20comma%20\(i.e.%20CSV\).&text=File%20format%20options%20specify%20the,the%20format%20of%20th](https://docs.snowflake.com/en/user-guide/data-unload-prepare.html#:~:text=Supported%20File%20Formats,-Th%20comma%20(i.e.%20CSV).&text=File%20format%20options%20specify%20the,the%20format%20of%20th)

NEW QUESTION: 113

Which SQL command can be used to see the CREATE definition of a masking policy?

- A. GET_DDL
- B. LIST MASKING POLICIES
- C. DESCRIBE MASKING POLICY
- D. SHOW MASKING POLICIES

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 114

How can a user change which columns are referenced in a view?

- A. Recreate the view with the required changes
- B. Materialize the view to perform the changes
- C. Use the ALTER VIEW command to update the view
- D. Modify the columns in the underlying table

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 115

Which command can be used to stage local files from which Snowflake interface?

- A. SnowSQL
- B. Snowflake classic web interface (UI)
- C. Snowsight
- D. .NET driver

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/snowsql-use.html>

NEW QUESTION: 116

In the Snowflake access control model, which entity owns an object by default?

- A. Ownership depends on the type of object
- B. The SYSADMIN role
- C. The role used to create the object
- D. The user who created the object

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 117

Which of the following describes how clustering keys work in Snowflake?

- A. Clustering keys create a distributed, parallel data structure of pointers to a table's rows and columns
- B. Clustering keys sort the designated columns over time, without blocking DML operations
- C. Clustering keys establish a hashed key on each node of a virtual warehouse to optimize joins at run-time
- D. Clustering keys update the micro-partitions in place with a full sort, and impact the DML operations.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 118

A materialized view should be created when which of the following occurs? (Choose two.)

- A. There is minimal cost associated with running the query.
- B. The results of the query do not change often and are used frequently.
- C. The query is highly optimized and does not consume many compute resources.
- D. The query consumes many compute resources every time it runs.
- E. The base table gets updated frequently.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 119

Which of the following objects are contained within a schema? (Choose two.)

- A. Share
- B. Role

- C. User
- D. External table
- E. Warehouse
- F. Stream

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 120

Which of the following are true of multi-cluster Warehouses? Select all that apply below.

- A. A multi-cluster Warehouse can scale down when query activity slows
- B. A multi-cluster Warehouse can automatically turn itself on when a query is executed against it
- C. A multi-cluster Warehouse can add clusters automatically based on query activity
- D. A multi-cluster Warehouse can automatically turn itself off after a period of inactivity

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

Query compilation occurs in which architecture layer of the Snowflake Cloud Data Platform?

- A. Compute layer
- B. Storage layer
- C. Cloud infrastructure layer
- D. Cloud services layer

Answer: A ([LEAVE A REPLY](#))

Explanation

For query execution, Snowflake uses the Virtual Warehouse. The query processing layer is separated from the disk storage layer in the Snowflake data architecture. You can use the data from the storage layer to run queries in this layer

<https://www.projectpro.io/article/snowflake-architecture-what-does-snowflake-do/556#:~:text=Query%20Proces>

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam!

Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)

NEW QUESTION: 122

Which of the following statements are true of Snowflake releases: (Choose two.)

- A. They happen approximately weekly

- B.** They roll up and release approximately monthly, but customers can request early release application
- C.** During a release, new customer requests/queries/connections transparently move over to the newer version
- D.** A customer is assigned a 30 minute window (that can be moved anytime within a week) during which the system will be unavailable and customer is upgraded

Answer: A,C ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/intro-releases.html>

NEW QUESTION: 123

What transformations are supported in a CREATE PIPE ... AS COPY ... FROM (...) statement? (Select TWO.)

- A.** Data can be filtered by an optional where clause
- B.** Columns can be reordered
- C.** Columns can be omitted
- D.** Incoming data can be joined with other tables
- E.** Row level access can be defined

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 124

Which of the following are options when creating a Virtual Warehouse?

- A.** Local SSD size
- B.** User count
- C.** Auto-resume
- D.** Auto-suspend

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

True or False: It is possible for a user to run a query against the query result cache without requiring an active Warehouse.

- A.** True
- B.** False

Answer: A ([LEAVE A REPLY](#))

Explanation

Query result cache is all about fetching the data from cloud services layer and saving the cost by not running the virtual warehouse.

NEW QUESTION: 126

True or False: Fail-safe can be disabled within a Snowflake account.

- A.** True

B. False

Answer: B ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/user-guide/data-failsafe.html>

Separate and distinct from Time Travel, Fail-safe ensures historical data is protected in the event of a system failure or other catastrophic event, e.g. a hardware failure or security breach. Fail safe feature cannot be enabled or disabled from the user end .

NEW QUESTION: 127

In which use cases does Snowflake apply egress charges?

- A. Data sharing within a specific region
- B. Query result retrieval
- C. Database replication
- D. Loading data into Snowflake

Answer: A ([LEAVE A REPLY](#))

Explanation

Cloud providers apply data egress charges in either of the following use cases:

- * Data is transferred from one region to another within the same cloud platform.
- * Data is transferred out of the cloud platform.

<https://docs.snowflake.com/en/user-guide/billing-data-transfer.html#:~:text=Cloud%20providers%20apply%20d>

NEW QUESTION: 128

The first user assigned to a new account, ACCOUNTADMIN, should create at least one additional user with which administrative privilege?

- A. ORGADMIN
- B. SYSADMIN
- C. PUBLIC
- D. USERADMIN

Answer: B ([LEAVE A REPLY](#))

Valid COF-R02 Dumps shared by Actual4test.com for Helping Passing COF-R02 Exam!

Actual4test.com now offer the **newest COF-R02 exam dumps**, the Actual4test.com COF-R02 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com COF-R02 dumps with Test Engine here: https://www.actual4test.com/COF-R02_examcollection.html (332 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)