

Snowflake.SnowPro-Core.v2023-10-17.q145

Exam Code:	SnowPro-Core
Exam Name:	SnowPro Core Certification Exam
Certification Provider:	Snowflake
Free Question Number:	145
Version:	v2023-10-17
# of views:	1822
# of Questions views:	1450
https://www.freepdfdumps.com/Snowflake.SnowPro-Core.v2023-10-17.q145.html	

NEW QUESTION: 1

Which Snowflake SQL statement would be used to determine which users and roles have access to a role called MY_ROLE?

- A. SHOW GRANTS TO ROLE MY_ROLE
- B. SHOW GRANTS FOR ROLE MY_ROLE
- C. SHOW GRANTS OF ROLE MY_ROLE
- D. SHOW GRANTS ON ROLE MY_ROLE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

A user created a transient table and made several changes to it over the course of several days. Three days after the table was created, the user would like to go back to the first version of the table.

How can this be accomplished?

- A. Use the FAIL_SAFE parameter for Time Travel to retrieve the data from Fail-safe storage.
- B. Use Time Travel, as long as DATA_RETENTION_TIME_IN_DAYS was set to at least 3 days.
- C. The transient table version cannot be retrieved after 24 hours.
- D. Contact Snowflake Support to have the data retrieved from Fail-safe storage.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

How would a user execute a series of SQL statements using a task?

- A. Use a stored procedure executing multiple SQL statements and invoke the stored procedure from the task. CREATE TASK mytask AS call stored_proc_multiple_statements_inside();
- B. Create a task for each SQL statement (e.g. resulting in task1, task2, etc.) and string the series of SQL statements by having a control task calling task1, task2, etc. sequentially.

C. Include the SQL statements in the body of the task CREATE TASK mytask .. AS INSERT INTO target1 SELECT .. FROM stream_s1 WHERE .. INSERT INTO target2 SELECT .. FROM stream_s1 WHERE ..

D. A stored procedure can have only one DML statement per stored procedure invocation and therefore the user should sequence stored procedure calls in the task definition CREATE TASK mytask AS call stored_proc1(); call stored_proc2();

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which tasks are performed in the Snowflake Cloud Services layer? (Choose two.)

- A.** Infrastructure security
- B.** Computing the data
- C.** Parsing and optimizing queries
- D.** Management of metadata
- E.** Maintaining Availability Zones

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following objects are contained within a schema? (Choose two.)

- A.** User
- B.** External table
- C.** Role
- D.** Stream
- E.** Share
- F.** Warehouse

Answer: B,F ([LEAVE A REPLY](#))

NEW QUESTION: 6

A tabular User-Defined Function (UDF) is defined by specifying a return clause that contains which keyword?

- A.** TABLE
- B.** ROW_NUMBER
- C.** VALUES
- D.** TABULAR

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

What is a best practice after creating a custom role?

- A.** Create the custom role using the SYSADMIN role.
- B.** Assign the custom role to the SYSADMIN role
- C.** Assign the custom role to the PUBLIC role

D. Add __CUSTOM to all custom role names

Answer: B ([LEAVE A REPLY](#))

Explanation

When creating roles that will serve as the owners of securable objects in the system, Snowflake recommends creating a hierarchy of custom roles, with the top-most custom role assigned to the system role SYSADMIN.

This role structure allows system administrators to manage all objects in the account, such as warehouses and database objects, while restricting management of users and roles to the USERADMIN role.

NEW QUESTION: 8

Which data types does Snowflake support when querying semi-structured data? (Select TWO)

- A.** VARIANT
- B.** ARRAY
- C.** VARCHAR
- D.** XML
- E.** BLOB

Answer: ([SHOW ANSWER](#)**)**

Explanation

<https://docs.snowflake.com/en/user-guide/semistructured-intro.html#label-loading-semi-structured-data> A VARIANT stores semi-structured data in Snowflake. It can store a value of any other type, including OBJECT and ARRAY.

The maximum length of a VARIANT is 16 MB.

A Snowflake ARRAY is similar to an array in many other programming languages. An ARRAY contains 0 or more pieces of data. Each element is accessed by specifying its position in the array.

NEW QUESTION: 9

What are the responsibilities of Snowflake's Cloud Service layer? (Choose three.)

- A.** Authentication
- B.** Virtual warehouse caching
- C.** Resource management
- D.** Query execution
- E.** Physical storage of micro-partitions
- F.** Query parsing and optimization

Answer: A,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which command can be used to load data files into a Snowflake stage?

- A.** JOIN
- B.** GET

- C. PUT
- D. COPY INTO

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

How long can a data consumer who has a pre-signed URL access data files using Snowflake?

- A. Indefinitely
- B. Until the result_cache expires
- C. Until the expiration time is exceeded
- D. Until the retention_time is met

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which of the following describes how clustering keys work in Snowflake?

- A. Clustering keys update the micro-partitions in place with a full sort, and impact the DML operations.
- B. Clustering keys establish a hashed key on each node of a virtual warehouse to optimize joins at run-time
- C. Clustering keys sort the designated columns over time, without blocking DML operations
- D. Clustering keys create a distributed, parallel data structure of pointers to a table's rows and columns

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which of the following conditions must be met in order to return results from the results cache? (Select TWO).

- A. The query has been run within 24 hours of the previously-run query
- B. The new query is run using the same virtual warehouse as the previous query
- C. Micro-partitions have been reclustered since the query was last run
- D. The user has the appropriate privileges on the objects associated with the query
- E. The query includes a User Defined Function (UDF)

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

What are supported file formats for unloading data from Snowflake? (Choose three.)

- A. JSON
- B. CSV
- C. XML
- D. AVRO
- E. Parquet
- F. ORC

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 15

What affects whether the query results cache can be used?

- A. If multiple users are using the same virtual warehouse
- B. If the referenced data in the table has changed
- C. If the virtual warehouse has been suspended
- D. If the query contains a deterministic function

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

What type of query benefits the MOST from search optimization?

- A. A query that uses only disjunction (i.e., OR) predicates
- B. A query that includes analytical expressions
- C. A query that uses equality predicates or predicates that use IN
- D. A query that filters on semi-structured data types

Answer: C ([LEAVE A REPLY](#))

Reference: <https://community.snowflake.com/s/article/Search-Optimization-When-How-To-Use>

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (**630 Q&As Dumps, 30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Which privilege is required for a role to be able to resume a suspended warehouse if auto-resume is not enabled?

- A. USAGE
- B. OPERATE
- C. MONITOR
- D. MODIFY

Answer: ([SHOW ANSWER](#))

Reference:

<https://community.snowflake.com/s/question/0D50Z00008yHYdqSAG/auto-resume-operate-warehouse-privileg>

NEW QUESTION: 18

For the ALLOWED VALUES tag property, what is the MAXIMUM number of possible string values for a single tag?

- A. 256
- B. 10
- C. 64
- D. 50

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which copy INTO command outputs the data into one file?

- A. SINGLE=TRUE
- B. FILE_NUMBER=1
- C. MAX_FILE_NUMBER=1
- D. MULTIPLE=FAISE

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 20

What is the MINIMUM edition of Snowflake that is required to use a SCIM security integration?

- A. Enterprise Edition
- B. Standard Edition
- C. Business Critical Edition
- D. Virtual Private Snowflake (VPS)

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 21

What is the minimum Snowflake edition required to use Dynamic Data Masking?

- A. Standard
- B. Business Critical
- C. Enterprise
- D. Virtual Private Snowflake (VPC)

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 22

In which use cases does Snowflake apply egress charges?

- A. Data sharing within a specific region
- B. Query result retrieval
- C. Database replication
- D. Loading data into Snowflake

Answer: A ([LEAVE A REPLY](#))

Explanation

Cloud providers apply data egress

* Data is transferred from one region to another within the same cloud platform.

* Data is transferred out of the cloud platform.

<https://docs.snowflake.com/en/user-guide/billing-data-transfer.html#:~:text=Cloud%20providers%20apply%20d>

NEW QUESTION: 23

Which of the following are considerations when using a directory table when working with unstructured data?

(Choose two.)

- A. A directory table will be automatically added to a stage.
- B. Directory tables do not have their own grantable privileges.
- C. Directory table data can not be refreshed manually.
- D. A directory table is a separate database object.
- E. Directory tables store data file metadata.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 24

When loading data into Snowflake, how should the data be organized?

- A. Into files of maximum size of 4 GB of compressed data per file
- B. Into single files with 1-100 MB of compressed data per file
- C. Into single files with 100-250 MB of compressed data per file
- D. Into files of maximum size of 1 GB of compressed data per file

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which snowflake objects will incur both storage and cloud compute charges? (Select TWO)

- A. Sequence
- B. Materialized view
- C. Clustered table
- D. Secure view
- E. Transient table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

What happens to the shared objects for users in a consumer account from a share, once a database has been created in that account?

- A. The shared objects are copied.
- B. The shared objects are transferred.
- C. The shared objects become accessible.
- D. The shared objects can be re-shared.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

What is an advantage of using an explain plan instead of the query profiler to evaluate the performance of a query?

- A. An explain plan can be used to conduct performance analysis without executing a query.
- B. An explain plan's output will display automatic data skew optimization information.
- C. The explain plan output is available graphically.
- D. An explain plan will handle queries with temporary tables and the query profiler will not.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Where can a user find and review the failed logins of a specific user for the past 30 days?

- A. The SESSIONS view in ACCOUNT_USAGE
- B. The LOGIN_HISTORY view in ACCOUNT_USAGE
- C. The ACCESS_HISTORY view in ACCOUNT_USAGE
- D. The USERS view in ACCOUNT_USAGE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which of the following Snowflake features provide continuous data protection automatically? (Select TWO).

- A. Internal stages
- B. Incremental backups
- C. Time Travel
- D. Zero-copy clones
- E. Fail-safe

Answer: ([SHOW ANSWER](#))

Explanation

Time travel and fail safe are the two continuous data protection features support the recovery of data automatically.

Snowflake provides powerful CDP features for ensuring the maintenance and availability of your historical data (i.e. data that has been changed or deleted):

* Querying, cloning, and restoring historical data in tables, schemas, and databases for up to 90 days through Snowflake Time Travel.

* Disaster recovery of historical data (by Snowflake) through Snowflake Fail-safe.

<https://docs.snowflake.com/en/user-guide/data-availability.html>

NEW QUESTION: 30

What role is required to use Partner Connect?

- A. SECURITYADMIN
- B. ORGADMIN

C. ACCOUNTADMIN

D. SYSADMIN

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which clients does Snowflake support Multi-Factor Authentication (MFA) token caching for? (Select TWO).

A. Python connector

B. ODBC driver

C. GO driver

D. Node.js driver

E. Spark connector

Answer: ([SHOW ANSWER](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (630 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

How does Snowflake handle the bulk unloading of data into single or multiple files?

A. It uses COPY INTO <location> for bulk unloading where the default option is SINGLE - TRUE.

B. It uses COPY INTO <location> to copy the data from a table into one or more files in an external stage only.

C. It uses the put command to download the data by default.

D. It assigns each unloaded data file a unique name.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

For non-materialized views, what column in Information Schema and Account Usage identifies whether a view is secure or not?

A. IS_UPDATEABLE

B. CHECK_OPTION

C. IS_SECURE

D. TABLE_NAME

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

How can a Snowflake user access a JSON object, given the following table? (Select TWO).

SRC
<pre>{ "salesPerson": { "id": "1234", "name": "user" } }</pre>

- A. SRC:salesperson.Name
- B. src:salesperson.name
- C. src:salesperson.Name
- D. SRC:salesperson.name
- E. src:salesPerson. name

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 35

What internal stages are available in Snowflake? (Choose three.)

- A. Schema stage
- B. Named stage
- C. Stream stage
- D. User stage
- E. Table stage
- F. Database stage

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which objects together comprise a namespace in Snowflake? (Select TWO).

- A. Account
- B. Virtual warehouse
- C. Table
- D. Schema
- E. Database

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 37

Will data cached in a warehouse be lost when the warehouse is resized?

- A. Yes. because the new compute resource will no longer have access to the cache encryption key
- B. Yes. because the compute resource is replaced in its entirety with a new compute resource.
- C. Possibly, if the warehouse is resized to a smaller size and the cache no longer fits.

D. No. because the size of the cache is independent from the warehouse size

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

What happens to historical data when the retention period for an object ends?

- A. Time Travel on the historical data is dropped.
- B. The data moves to Fail-safe
- C. The object containing the historical data is dropped.
- D. The data is cloned into a historical object.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which of the following can be used when unloading data from Snowflake? (Choose two.)

- A. The OBJECT_CONSTRUCT function can be used to convert relational data to semi-structured data.
- B. By using the SINGLE = TRUE parameter, a single file up to 5 GB in size can be exported to the storage layer.
- C. Use the ENCODING file format option to change the encoding from the default UTF-8.
- D. Use the PARSE_JSON function to ensure structured data will be unloaded into the VARIANT data type.
- E. When unloading semi-structured data, it is recommended that the STRIP_OUTER_ARRAY option be used.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which TABLE function helps to convert semi-structured data to a relational representation?

- A. CHECK_JSON
- B. FLATTEN
- C. TO_JSON
- D. PARSE_JSON

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

What can be used to view warehouse usage over time? (Select Two).

- A. The show warehouses command
- B. The load HISTORY view
- C. The WAREHOUSE_METERING__HISTORY View
- D. The Query history view
- E. The billing and usage tab in the Snowflake web UI

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 42

A sales table FCT_SALES has 100 million records.

The following Query was executed

```
SELECT COUNT (1) FROM FCT__SALES;
```

How did Snowflake fulfill this query?

- A. Query against the most-recently created micro-partition
- B. Query against the metadata excite
- C. Query against a virtual warehouse cache
- D. Query against the result set cache

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

If 3 size Small virtual warehouse is made up of two servers, how many servers make up a Large warehouse?

- A. 4
- B. 8
- C. 16
- D. 32

Answer: B ([LEAVE A REPLY](#))

Explanation

Size specifies the amount of compute resources available per cluster in a warehouse. Snowflake supports the following warehouse sizes:

Warehouse Size	Credits / Hour	Credits / Second	Notes
X-Small	1	0.0003	Default size for warehouses created using CREATE WAREHOUSE.
Small	2	0.0006	
Medium	4	0.0011	
Large	8	0.0022	
X-Large	16	0.0044	Default for warehouses created in the web interface.
2X-Large	32	0.0089	
3X-Large	64	0.0178	
4X-Large	128	0.0356	
5X-Large	256	0.0711	Preview feature.
6X-Large	512	0.1422	Preview feature.

<https://docs.snowflake.com/en/user-guide/warehouses-overview.html>

NEW QUESTION: 44

What are the correct parameters for time travel and fail-safe in the Snowflake Enterprise Edition?

- A. Default Time Travel Retention is set to 1 day.

Maximum Time Travel Retention is 365 days.

Fail Safe retention time is 7 days.

B. Default Time Travel Retention is set to 0 days.

Maximum Time Travel Retention is 90 days.

Fail Safe retention time is 7 days.

C. Default Time Travel Retention is set to 7 days.

Maximum Time Travel Retention is 1 day.

Fail Safe retention time is 90 days.

D. Default Time Travel Retention is set to 90 days.

Maximum Time Travel Retention is 7 days.

Fail Safe retention time is 356 days.

E. Default Time Travel Retention is set to 0 days.

Maximum Time Travel Retention is 30 days.

Fail Safe retention time is 1 day.

F. Default Time Travel Retention is set to 1 day.

Maximum Time Travel Retention is 90 days.

Fail Safe retention time is 7 days.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Files have been uploaded to a Snowflake internal stage. The files now need to be deleted. Which SQL command should be used to delete the files?

A. PURGE

B. MODIFY

C. REMOVE

D. DELETE

Answer: **D** ([LEAVE A REPLY](#))

Reference:

<https://www.simplilearn.com/tutorials/sql-tutorial/delete-in-sql#:~:text=The%20Delete%20command%20in%20>

NEW QUESTION: 46

Which of the following is the Snowflake Account_Usage.Metering_History view used for?

A. Compiling an account's average cloud services cost over the previous month

B. Calculating the funds left on an account's contract

C. Gathering the hourly credit usage for an account

D. Summarizing the throughput of Snowpipe costs for an account

Answer: **C** ([LEAVE A REPLY](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (**630** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

A table needs to be loaded. The input data is in JSON format and is a concatenation of multiple JSON documents. The file size is 3 GB. A warehouse size small is being used. The following COPY INTO command was executed:

```
COPY INTO SAMPLE FROM @~/SAMPLE.JSON (TYPE=JSON)
```

The load failed with this error:

Max LOB size (16777216) exceeded, actual size of parsed column is 17894470.

How can this issue be resolved?

- A. Split the file into multiple files in the recommended size range (100 MB - 250 MB).
- B. Compress the file and load the compressed file.
- C. Set STRIP_OUTER_ARRAY=TRUE in the COPY INTO command.
- D. Use a larger-sized warehouse.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

What is the MAXIMUM Time Travel retention period for a transient table?

- A. 0 days
- B. 90 days
- C. 7 days
- D. 1 day

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

What is the minimum Snowflake edition required for row level security?

- A. Enterprise
- B. Business Critical
- C. Standard
- D. Virtual Private Snowflake

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which command is used to unload files from an internal or external stage to a local file system?

- A. TRANSFER

- B. GET
- C. COPY INTO
- D. PUT

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which of the following are characteristics of security in Snowflake?

- A. Account and user authentication is only available with the Snowflake Business Critical edition.
- B. Support for HIPAA and GDPR compliance is available for UI Snowflake editions.
- C. Periodic rekeying of encrypted data is available with the Snowflake Enterprise edition and higher
- D. Private communication to internal stages is allowed in the Snowflake Enterprise edition and higher.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52

A virtual warehouse's auto-suspend and auto-resume settings apply to which of the following?

- A. The primary cluster in the virtual warehouse
- B. The entire virtual warehouse
- C. The database in which the virtual warehouse resides
- D. The Queries currently being run on the virtual warehouse

Answer: B ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/warehouses-overview.html#:~:text=Similarly%2C%20auto%2Dresum>

NEW QUESTION: 53

A single user of a virtual warehouse has set the warehouse to auto-resume and auto-suspend after 10 minutes.

The warehouse is currently suspended and the user performs the following actions:

1. Runs a query that takes 3 minutes to complete
 2. Leaves for 15 minutes
 3. Returns and runs a query that takes 10 seconds to complete
 4. Manually suspends the warehouse as soon as the last query was completed
- When the user returns, how much billable compute time will have been consumed?
- A. 24 minutes
 - B. 4 minutes
 - C. 10 minutes
 - D. 14 minutes

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which of the following objects can be shared through secure data sharing?

- A. Masking policy
- B. Stored procedure
- C. Task
- D. External table

Answer: D ([LEAVE A REPLY](#))

Explanation

Secure Data Sharing enables sharing selected objects in a database in your account with other Snowflake accounts. The following Snowflake database objects can be shared:

- * Tables
- * External tables
- * Secure views
- * Secure materialized views
- * Secure UDFs

Snowflake enables the sharing of databases through shares, which are created by data providers and

"imported" by data consumers.

<https://docs.snowflake.com/en/user-guide/data-sharing-intro.html#:~:text=Secure%20Data%20Sharing%20enabl>

NEW QUESTION: 55

Which Snowflake feature will allow small volumes of data to continuously load into Snowflake and will incrementally make the data available for analysis?

- A. CREATE PIPE
- B. INSERT INTO
- C. TABLE STREAM
- D. COPY INTO

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which type of join will list all rows in the specified table, even if those rows have no match in the other table?

- A. Inner join
- B. Cross join
- C. Outer join
- D. Natural join

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which of the following accurately describes shares?

- A. Access to a share cannot be revoked once granted
- B. Data consumers can clone a new table from a share
- C. Shares can be shared
- D. Tables, secure views, and secure UDFs can be shared

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

What occurs when a pipe is recreated using the CREATE OR REPLACE PIPE command?

- A. The destination table is truncated.
- B. The REFRESH command is executed.
- C. The Pipe load history is reset to empty.
- D. The stage will be purged.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

What are two ways to create and manage Data Shares in Snowflake? (Choose two.)

- A. Via the Snowflake Web Interface (UI)
- B. Via the data_share=true parameter
- C. Via SQL commands
- D. Via Virtual Warehouses

Answer: ([SHOW ANSWER](#))

Reference: <https://docs.snowflake.com/en/user-guide/data-sharing-provider.html>

NEW QUESTION: 60

Which of the following are best practices for loading data into Snowflake? (Choose three.)

- A. Load data from files in a cloud storage service in a different region or cloud platform from the service or region containing the Snowflake account, to save on cost.
- B. Split large files into a greater number of smaller files to distribute the load among the compute resources in an active warehouse.
- C. Aim to produce data files that are between 100 MB and 250 MB in size, compressed.
- D. Enclose fields that contain delimiter characters in single or double quotes.
- E. Partition the staged data into large folders with random paths, allowing Snowflake to determine the best way to load each file.
- F. When planning which warehouse(s) to use for data loading, start with the largest warehouse possible.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Network policies can be applied to which of the following Snowflake objects? (Choose two.)

- A. Warehouses
- B. Databases

- C. Roles
- D. Users
- E. Accounts

Answer: C,D ([LEAVE A REPLY](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (**630** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

Which command is used to unload data from a Snowflake table into a file in a stage?

- A. COPY INTO
- B. GET
- C. WRITE
- D. EXTRACT INTO

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/data-unload-snowflake.html#:~:text=Your%20User%20Stage-,Use%2>

NEW QUESTION: 63

The Snowflake Cloud Data Platform is described as having which of the following architectures?

- A. Multi-cluster shared data
- B. Shared-disk
- C. Shared-nothing
- D. Serverless query engine

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which file format will keep floating-point numbers from being truncated when data is unloaded?

- A. JSON
- B. ORC
- C. Parquet
- D. CSV

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

What service is provided as an integrated Snowflake feature to enhance Multi-Factor Authentication (MFA) support?

- A. OAuth
- B. Duo Security
- C. Single Sign-On (SSO)
- D. Okta

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

What do the terms scale up and scale out refer to in Snowflake? (Choose two.)

- A. Snowflake recommends using both scaling up and scaling out to handle more concurrent queries.
- B. Scaling out adds clusters of varying sizes to a virtual warehouse.
- C. Scaling out adds additional database servers to an existing running cluster to handle more concurrent queries.
- D. Scaling out adds clusters of the same size to a virtual warehouse to handle more concurrent queries.
- E. Scaling up resizes a virtual warehouse so it can handle more complex workloads.
- F. Scaling up adds additional database servers to an existing running cluster to handle larger workloads.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which of the following is an example of an operation that can be completed without requiring compute, assuming no queries have been executed previously?

- A. `SELECT ORDER_AMT * ORDER_QTY FROM SALES;`
- B. `SELECT AVG(ORDER_QTY) FROM SALES;`
- C. `SELECT MIN(ORDER_AMT) FROM SALES;`
- D. `SELECT SUM (ORDER_AMT) FROM SALES;`

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 68

What is a limitation of a Materialized View?

- A. A Materialized View cannot support any aggregate functions
- B. A Materialized View can only reference up to two tables
- C. A Materialized View cannot be joined with other tables
- D. A Materialized View cannot be defined with a JOIN

Answer: D ([LEAVE A REPLY](#))

Explanation

There are several limitations to using materialized views:

- * A materialized view can query only a single table.
- * Joins, including self-joins, are not supported.

NEW QUESTION: 69

How would a user run a multi-cluster warehouse in maximized mode?

- A. Set the minimum clusters and maximum clusters settings to different values.
- B. Configure the maximum clusters setting to "Maximum."
- C. Set the minimum Clusters and maximum Clusters settings to the same value.
- D. Turn on the additional clusters manually after starting the warehouse.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

What is the default File Format used in the COPY command if one is not specified?

- A. CSV
- B. JSON
- C. Parquet
- D. XML

Answer: A ([LEAVE A REPLY](#))

Reference: <https://docs.snowflake.com/en/sql-reference/sql/copy-into-location.html>

NEW QUESTION: 71

A user has unloaded data from Snowflake to a stage

Which SQL command should be used to validate which data was loaded into the stage?

- A. show @file__stage
- B. verify @file__stage
- C. list @file__stage
- D. view @file__stage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

A user has unloaded data from a Snowflake table to an external stage.

Which command can be used to verify if data has been uploaded to the external stage named my_stage?

- A. display @my_stage
- B. list @my_stage
- C. view @my_stage
- D. show @my_stage

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

How do Snowflake data providers share data that resides in different databases?

- A. User-Defined Functions (UDFs)
- B. Materialized views
- C. External tables
- D. Secure views

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

A Snowflake user has been granted the create data EXCHANGE listing privilege with their role. Which tasks can this user now perform on the Data Exchange? (Select TWO).

- A. Modify listings properties.
- B. Modify incoming listing access requests.
- C. Delete provider profiles.
- D. Rename listings.
- E. Submit listings for approval/publishing.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 75


What is a key feature of Snowflake architecture?


- A. Snowflake automatically sorts DATE columns during ingest for fast retrieval by date
- B. Snowflake eliminates resource contention with its virtual warehouse implementation
- C. Software updates are automatically applied on a quarterly basis
- D. Zero-copy cloning creates a mirror copy of a database that updates with the original
- E. Multi-cluster warehouses allow users to run a query that spans across multiple clusters

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 76

Assume there is a table consisting of five micro-partitions with values ranging from A to Z. Which diagram indicates a well-clustered table?






B.



C.



D.

Answer: ([SHOW ANSWER](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (630 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

Which of the following describes the Snowflake Cloud Services layer?

A. Manages the virtual warehouse cache to speed up queries

- B. Coordinates activities in the Snowflake account
- C. Executes queries submitted by the Snowflake account users
- D. Manages quotas on the Snowflake account storage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

Which of the following is a valid source for an external stage when the Snowflake account is located on Microsoft Azure?

- A. A Google Cloud storage bucket
- B. An FTP server with TLS encryption
- C. An HTTPS server with WebDAV
- D. A Windows server file share on Azure

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

What versions of Snowflake should be used to manage compliance with Personal Identifiable Information (PII) requirements? (Choose two.)

- A. Business Critical Edition
- B. Enterprise Edition
- C. Standard Edition
- D. Virtual Private Snowflake
- E. Custom Edition

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 80

What MINIMUM privilege is required on the external stage for any role in the GET REST API to access unstructured data files using a file URL?

- A. READ
- B. OWNERSHIP
- C. WRTTF
- D. USAGK

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 81

In which scenarios would a user have to pay Cloud Services costs? (Select TWO).

- A. Compute Credits = 80 Credits Cloud Services = 5
- B. Compute Credits = 50 Credits Cloud Services = 10
- C. Compute Credits = 10 Credits Cloud Services = 9
- D. Compute Credits = 200 Credits Cloud Services = 26
- E. Compute Credits = 120 Credits Cloud Services = 10

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 82

What SQL command would be used to view all roles that were granted to user.1?

- A. show grants on user USER1;
- B. show grants to user USER1;
- C. show grants of user USER1;
- D. describe user USER1;

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 83

How often are the Account and Table master keys automatically rotated by Snowflake?

- A. 365 Days.
- B. 30 Days
- C. 90 Days
- D. 60 Days

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which Snowflake function will interpret an input string as a JSON document, and produce a VARIANT value?

- A. flatten
- B. object_construct()
- C. json_extract_path_text()
- D. parse_json()

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 85

Which command should be used to load data from a file, located in an external stage, into a table in Snowflake?

- A. INSERT
- B. PUT
- C. GET
- D. COPY

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 86

What is the purpose of an External Function?

- A. To call code that executes outside of Snowflake
- B. To run a function in another Snowflake database
- C. To share data in Snowflake with external parties
- D. To ingest data from on-premises data sources

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/sql-reference/external-functions.html>

NEW QUESTION: 87

Which of the following commands cannot be used within a reader account?

- A. CREATE SHARE
- B. ALTER WAREHOUSE
- C. DROP ROLE
- D. SHOW SCHEMAS
- E. DESCRIBE TABLE

Answer: ([SHOW ANSWER](#))

Explanation

A reader account is intended primarily for querying data shared by the provider of the account. Adding new data to the account and/or updating shared data in the account is not supported. Changing the configuration of virtual warehouses is also not permitted as those resources are owned and managed by the provider of the account which is sharing the data.

NEW QUESTION: 88

What are the default Time Travel and Fail-safe retention periods for transient tables?

- A. Time Travel - 1 day. Fail-safe - 1 day
- B. Time Travel - 0 days. Fail-safe - 1 day
- C. Time Travel - 1 day. Fail-safe - 0 days
- D. Transient tables are retained in neither Fail-safe nor Time Travel

Answer: C ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/data-cdp-storage-costs.html#:~:text=Temporary%20and%20Transient>

NEW QUESTION: 89

Which Snowflake object can be accessed in the FROM clause of a query, returning a set of rows having one or more columns?

- A. A Scalar User Function (UDF)
- B. A stored procedure
- C. A task
- D. A User-Defined Table Function (UDTF)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

Which user object property requires contacting Snowflake Support in order to set a value for it?

- A. DISABLED

- B. MINS TO BYPASS NETWORK POLICY
- C. MINS TO BYPASS MFA
- D. MINS TO UNLOCK

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

Which parameter can be used to instruct a COPY command to verify data files instead of loading them into a specified table?

- A. STRIP_NULL_VALUES
- B. SKIP_BYTE_ORDER_MARK
- C. REPLACE_INVALID_CHARACTERS
- D. VALIDATION_MODE

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/sql-reference/sql/copy-into-table.html>

VALIDATION_MODE = RETURN_n_ROWS | RETURN_ERRORS | RETURN_ALL_ERRORS

String (constant) that instructs the COPY command to validate the data files instead of loading them into the specified table; i.e. the COPY command tests the files for errors but does not load them. The command validates the data to be loaded and returns results based on the validation option specified:

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (630 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 92

Which services does the Snowflake Cloud Services layer manage? (Choose two.)

- A. Data storage
- B. Compute resources
- C. Query execution
- D. Metadata
- E. Authentication

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 93

Which account__usage views are used to evaluate the details of dynamic data masking? (Select TWO)

- A. ROLES
- B. POLICY_REFERENCES
- C. QUERY_HISTORY
- D. RESOURCE_MONITORS
- E. ACCESS_HISTORY

Answer: B,C ([LEAVE A REPLY](#))

Explanation

[https://docs.snowflake.com/en/user-guide/security-column-ddm-intro.html#:~:text=DESCRIBE%20MASKING%](https://docs.snowflake.com/en/user-guide/security-column-ddm-intro.html#:~:text=DESCRIBE%20MASKING%20)

NEW QUESTION: 94

What are best practice recommendations for using the ACCOUNTADMIN system-defined role in Snowflake?

(Choose two.)

- A. Assign the ACCOUNTADMIN role to at least two users, but as few as possible.
- B. All users granted ACCOUNTADMIN role must be owned by the ACCOUNTADMIN role.
- C. Ensure all ACCOUNTADMIN roles use Multi-factor Authentication (MFA).
- D. The ACCOUNTADMIN role must be granted to only one user.
- E. All users granted ACCOUNTADMIN role must also be granted SECURITYADMIN role.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 95

How does Snowflake allow a data provider with an Azure account in central Canada to share data with a data consumer on AWS in Australia?

- A. The data provider in Azure Central Canada can create a direct share to AWS Asia Pacific, if they are both in the same organization.
- B. The data provider uses the GET DATA workflow in the Snowflake Data Marketplace to create a share between Azure Central Canada and AWS Asia Pacific.
- C. The data provider must replicate the database to a secondary account in AWS Asia Pacific within the same organization then create a share to the data consumer's account.
- D. The data consumer and data provider can form a Data Exchange within the same organization to create a share from Azure Central Canada to AWS Asia Pacific.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

What is the SNOWFLAKE.ACCOUNT_USAGE view that contains information about which objects were read by queries within the last 365 days (1 year)?

- A. LOGIN_HISTORY
- B. VIEWS_HISTORY

C. ACCESS_HISTORY

D. OBJECT_HISTORY

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 97

What impacts the credit consumption of maintaining a materialized view? (Choose two.)

A. Whether or not it is also a secure view

B. How often the underlying base table is queried

C. How often the materialized view is queried

D. How often the base table changes

E. Whether the materialized view has a cluster key defined

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 98

What is the minimum Snowflake edition needed for database failover and fail-back between Snowflake accounts for business continuity and disaster recovery?

A. Business Critical

B. Standard

C. Virtual Private Snowflake

D. Enterprise

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

A user has 10 files in a stage containing new customer data. The ingest operation completes with no errors, using the following command:

```
COPY INTO my__table FROM @my__stage;
```

The next day the user adds 10 files to the stage so that now the stage contains a mixture of new customer data and updates to the previous data. The user did not remove the 10 original files.

If the user runs the same copy into command what will happen?

A. Only data about new customers from the new files will be appended to the table

B. The operation will fail with the error uncertain files in stage.

C. All data from only the newly-added files will be appended to the table.

D. All data from all of the files on the stage will be appended to the table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

What can a Snowflake user do in the Admin area of Snowsight?

A. Write queries and execute them.

B. Connect to Snowflake partners to explore extended functionality.

C. Analyze query performance.

D. Provide an overview of the listings in the Snowflake Marketplace.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which Snowflake URL type allows users or applications to download or access files directly from Snowflake stage without authentication?

- A. File
- B. Scoped
- C. Directory
- D. Pre-signed

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

If queries start to queue in a multi-cluster virtual warehouse, an additional compute cluster starts immediately under what setting?

- A. Economy scaling policy
- B. Standard scaling policy
- C. Maximized mode
- D. Auto-scale mode

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which statements reflect key functionalities of a Snowflake Data Exchange? (Choose two.)

- A. Data Exchange functionality is available by default in accounts using the Enterprise edition or higher.
- B. A Data Exchange allows accounts to share data with third, non-Snowflake parties.
- C. The sharing of data in a Data Exchange is bidirectional. An account can be a provider for some datasets and a consumer for others.
- D. A Data Exchange allows groups of accounts to share data privately among the accounts.
- E. If an account is enrolled with a Data Exchange, it will lose its access to the Snowflake Marketplace.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

Where is Snowflake metadata stored?

- A. Within the data files
- B. In the virtual warehouse layer
- C. In the cloud services layer
- D. In the remote storage layer

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://docs.snowflake.com/en/user-guide/querying-metadata.html#:~:text=Snowflake%20automatically%20gen>

NEW QUESTION: 105

During periods of warehouse contention which parameter controls the maximum length of time a warehouse will hold a query for processing?

- A. STATEMENT_TIMEOUT__IN__SECONDS
- B. STATEMENT_QUEUED_TIMEOUT_IN_SECONDS
- C. MAX_CONCURRENCY__LEVEL
- D. QUERY_TIMEOUT_IN_SECONDS

Answer: (SHOW ANSWER)

Explanation

The parameter STATEMENT_QUEUED_TIMEOUT_IN_SECONDS sets the limit for a query to wait in the queue in order to get its chance of running on the warehouse. The query will quit after reaching this limit.

By default, the value of this parameter is 0 which mean the queries will wait indefinitely in the waiting queue

<https://community.snowflake.com/s/article/Warehouse-Concurrency-and-Statement-Timeout-Parameters#:~:text>

NEW QUESTION: 106

What happens when a database is cloned?

- A. It replicates all granted privileges on the corresponding child schema objects.
- B. It replicates all granted privileges on the corresponding child objects.
- C. It replicates all granted privileges on the corresponding source objects.
- D. It does not retain any privileges granted on the source object.

Answer: B (LEAVE A REPLY)

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (630 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 107

What features does Snowflake Time Travel enable?

- A. Querying data-related objects that were created within the past 365 days
- B. Restoring data-related objects that have been deleted within the past 90 days

- C. Conducting point-in-time analysis for BI reporting
- D. Analyzing data usage/manipulation over all periods of time

Answer: B ([LEAVE A REPLY](#))

Explanation

Snowflake Time Travel enables accessing historical data (i.e. data that has been changed or deleted) at any point within a defined period. It serves as a powerful tool for performing the following tasks:

- * Restoring data-related objects (tables, schemas, and databases) that might have been accidentally or intentionally deleted.
- * Duplicating and backing up data from key points in the past.
- * Analyzing data usage/manipulation over specified periods of time.

<https://docs.snowflake.com/en/user-guide/data-time-travel.html>

NEW QUESTION: 108

Which features could be used to improve the performance of queries that return a small subset of rows from a large table? (Select TWO).

- A. Multi-cluster virtual warehouses
- B. Secure views
- C. Search optimization service
- D. Row access policies
- E. Automatic clustering

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 109

Which Snowflake layer is always leveraged when accessing a query from the result cache?

- A. Cloud Services
- B. Metadata
- C. Data Storage
- D. Compute

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 110

A view is defined on a permanent table. A temporary table with the same name is created in the same schema as the referenced table. What will the query from the view return?

- A. An error stating that the referenced object could not be uniquely identified.
- B. The data from the permanent table.
- C. The data from the temporary table.
- D. An error stating that the view could not be compiled.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 111

Which file formats are supported for unloading data from Snowflake? (Choose two.)

- A. Avro
- B. JSON
- C. ORC
- D. XML
- E. Delimited (CSV, TSV, etc.)

Answer: ([SHOW ANSWER](#))

Reference:

[https://docs.snowflake.com/en/user-guide/data-unload-prepare.html#:~:text=Supported%20File%20Formats,-Th%20comma%20\(i.e.%20CSV\).&text=File%20format%20options%20specify%20the,the%20format%20of%20th](https://docs.snowflake.com/en/user-guide/data-unload-prepare.html#:~:text=Supported%20File%20Formats,-Th%20comma%20(i.e.%20CSV).&text=File%20format%20options%20specify%20the,the%20format%20of%20th)

NEW QUESTION: 112

Which cache type is used to cache data output from SQL queries?

- A. Metadata cache
- B. Result cache
- C. Remote cache
- D. Local file cache

Answer: B ([LEAVE A REPLY](#))

Explanation

<https://community.snowflake.com/s/article/Caching-in-Snowflake-Data-Warehouse>

NEW QUESTION: 113

In which Snowflake layer does Snowflake reorganize data into its internal optimized, compressed, columnar format?

- A. Query Processing
- B. Cloud Services
- C. Database Storage
- D. Metadata Management

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

True or False: Snowpipe via REST API can only reference External Stages as source.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Reference: <https://community.snowflake.com/s/article/Making-Transient-table-by-Default>

NEW QUESTION: 115

In the query profiler view for a query, which components represent areas that can be used to help optimize query performance? (Select TWO)

- A. Percentage scanned from cache
- B. Number of partitions scanned
- C. External bytes scanned
- D. Bytes scanned
- E. Bytes sent over the network

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 116

What types of data listings are available in the Snowflake Data Marketplace? (Choose two.)

- A. Standard
- B. Vendor
- C. Consumer
- D. Personalized
- E. Reader

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 117

Query compilation occurs in which architecture layer of the Snowflake Cloud Data Platform?

- A. Compute layer
- B. Storage layer
- C. Cloud infrastructure layer
- D. Cloud services layer

Answer: A ([LEAVE A REPLY](#))

Explanation

For query execution, Snowflake uses the Virtual Warehouse. The query processing layer is separated from the disk storage layer in the Snowflake data architecture. You can use the data from the storage layer to run queries in this layer

<https://www.projectpro.io/article/snowflake-architecture-what-does-snowflake-do/556#:~:text=Query%20Proces>

NEW QUESTION: 118

What feature can be used to reorganize a very large table on one or more columns?

- A. Micro-partitions
- B. Clustering keys
- C. Key partitions
- D. Clustered partitions

Answer: B ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/tables-clustering-keys.html>

NEW QUESTION: 119

A user created a new worksheet within the Snowsight UI and wants to share this with teammates. How can this worksheet be shared?

- A. Create a database and grant all permissions to teammates
- B. Create a private Data Exchange so that any teammate can use the worksheet
- C. Create a zero-copy clone of the worksheet and grant permissions to teammates
- D. Share the worksheet with teammates within Snowsight

Answer: D ([SHOW ANSWER](#))

NEW QUESTION: 120

Which kind of Snowflake table stores file-level metadata for each file in a stage?

- A. Transient
- B. Temporary
- C. Directory
- D. External

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 121

What is the following SQL command used for?

Select * from table(validate(t1, job_id => '_last'));

- A. To return errors from the last executed COPY command into table t1 in the current session
- B. To validate external table files in table t1 across all sessions
- C. To validate a file for errors before it gets executed using a COPY command
- D. To validate task SQL statements against table t1 in the last 14 days

Answer: A ([LEAVE A REPLY](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (630 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 122

Which data type can be used to store geospatial data in Snowflake?

- A. Variant
- B. Object
- C. Geometry

D. Geography

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/sql-reference/data-types-geospatial.html#:~:text=have%20SRID%3D4326.-,Geos>

NEW QUESTION: 123

Which of the following are handled by the cloud services layer of the Snowflake architecture? (Choose two.)

- A. Security
- B. Time Travel data
- C. Query execution
- D. Data loading
- E. Authentication and access control

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 124

Where would a Snowflake user find information about query activity from 90 days ago?

- A. account__usage.query__history__archive View
- B. information__schema . cruery_history view
- C. information__schema - query history_by_session view
- D. account__usage . query history view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 125

True or False: Loading data into Snowflake requires that source data files be no larger than 16MB.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Explanation

By default, COPY INTO location statements separate table data into a set of output files to take advantage of parallel operations. The maximum size for each file is set using the MAX_FILE_SIZE copy option. The default value is 16777216 (16 MB) but can be increased to accommodate larger files. The maximum file size supported is 5 GB for Amazon S3, Google Cloud Storage, or Microsoft Azure stages. To unload data to a single output file (at the potential cost of decreased performance), specify the SINGLE = true copy option in your statement. You can optionally specify a name for the file in the path.

NEW QUESTION: 126

Which services does the Snowflake Cloud Services layer manage? (Select TWO).

- A. Compute resources
- B. Query execution
- C. Authentication
- D. Data storage
- E. Metadata

Answer: C,E ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/intro-key-concepts.html>

The cloud services layer is a collection of services that coordinate activities across Snowflake. These services tie together all of the different components of Snowflake in order to process user requests, from login to query dispatch. The cloud services layer also runs on compute instances provisioned by Snowflake from the cloud provider.

Services managed in this layer include:

- * Authentication
- * Infrastructure management
- * Metadata management
- * Query parsing and optimization
- * Access control

NEW QUESTION: 127

Which command can be used to stage local files from which Snowflake interface?

- A. SnowSQL
- B. Snowflake classic web interface (UI)
- C. Snowsight
- D. .NET driver

Answer: ([SHOW ANSWER](#)**)**

Explanation

<https://docs.snowflake.com/en/user-guide/snowsqli-use.html>

NEW QUESTION: 128

Which Snowflake objects track DML changes made to tables, like inserts, updates, and deletes?

- A. Pipes
- B. Streams
- C. Tasks
- D. Procedures

Answer: B ([LEAVE A REPLY](#))

Explanation

[https://dataterrain.com/how-to-change-tracking-using-table-streams-in-snowflake/#:~:text=A%20stream%20is%](https://dataterrain.com/how-to-change-tracking-using-table-streams-in-snowflake/#:~:text=A%20stream%20is%20)

NEW QUESTION: 129

True or False: A 4X-Large Warehouse may, at times, take longer to provision than a X-Small Warehouse.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

Explanation

You can experiment the same with snowflake UI.

NEW QUESTION: 130

What happens when a virtual warehouse is resized?

A. When reducing the size of a warehouse the compute resources are removed only when they are no longer being used to execute any current statements.

B. Users who are trying to use the warehouse will receive an error message until the resizing is complete

C. The warehouse will be suspended while the new compute resource is provisioned and will resume automatically once provisioning is complete.

D. When increasing the size of an active warehouse the compute resource for all running and queued queries on the warehouse are affected

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 131

Which statement describes how Snowflake supports reader accounts?

A. A consumer needs to become a licensed Snowflake customer as data sharing is only supported between Snowflake accounts.

B. A reader account can consume data from the provider account that created it and combine it with its own data.

C. The users in a reader account can query data that has been shared with the reader account and can perform DML tasks.

D. The SHOW MANAGED ACCOUNTS command will view all the reader accounts that have been created for an account.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 132

Which stream type can be used for tracking the records in external tables?

A. Standard

B. Append-only

C. External

D. Insert-only

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 133

Which feature is integrated to support Multi-Factor Authentication (MFA) at Snowflake?

- A. One Login
- B. Duo Security
- C. Authy
- D. RSA SecurID Access

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 134

A developer is granted ownership of a table that has a masking policy. The developer's role is not able to see the masked data. Will the developer be able to modify the table to read the masked data?

- A. Yes, because a table owner has full control and can unset masking policies.
- B. No, because ownership of a table does not include the ability to change masking policies
- C. Yes, because masking policies only apply to cloned tables.
- D. No, because masking policies must always reference specific access roles.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 135

Which of the following describes external functions in Snowflake?

- A. They are a type of User-defined Function (UDF).
- B. They contain their own SQL code.
- C. They call code that is stored inside of Snowflake.
- D. They can return multiple rows for each row received

Answer: A ([LEAVE A REPLY](#))

Explanation

External functions are user-defined functions that are stored and executed outside of Snowflake. External functions make it easier to access external API services such as geocoders, machine learning models, and other custom code running outside of Snowflake. This feature eliminates the need to export and reimport data when using third-party services, significantly simplifying your data pipelines.

<https://docs.snowflake.com/en/sql-reference/external-functions.html#:~:text=External%20functions%20are%20u>

NEW QUESTION: 136

Users are responsible for data storage costs until what occurs?

- A. Data is deleted from a table
- B. Data is truncated from a table
- C. Data expires from Time Travel
- D. Data expires from Fail-safe

Answer: ([SHOW ANSWER](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (**630** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 137

What computer language can be selected when creating User-Defined Functions (UDFs) using the Snowpark API?

- A. JavaScript
- B. Python
- C. Swift
- D. SQL

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 138

Which is the MINIMUM required Snowflake edition that a user must have if they want to use AWS/Azure Privatelink or Google Cloud Private Service Connect?

- A. Standard
- B. Premium
- C. Enterprise
- D. Business Critical

Answer: D ([LEAVE A REPLY](#))

Explanation

<https://docs.snowflake.com/en/user-guide/privatelink-azure.html>

NEW QUESTION: 139

What is the default character set used when loading CSV files into Snowflake?

- A. UTF-8
- B. UTF-16
- C. ISO S859-1
- D. ANSI_X3.A

Answer: A ([LEAVE A REPLY](#))

Explanation

[https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20delimited%20files%20\(C](https://docs.snowflake.com/en/user-guide/intro-summary-loading.html#:~:text=For%20delimited%20files%20(C) For delimited files (CSV, TSV, etc.), the default character set is UTF-8. To use any other characters sets, you must explicitly specify the encoding to use for loading. For the list of supported character sets, see Supported Character Sets for Delimited Files (in this topic).

NEW QUESTION: 140

When loading data into Snowflake via Snowpipe what is the compressed file size recommendation?

- A. 100-250 MB
- B. 10-50 MB
- C. 300-500 MB
- D. 1000-1500 MB

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 141

True or False: Reader Accounts are able to extract data from shared data objects for use outside of Snowflake.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 142

Which formats does Snowflake store unstructured data in? (Choose two.)

- A. GeoJSON
- B. Object
- C. Array
- D. XML
- E. BLOB

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 143

Which operations are handled in the Cloud Services layer of Snowflake? (Select TWO).

- A. Query computation
- B. Data visualization
- C. Security
- D. Metadata management
- E. Data storage

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 144

A company needs to allow some users to see Personally Identifiable Information (PII) while limiting other users from seeing the full value of the PII.

Which Snowflake feature will support this?

- A. Data masking policies
- B. Row access policies

- C. Data encryption
- D. Role based access control

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 145

Which features make up Snowflake's column level security? (Select TWO).

- A. Continuous Data Protection (CDP)
- B. Row access policies
- C. External Tokenization
- D. Dynamic Data Masking
- E. Key pair authentication

Answer: B,D ([LEAVE A REPLY](#))

Valid SnowPro-Core Dumps shared by Actual4test.com for Helping Passing SnowPro-Core Exam! Actual4test.com now offer the **newest SnowPro-Core exam dumps**, the Actual4test.com SnowPro-Core exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SnowPro-Core dumps with Test Engine here: https://www.actual4test.com/SnowPro-Core_examcollection.html (**630** Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)